



low_Egamma Ty massless lepton: max $C_{p\gamma}$ regions



Ty massless lepton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_ty_lepton_region_0 $C_{p\gamma}=2.14474e-13$
 region: low_Egamma_Ty_lepton_region_0 final-pair delta_xy=0 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{y,\ell_0},h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.96296$
 $\theta_{in}=1.57079$, $\phi_\ell=1.5708$, $\phi_p=4.71239$
 $E_\gamma=0.25$, $\phi_\gamma=1.5708$
 $Q^2=19.6902$, $x_B=0.99463$, $t=-17.4772$, $W^2=0.986143$, $y=0.959318$
 $\theta(\ell',\gamma)=180$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= 0.0000$
 ℓ' $E= 2.2130$ $p_x= -0.0000$ $p_y= -2.2130$ $p_z= 0.0000$
 P' $E= 2.1756$ $p_x= 0.0000$ $p_y= 1.9630$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.0000$ $p_y= 0.2500$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



Ty massless lepton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_ty_lepton_region_1 C_{p\gamma}=0
 region: low_Egamma_Ty_lepton_region_1 final-pair delta_xy=1.5708 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{\gamma,l_0},h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{p}|=2.22442$, $|\vec{p}'|=2.08621$
 $\theta_{in}=1.57079$, $\phi_l=0$, $\phi_p=3.14159$
 $E_\gamma=0.25$, $\phi_\gamma=0$
 $Q^2=10.4598$, $x_B=0.901436$, $t=-9.28425$, $W^2=2.02353$, $y=0.562294$
 $\theta(l',\gamma)=96.8334$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:


l $E= 2.2244$ $p_x= 2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 l' $E= 2.1011$ $p_x= -0.2500$ $p_y= -2.0862$ $p_z= 0.0000$
 P' $E= 2.2874$ $p_x= 0.0000$ $p_y= 2.0862$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2500$ $p_y= 0.0000$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=+1, h_\gamma=+1$
 electron Ty, proton h=+1
 $h_e=-1, h_p=-1, h_\gamma=-1$
 electron Ty, proton h=-1
 $h_e=+1, h_p=+1, h_\gamma=-1$
 electron Ty, proton h=+1
 $h_e=-1, h_p=-1, h_\gamma=+1$
 electron Ty, proton h=-1
 $h_e=-1, h_p=+1, h_\gamma=-1$
 electron Ty, proton h=+1
 $h_e=+1, h_p=-1, h_\gamma=+1$
 electron Ty, proton h=-1
 $h_e=+1, h_p=-1, h_\gamma=-1$
 electron Ty, proton h=-1
 $h_e=-1, h_p=+1, h_\gamma=+1$
 electron Ty, proton h=+1

Leading initial-ensemble/final-state components (N=8, retained=89.5%)



Ty massless lepton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_ty_lepton_region_2 C_{p\gamma}=0
 region: low_Egamma_Ty_lepton_region_2 final-pair delta_xy=0.19635 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_y, t_0, h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.9652$
 $\theta_{in}=1.57079$, $\phi_l=0$, $\phi_P=3.14159$
 $E_\gamma=0.25$, $\phi_\gamma=1.37445$
 $Q^2=10.0531$, $x_B=0.987712$, $t=-8.75411$, $W^2=1.00491$, $y=0.493223$
 $\theta(l', \gamma)=170.014$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E=2.2244$ $p_x=2.2244$ $p_y=-0.0000$ $p_z=-0.0000$
 P $E=2.4141$ $p_x=-2.2244$ $p_y=0.0000$ $p_z=0.0000$
 l' $E=2.2109$ $p_x=-0.0488$ $p_y=-2.2104$ $p_z=0.0000$
 P' $E=2.1776$ $p_x=0.0000$ $p_y=1.9652$ $p_z=0.0000$
 q_γ $E=0.2500$ $p_x=0.0488$ $p_y=0.2452$ $p_z=0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=89.3%)



Ty massless lepton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_ty_lepton_region_3 C_{p\gamma}=0
 region: low_Egamma_Ty_lepton_region_3 final-pair delta_xy=1.1781 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{y,\ell_0}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.03741$
 $\theta_{in}=1.57079$, $\phi_l=0$, $\phi_p=3.14159$
 $E_\gamma=0.25$, $\phi_\gamma=2.74889$
 $Q^2=8.51766$, $x_B=0.920898$, $t=-9.0698$, $W^2=1.61148$, $y=0.448212$
 $\theta(l', \gamma)=118.68$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= 2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 l' $E= 2.1456$ $p_x= 0.2310$ $p_y= -2.1331$ $p_z= 0.0000$
 P' $E= 2.2430$ $p_x= 0.0000$ $p_y= 2.0374$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.2310$ $p_y= 0.0957$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=89.2%)

