



high_Egamma L proton: max $C_{\ell_0\gamma}$ regions



L proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_high_egamma_l_proton_region_0 C_{\ell_0\gamma}=1.97174e-11
 region: high_Egamma_L_proton_region_0 final-pair delta_xy=3.12638 rad
 outgoing-state purity: 0.999985
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0},L_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.0993305$
 $\theta_{in}=1.57079$, $\phi_l=1.27627$, $\phi_p=4.41786$
 $E_\gamma=1.8$, $\phi_\gamma=1.27627$
 $Q^2=16.8625$, $x_B=0.846682$, $t=-3.21736$, $W^2=3.93333$, $y=0.965111$
 $\theta(\ell',\gamma)=179.128$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 0.6457$ $p_y= 2.1286$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.6457$ $p_y= -2.1286$ $p_z= 0.0000$
 ℓ' $E= 1.8953$ $p_x= -0.5225$ $p_y= -1.8218$ $p_z= 0.0000$
 P' $E= 0.9432$ $p_x= 0.0000$ $p_y= 0.0993$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 0.5225$ $p_y= 1.7225$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=2, retained=98.4%)



L proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_high_egamma_l_proton_region_1 $C_{\ell_0\gamma}=1.28866\text{e-}11$
 region: high_Egamma L_proton_region_1 final-pair delta_xy=2.5801 rad
 outgoing-state purity: 0.904827
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0},L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.958776$
 $\theta_{\text{in}}=1.57079$, $\phi_\ell=5.69414$, $\phi_p=2.55254$
 $E_\gamma=1.8$, $\phi_\gamma=5.69414$
 $Q^2=12.299$, $x_B=0.645776$, $t=-2.34664$, $W^2=7.62614$, $y=0.922917$
 $\theta(\ell',\gamma)=147.829$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ	$E= 2.2244$	$p_x= 1.8495$	$p_y= -1.2358$	$p_z= -0.0000$
P	$E= 2.4141$	$p_x= -1.8495$	$p_y= 1.2358$	$p_z= 0.0000$
ℓ'	$E= 1.4972$	$p_x= -1.4966$	$p_y= 0.0413$	$p_z= 0.0000$
P'	$E= 1.3413$	$p_x= 0.0000$	$p_y= 0.9588$	$p_z= 0.0000$
q_γ	$E= 1.8000$	$p_x= 1.4966$	$p_y= -1.0000$	$p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=+1, h_\gamma=+1$
 electron $h=+1$, proton L

$h_e=+1, h_p=-1, h_\gamma=+1$
 electron $h=+1$, proton L

$h_e=-1, h_p=-1, h_\gamma=-1$
 electron $h=-1$, proton L


$h_e=+1, h_p=+1, h_\gamma=-1$
 electron $h=+1$, proton L

Leading initial-ensemble/final-state components (N=4, retained=97.2%)



L proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_high_egamma_l_proton_region_2 $C_{\{\ell_0\gamma\}}=1.0329\text{e-}11$
 region: high_Egamma_L_proton_region_2 final-pair delta_xy=2.37137 rad
 outgoing-state purity: 0.801088
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0},L_P)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.25347$
 $\theta_{\text{in}}=1.57079$, $\phi_{\ell}=3.92699$, $\phi_P=0.785398$
 $E_{\gamma}=1.8$, $\phi_{\gamma}=3.92699$
 $Q^2=9.72782$, $x_B=0.524277$, $t=-1.85606$, $W^2=9.70675$, $y=0.899144$
 $\theta(\ell',\gamma)=135.87$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.2244$ $p_x= -1.5729$ $p_y= -1.5729$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.5729$ $p_y= 1.5729$ $p_z= 0.0000$
 ℓ' $E= 1.2729$ $p_x= 1.2728$ $p_y= 0.0193$ $p_z= 0.0000$
 P' $E= 1.5656$ $p_x= 0.0000$ $p_y= 1.2535$ $p_z= 0.0000$
 q_{γ} $E= 1.8000$ $p_x= -1.2728$ $p_y= -1.2728$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=5, retained=98.9%)



L proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_high_egamma_l_proton_region_3 $C_{\{\ell_0\gamma\}}=9.16584\text{e-}12$
 region: high_Egamma_L_proton_region_3 final-pair delta_xy=3.0852 rad
 outgoing-state purity: 0.999783
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0},L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.137832$
 $\theta_{\text{in}}=1.57079$, $\phi_{\ell}=2.45437$, $\phi_P=5.59596$
 $E_{\gamma}=1.8$, $\phi_{\gamma}=2.45437$
 $Q^2=16.8072$, $x_B=0.84435$, $t=-3.2068$, $W^2=3.97812$, $y=0.964599$
 $\theta(\ell',\gamma)=176.769$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -1.7195$ $p_y= 1.4112$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.7195$ $p_y= -1.4112$ $p_z= 0.0000$
 ℓ' $E= 1.8904$ $p_x= 1.3914$ $p_y= -1.2797$ $p_z= 0.0000$
 P' $E= 0.9481$ $p_x= 0.0000$ $p_y= 0.1378$ $p_z= 0.0000$
 q_{γ} $E= 1.8000$ $p_x= -1.3914$ $p_y= 1.1419$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=3, retained=99.5%)

