



low_Egamma L proton: max $C_{\ell_0\gamma}$ regions



L proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_low_egamma_l_proton_region_0 $C_{\{\ell_0\gamma\}}=5.69158e-11$
 region: low_Egamma_L_proton_region_0 final-pair delta_xy=3.14159 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{l_0}}\rho(h_{l_0},L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.96296$
 $\theta_{in}=1.57079$, $\phi_\ell=1.5708$, $\phi_P=4.71239$
 $E_\gamma=0.25$, $\phi_\gamma=1.5708$
 $Q^2=19.6902$, $x_B=0.99463$, $t=-17.4772$, $W^2=0.986143$, $y=0.959318$
 $\theta(\ell',\gamma)=180$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= 0.0000$
 ℓ' $E= 2.2130$ $p_x= -0.0000$ $p_y= -2.2130$ $p_z= 0.0000$
 P' $E= 2.1756$ $p_x= 0.0000$ $p_y= 1.9630$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.0000$ $p_y= 0.2500$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
 electron h=+1, proton L


$h_e=+1, h_p=+1, h_\gamma=-1$
 electron h=+1, proton L

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_low_egamma_l_proton_region_1 $C_{\ell_0\gamma}=5.18235e-11$
 region: low_Egamma_L_proton_region_1 final-pair delta_xy=2.07135 rad
 outgoing-state purity: 0.857364
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0}, L_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.03741$
 $\theta_{in}=1.57079$, $\phi_l=0.392699$, $\phi_P=3.53429$
 $E_\gamma=0.25$, $\phi_\gamma=0.392699$
 $Q^2=14.1261$, $x_B=0.950757$, $t=-12.5385$, $W^2=1.61148$, $y=0.719991$
 $\theta(\ell', \gamma)=118.68$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 2.0551$ $p_y= 0.8512$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.0551$ $p_y= -0.8512$ $p_z= 0.0000$
 l' $E= 2.1456$ $p_x= -0.2310$ $p_y= -2.1331$ $p_z= 0.0000$
 P' $E= 2.2430$ $p_x= 0.0000$ $p_y= 2.0374$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2310$ $p_y= 0.0957$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=94.7%)



L proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_low_egamma_l_proton_region_2 $C_{\ell_0\gamma}=4.43624\text{e-}11$
region: low_Egamma_L_proton_region_2 final-pair delta_xy=2.25601 rad
outgoing-state purity: 0.916345
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0}, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.01605$
 $\theta_{\text{in}}=1.57079$, $\phi_\ell=2.55254$, $\phi_P=5.69414$
 $E_\gamma=0.25$, $\phi_\gamma=2.55254$
 $Q^2=15.7266$, $x_B=0.966105$, $t=-13.9591$, $W^2=1.4316$, $y=0.788834$
 $\theta(\ell', \gamma)=129.26$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -1.8495$ $p_y= 1.2358$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.8495$ $p_y= -1.2358$ $p_z= 0.0000$
 ℓ' $E= 2.1649$ $p_x= 0.2079$ $p_y= -2.1549$ $p_z= 0.0000$
 P' $E= 2.2236$ $p_x= 0.0000$ $p_y= 2.0160$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.2079$ $p_y= 0.1389$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
electron $h=+1$, proton L


$h_e=+1, h_p=+1, h_\gamma=-1$
electron $h=+1$, proton L

Leading initial-ensemble/final-state components (N=2, retained=93.8%)



L proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_low_egamma_l_proton_region_3 $C_{\ell_0\gamma}=2.59456e-11$
 region: low_Egamma_L_proton_region_3 final-pair delta_xy=0.658658 rad
 outgoing-state purity: 0.508936
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0}, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.19996$
 $\theta_{in}=1.57079$, $\phi_i=5.30144$, $\phi_p=2.15984$
 $E_\gamma=0.25$, $\phi_\gamma=5.30144$
 $Q^2=1.85841$, $x_B=0.468254$, $t=-1.64954$, $W^2=2.99024$, $y=0.192324$
 $\theta(\ell', \gamma)=37.7383$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= 1.2358$ $p_y= -1.8495$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.2358$ $p_y= 1.8495$ $p_z= 0.0000$
 l' $E= 1.9969$ $p_x= -0.1389$ $p_y= -1.9921$ $p_z= 0.0000$
 P' $E= 2.3916$ $p_x= 0.0000$ $p_y= 2.2000$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.1389$ $p_y= -0.2079$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=100.0%)

