



low_Egamma L proton: max $C_{p\gamma}$ regions



L proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_l_proton_region_0 C_{p\gamma}=0.539242
 region: low_Egamma_L_proton_region_0 final-pair delta_xy=2.84707 rad
 outgoing-state purity: 0.501737
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{t_0}}\rho(h_{t_0}, L_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.21812$
 $\theta_{in}=1.57079$, $\phi_t=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=4.41786$
 $Q^2=0.00591804$, $x_B=0.00260549$, $t=-5.99798e-06$, $W^2=3.1453$, $y=0.110068$
 $\theta(\ell', \gamma)=18.9753$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 ℓ' $E= 1.9802$ $p_x= 0.0726$ $p_y= -1.9789$ $p_z= 0.0000$
 P' $E= 2.4083$ $p_x= 0.0000$ $p_y= 2.2181$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.0726$ $p_y= -0.2392$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=98.5%)



L proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_l_proton_region_1 C_{p\gamma}=0.237464
region: low_Egamma L_proton_region_1 final-pair delta_xy=2.06167 rad
outgoing-state purity: 0.503425
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0}, L_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.14934$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=5.79231$
 $Q^2=0.0530724$, $x_B=0.0306384$, $t=-0.000876114$, $W^2=2.55899$, $y=0.0839415$
 $\theta(l', \gamma)=68.0691$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 ℓ' $E= 2.0434$ $p_x= -0.2205$ $p_y= -2.0315$ $p_z= 0.0000$
 P' $E= 2.3451$ $p_x= 0.0000$ $p_y= 2.1493$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2205$ $p_y= -0.1178$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_l_proton_region_2 C_{p\gamma}=0.134541
region: low_Egamma_L_proton_region_2 final-pair delta_xy=1.47262 rad
outgoing-state purity: 0.501458
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_{l_0}}\rho(h_{l_0},L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.07351$
 $\theta_{in}=1.57079$, $\phi_i=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=3.04342$
 $Q^2=0.0653998$, $x_B=0.0593636$, $t=-0.00364768$, $W^2=1.91613$, $y=0.0533864$
 $\theta(l',\gamma)=102.388$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 2.1127$ $p_x= 0.2488$ $p_y= -2.0980$ $p_z= 0.0000$
 P' $E= 2.2758$ $p_x= 0.0000$ $p_y= 2.0735$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.2488$ $p_y= 0.0245$ $p_z= 0.0000$


Transverse plane



$h_e=+1$, $h_p=-1$, $h_\gamma=+1$
electron $h=+1$, proton L


$h_e=-1$, $h_p=-1$, $h_\gamma=+1$
electron $h=-1$, proton L

Leading initial-ensemble/final-state components (N=2, retained=98.3%)



L proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_l_proton_region_3 $C_{\{p\gamma\}}=0.0828132$
 region: low_Egamma_L_proton_region_3 final-pair delta_xy=0.294524 rad
 outgoing-state purity: 0.504011
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{l_0}}\rho(h_{l_0}, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.96799$
 $\theta_{in}=1.57079$, $\phi_l=4.22152$, $\phi_P=1.07992$
 $E_V=0.25$, $\phi_V=1.27627$
 $Q^2=1.0126$, $x_B=0.87216$, $t=-1.04481$, $W^2=1.02827$, $y=0.0562619$
 $\theta(l', \gamma)=165.008$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -1.0486$ $p_y= -1.9618$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.0486$ $p_y= 1.9618$ $p_z= 0.0000$
 l' $E= 2.2084$ $p_x= -0.0726$ $p_y= -2.2072$ $p_z= 0.0000$
 P' $E= 2.1801$ $p_x= 0.0000$ $p_y= 1.9680$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.0726$ $p_y= 0.2392$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=100.0%)

