



low\_Egamma L proton: max  $P_{\text{GHz}+}$  regions



# L proton characteristic max $P_{\text{GHZ}}$ + configuration

3D momenta




ghz\_purity\_low\_egamma\_l\_proton\_region\_0  $P_{\{\text{rm GHZ}\}}=0.27971$   
region: low\_Egamma\_L\_proton\_region\_0  
outgoing-state purity: 0.999556  
kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
incoming state:  $\frac{1}{2}\sum_{h_{l_0}}\rho(h_{l_0}, L_p)$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=2.07351$   
 $\theta_{\text{in}}=1.57079$ ,  $\phi_l=1.66897$ ,  $\phi_P=4.81056$   
 $E_V=0.25$ ,  $\phi_V=0.0981748$   
 $Q^2=18.5794$ ,  $x_B=0.947171$ ,  $t=-18.4086$ ,  $W^2=1.91613$ ,  $y=0.950556$   
 $\theta(l', \gamma)=102.388$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= -0.2180$   $p_y= 2.2137$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 0.2180$   $p_y= -2.2137$   $p_z= 0.0000$   
 $l'$   $E= 2.1127$   $p_x= -0.2488$   $p_y= -2.0980$   $p_z= 0.0000$   
 $P'$   $E= 2.2758$   $p_x= 0.0000$   $p_y= 2.0735$   $p_z= 0.0000$   
 $q_\gamma$   $E= 0.2500$   $p_x= 0.2488$   $p_y= 0.0245$   $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$   
electron  $h=+1$ , proton L


$h_e=+1, h_p=+1, h_\gamma=-1$   
electron  $h=+1$ , proton L

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



# L proton characteristic max $P_{\text{GHZ}}$ + configuration

3D momenta




ghz\_purity\_low\_egamma\_l\_proton\_region\_1  $P_{\text{GHZ}}=0.27971$   
region: low\_Egamma\_L\_proton\_region\_1  
outgoing-state purity: 0.999556  
kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
incoming state:  $\frac{1}{2} \sum_{h_{\ell_0}} \rho(h_{\ell_0}, L_p)$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=2.07351$   
 $\theta_{\text{in}}=1.57079$ ,  $\phi_{\ell}=1.47262$ ,  $\phi_P=4.61421$   
 $E_{\gamma}=0.25$ ,  $\phi_{\gamma}=3.04342$   
 $Q^2=18.5794$ ,  $x_B=0.947171$ ,  $t=-18.4086$ ,  $W^2=1.91613$ ,  $y=0.950556$   
 $\theta(\ell', \gamma)=102.388$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $\ell$   $E= 2.2244$   $p_x= 0.2180$   $p_y= 2.2137$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -0.2180$   $p_y= -2.2137$   $p_z= 0.0000$   
 $\ell'$   $E= 2.1127$   $p_x= 0.2488$   $p_y= -2.0980$   $p_z= 0.0000$   
 $P'$   $E= 2.2758$   $p_x= 0.0000$   $p_y= 2.0735$   $p_z= 0.0000$   
 $q_{\gamma}$   $E= 0.2500$   $p_x= -0.2488$   $p_y= 0.0245$   $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=+1, h_{\gamma}=+1$   
electron  $h=+1$ , proton L

$h_e=+1, h_p=+1, h_{\gamma}=-1$   
electron  $h=+1$ , proton L

Leading initial-ensemble/final-state components (N=2, retained=100.0%)

