



mid_Egamma L proton: max $C_{\ell_0\gamma}$ regions



L proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_mid_egamma_l_proton_region_0 $C_{\ell_0\gamma}=4.43208e-11$
 region: mid_Egamma L_proton_region_0 final-pair delta_xy=2.64315 rad
 outgoing-state purity: 0.972924
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0},L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.27253$
 $\theta_{in}=1.57079$, $\phi_l=0.687223$, $\phi_P=3.82882$
 $E_\gamma=1$, $\phi_\gamma=0.687223$
 $Q^2=17.1944$, $x_B=0.917446$, $t=-9.46456$, $W^2=2.42703$, $y=0.908199$
 $\theta(\ell',\gamma)=151.441$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.2244$ $p_x= 1.7195$ $p_y= 1.4112$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.7195$ $p_y= -1.4112$ $p_z= 0.0000$
 ℓ' $E= 2.0576$ $p_x= -0.7730$ $p_y= -1.9069$ $p_z= 0.0000$
 P' $E= 1.5809$ $p_x= 0.0000$ $p_y= 1.2725$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.7730$ $p_y= 0.6344$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
 electron $h=+1$, proton L


$h_e=+1, h_p=+1, h_\gamma=-1$
 electron $h=+1$, proton L

Leading initial-ensemble/final-state components (N=2, retained=96.5%)



L proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_mid_egamma_l_proton_region_1 $C_{\ell_0\gamma}=3.53552e-11$
region: mid_Egamma_L_proton_region_1 final-pair delta_xy=2.87452 rad
outgoing-state purity: 0.995022
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0}, L_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.1891$
 $\theta_{in}=1.57079$, $\phi_\ell=2.06167$, $\phi_P=5.20326$
 $E_\gamma=1$, $\phi_\gamma=2.06167$
 $Q^2=18.5636$, $x_B=0.95221$, $t=-10.2182$, $W^2=1.81152$, $y=0.94472$
 $\theta(\ell', \gamma)=164.698$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -1.0486$ $p_y= 1.9618$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.0486$ $p_y= -1.9618$ $p_z= 0.0000$
 ℓ' $E= 2.1240$ $p_x= 0.4714$ $p_y= -2.0710$ $p_z= 0.0000$
 P' $E= 1.5145$ $p_x= 0.0000$ $p_y= 1.1891$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.4714$ $p_y= 0.8819$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=2, retained=99.1%)



L proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_mid_egamma_l_proton_region_2 $C_{\ell_0\gamma}=1.27631e-11$
 region: mid_Egamma_L_proton_region_2 final-pair delta_xy=1.87398 rad
 outgoing-state purity: 0.70931
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0}, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.69594$
 $\theta_{in}=1.57079$, $\phi_l=5.98866$, $\phi_p=2.84707$
 $E_\gamma=1$, $\phi_\gamma=5.98866$
 $Q^2=9.82375$, $x_B=0.66899$, $t=-5.40743$, $W^2=5.74055$, $y=0.711594$
 $\theta(\ell', \gamma)=107.371$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.2244$ $p_x= 2.1286$ $p_y= -0.6457$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.1286$ $p_y= 0.6457$ $p_z= 0.0000$
 ℓ' $E= 1.7005$ $p_x= -0.9569$ $p_y= -1.4057$ $p_z= 0.0000$
 P' $E= 1.9381$ $p_x= 0.0000$ $p_y= 1.6959$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.9569$ $p_y= -0.2903$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=7, retained=98.5%)



L proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_mid_egamma_l_proton_region_3 $C_{\ell_0\gamma}=6.21569\text{e-}12$
 region: mid_Egamma_L_proton_region_3 final-pair delta_xy=1.6631 rad
 outgoing-state purity: 0.636655
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0}, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.8082$
 $\theta_{\text{in}}=1.57079$, $\phi_\ell=3.63247$, $\phi_P=0.490874$
 $E_\gamma=1$, $\phi_\gamma=3.63247$
 $Q^2=7.78158$, $x_B=0.573848$, $t=-4.28332$, $W^2=6.65862$, $y=0.657122$
 $\theta(\ell', \gamma)=95.2889$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.2244$ $p_x= -1.9618$ $p_y= -1.0486$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.9618$ $p_y= 1.0486$ $p_z= 0.0000$
 ℓ' $E= 1.6015$ $p_x= 0.8819$ $p_y= -1.3368$ $p_z= 0.0000$
 P' $E= 2.0370$ $p_x= 0.0000$ $p_y= 1.8082$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.8819$ $p_y= -0.4714$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=7, retained=98.1%)

