



mid_Egamma L proton: max $C_{\ell_0 p}$ regions



L proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_mid_egamma_l_proton_region_0 $C_{\{\ell_0 p\}}=5.14129\text{e-}12$
 region: mid_Egamma_L_proton_region_0 final-pair delta_xy=2.54793 rad
 outgoing-state purity: 0.671866
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0}, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.75164$
 $\theta_{\text{in}}=1.57079$, $\phi_{\ell}=3.53429$, $\phi_p=0.392699$
 $E_{\gamma}=1$, $\phi_{\gamma}=3.53429$
 $Q^2=8.81411$, $x_B=0.623844$, $t=-4.85168$, $W^2=6.19444$, $y=0.684663$
 $\theta(\ell', \gamma)=101.515$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.2244$ $p_x= -2.0551$ $p_y= -0.8512$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 2.0551$ $p_y= 0.8512$ $p_z= 0.0000$
 ℓ' $E= 1.6515$ $p_x= 0.9239$ $p_y= -1.3690$ $p_z= 0.0000$
 P' $E= 1.9870$ $p_x= 0.0000$ $p_y= 1.7516$ $p_z= 0.0000$
 q_{γ} $E= 1.0000$ $p_x= -0.9239$ $p_y= -0.3827$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=7, retained=98.3%)



L proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_mid_egamma_l_proton_region_1 $C_{\ell_0 p}$ =2.36502e-12
region: mid_Egamma_L_proton_region_1 final-pair delta_xy=2.7944 rad
outgoing-state purity: 0.981248
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $\frac{1}{2} \sum_{h_{\ell_0}} \rho(h_{\ell_0}, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.247$
 $\theta_{in}=1.57079$, $\phi_{\ell}=2.35619$, $\phi_P=5.49779$
 $E_{\gamma}=1$, $\phi_{\gamma}=2.35619$
 $Q^2=17.6168$, $x_B=0.928467$, $t=-9.69709$, $W^2=2.23712$, $y=0.919467$
 $\theta(\ell', \gamma)=154.893$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -1.5729$ $p_y= 1.5729$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.5729$ $p_y= -1.5729$ $p_z= 0.0000$
 ℓ' $E= 2.0781$ $p_x= 0.7071$ $p_y= -1.9541$ $p_z= 0.0000$
 P' $E= 1.5604$ $p_x= 0.0000$ $p_y= 1.2470$ $p_z= 0.0000$
 q_Y $E= 1.0000$ $p_x= -0.7071$ $p_y= 0.7071$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_{\gamma}=+1$
electron $h=+1$, proton L


$h_e=+1, h_p=+1, h_{\gamma}=-1$
electron $h=+1$, proton L

Leading initial-ensemble/final-state components (N=2, retained=97.3%)



L proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_mid_egamma_l_proton_region_2 $C_{\ell_0 p}=2.11585e-12$
 region: mid_Egamma_L_proton_region_2 final-pair delta_xy=2.55841 rad
 outgoing-state purity: 0.636655
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0}, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.8082$
 $\theta_{in}=1.57079$, $\phi_i=5.79231$, $\phi_p=2.65072$
 $E_\gamma=1$, $\phi_\gamma=5.79231$
 $Q^2=7.78158$, $x_B=0.573848$, $t=-4.28332$, $W^2=6.65862$, $y=0.657122$
 $\theta(\ell', \gamma)=95.2889$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= 1.9618$ $p_y= -1.0486$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.9618$ $p_y= 1.0486$ $p_z= 0.0000$
 l' $E= 1.6015$ $p_x= -0.8819$ $p_y= -1.3368$ $p_z= 0.0000$
 P' $E= 2.0370$ $p_x= 0.0000$ $p_y= 1.8082$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.8819$ $p_y= -0.4714$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
 electron h=+1, proton L

$h_e=+1, h_p=+1, h_\gamma=-1$
 electron h=+1, proton L

$h_e=-1, h_p=+1, h_\gamma=-1$
 electron h=-1, proton L


$h_e=+1, h_p=-1, h_\gamma=+1$
 electron h=+1, proton L

$h_e=-1, h_p=-1, h_\gamma=-1$
 electron h=-1, proton L

$h_e=-1, h_p=+1, h_\gamma=+1$
 electron h=-1, proton L


$h_e=+1, h_p=-1, h_\gamma=-1$
 electron h=+1, proton L

Leading initial-ensemble/final-state components (N=7, retained=98.1%)



L proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_mid_egamma_l_proton_region_3 $C_{\ell_0 p}=0$
 region: mid_Egamma_L_proton_region_3 final-pair delta_xy=2.7944 rad
 outgoing-state purity: 0.812523
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2} \sum_{h_{\ell_0}} \rho(h_{\ell_0}, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.247$
 $\theta_{in}=1.57079$, $\phi_\ell=0$, $\phi_P=3.14159$
 $E_\gamma=1$, $\phi_\gamma=0.785398$
 $Q^2=12.391$, $x_B=0.901276$, $t=-5.77426$, $W^2=2.23712$, $y=0.666227$
 $\theta(\ell', \gamma)=154.893$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 2.2244$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2244$ $p_y= 0.0000$ $p_z= 0.0000$
 ℓ' $E= 2.0781$ $p_x= -0.7071$ $p_y= -1.9541$ $p_z= 0.0000$
 P' $E= 1.5604$ $p_x= 0.0000$ $p_y= 1.2470$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.7071$ $p_y= 0.7071$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=6, retained=96.9%)

