



high_Egamma Tx proton: max $C_{l_{0p}}$ regions



Tx proton characteristic max C_{l_0p} configuration

3D momenta




c_massless_p_high_egamma_tx_proton_region_0 $C_{l_0p}=8.28754e-12$
 region: high_Egamma_Tx_proton_region_0 final-pair delta_xy=1.70891 rad
 outgoing-state purity: 0.500033
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{l_0}}\rho(h_{l_0}, T_{x,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.425419$
 $\theta_{in}=1.57079$, $\phi_l=3.23977$, $\phi_P=0.0981748$
 $E_\gamma=1.8$, $\phi_\gamma=3.23977$
 $Q^2=15.8684$, $x_B=0.804425$, $t=-3.02767$, $W^2=4.73783$, $y=0.955919$
 $\theta(l', \gamma)=166.462$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= -2.2137$ $p_y= -0.2180$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 2.2137$ $p_y= 0.2180$ $p_z= 0.0000$
 l' $E= 1.8086$ $p_x= 1.7913$ $p_y= -0.2490$ $p_z= 0.0000$
 P' $E= 1.0300$ $p_x= 0.0000$ $p_y= 0.4254$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -1.7913$ $p_y= -0.1764$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=96.5%)



Tx proton characteristic max C_{l_0p} configuration

3D momenta




c_massless_p_high_egamma_tx_proton_region_1 $C_{l_0p}=8.02319e-12$
 region: high_Egamma_Tx_proton_region_1 final-pair delta_xy=1.70891 rad
 outgoing-state purity: 0.500033
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{l_0}}\rho(h_{l_0}, T_{X,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.425419$
 $\theta_{in}=1.57079$, $\phi_l=6.18501$, $\phi_P=3.04342$
 $E_\gamma=1.8$, $\phi_\gamma=6.18501$
 $Q^2=15.8684$, $x_B=0.804425$, $t=-3.02767$, $W^2=4.73783$, $y=0.955919$
 $\theta(l', \gamma)=166.462$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= 2.2137$ $p_y= -0.2180$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2137$ $p_y= 0.2180$ $p_z= 0.0000$
 l' $E= 1.8086$ $p_x= -1.7913$ $p_y= -0.2490$ $p_z= 0.0000$
 P' $E= 1.0300$ $p_x= 0.0000$ $p_y= 0.4254$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 1.7913$ $p_y= -0.1764$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=96.5%)



Tx proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_high_egamma_tx_proton_region_2 C_{\ell_0 p}=4.19564e-12
 region: high_Egamma_Tx_proton_region_2 final-pair delta_xy=2.58532 rad
 outgoing-state purity: 0.500047
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2} \sum_{h_{\ell_0}} \rho(h_{\ell_0}, T_{X,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.111698$
 $\theta_{in}=1.57079$, $\phi_\ell=2.15984$, $\phi_P=5.30144$
 $E_\gamma=1.8$, $\phi_\gamma=2.15984$
 $Q^2=16.8467$, $x_B=0.846014$, $t=-3.21434$, $W^2=3.94616$, $y=0.964964$
 $\theta(\ell', \gamma)=178.122$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -1.2358$ $p_y= 1.8495$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.2358$ $p_y= -1.8495$ $p_z= 0.0000$
 ℓ' $E= 1.8939$ $p_x= 1.0000$ $p_y= -1.6083$ $p_z= 0.0000$
 P' $E= 0.9446$ $p_x= 0.0000$ $p_y= 0.1117$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -1.0000$ $p_y= 1.4966$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=96.5%)



Tx proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_high_egamma_tx_proton_region_3 $C_{\ell_0 p}=2.69779\text{e-}12$
 region: high_Egamma_Tx_proton_region_3 final-pair delta_xy=1.8927 rad
 outgoing-state purity: 0.505623
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{l_0}}\rho(h_{l_0}, T_{X,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.89271$
 $\theta_{in}=1.57079$, $\phi_l=4.31969$, $\phi_P=1.1781$
 $E_\gamma=1.8$, $\phi_\gamma=4.31969$
 $Q^2=3.45893$, $x_B=0.199263$, $t=-0.659963$, $W^2=14.7795$, $y=0.841182$
 $\theta(\ell', \gamma)=94.0564$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.8512$ $p_y= -2.0551$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.8512$ $p_y= 2.0551$ $p_z= 0.0000$
 ℓ' $E= 0.7261$ $p_x= 0.6888$ $p_y= -0.2297$ $p_z= 0.0000$
 P' $E= 2.1124$ $p_x= 0.0000$ $p_y= 1.8927$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -0.6888$ $p_y= -1.6630$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=96.5%)

