



mid_Egamma Tx proton: max $C_{\ell_0\gamma}$ regions



Tx proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_mid_egamma_tx_proton_region_0 $C_{\ell_0\gamma}=2.70374e-11$
 region: mid_Egamma_Tx_proton_region_0 final-pair delta_xy=2.98299 rad
 outgoing-state purity: 0.501164
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0},T_x,p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.16564$
 $\theta_{in}=1.57079$, $\phi_l=1.86532$, $\phi_P=5.00691$
 $E_\gamma=1$, $\phi_\gamma=1.86532$
 $Q^2=18.9422$, $x_B=0.961354$, $t=-10.4266$, $W^2=1.64131$, $y=0.954819$
 $\theta(\ell',\gamma)=170.912$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.6457$ $p_y= 2.1286$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.6457$ $p_y= -2.1286$ $p_z= 0.0000$
 ℓ' $E= 2.1423$ $p_x= 0.2903$ $p_y= -2.1226$ $p_z= 0.0000$
 P' $E= 1.4962$ $p_x= 0.0000$ $p_y= 1.1656$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.2903$ $p_y= 0.9569$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=99.7%)



Tx proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_mid_egamma_tx_proton_region_1 $C_{\ell_0\gamma}=2.1278e-11$
 region: mid_Egamma_Tx_proton_region_1 final-pair delta_xy=2.64315 rad
 outgoing-state purity: 0.504605
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0}, T_{x,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.27253$
 $\theta_{in}=1.57079$, $\phi_l=0.687223$, $\phi_p=3.82882$
 $E_\gamma=1$, $\phi_\gamma=0.687223$
 $Q^2=17.1944$, $x_B=0.917446$, $t=-9.46456$, $W^2=2.42703$, $y=0.908199$
 $\theta(\ell', \gamma)=151.441$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 1.7195$ $p_y= 1.4112$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.7195$ $p_y= -1.4112$ $p_z= 0.0000$
 ℓ' $E= 2.0576$ $p_x= -0.7730$ $p_y= -1.9069$ $p_z= 0.0000$
 P' $E= 1.5809$ $p_x= 0.0000$ $p_y= 1.2725$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.7730$ $p_y= 0.6344$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=97.3%)



Tx proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_mid_egamma_tx_proton_region_2 C_{\ell_0\gamma}=1.34263e-11
 region: mid_Egamma_Tx_proton_region_2 final-pair delta_xy=1.29407 rad
 outgoing-state purity: 0.506366
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0}, T_{X,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.9752$
 $\theta_{in}=1.57079$, $\phi_l=3.92699$, $\phi_P=0.785398$
 $E_\gamma=1$, $\phi_\gamma=3.92699$
 $Q^2=4.69458$, $x_B=0.395795$, $t=-2.5841$, $W^2=8.0464$, $y=0.574779$
 $\theta(\ell', \gamma)=74.1447$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.2244$ $p_x= -1.5729$ $p_y= -1.5729$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.5729$ $p_y= 1.5729$ $p_z= 0.0000$
 ℓ' $E= 1.4519$ $p_x= 0.7071$ $p_y= -1.2681$ $p_z= 0.0000$
 P' $E= 2.1866$ $p_x= 0.0000$ $p_y= 1.9752$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.7071$ $p_y= -0.7071$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=7, retained=98.7%)



Tx proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_mid_egamma_tx_proton_region_3 $C_{\ell_0\gamma}=6.15774\text{e-}12$
 region: mid_Egamma_Tx_proton_region_3 final-pair delta_xy=1.29407 rad
 outgoing-state purity: 0.506366
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{l_0}}\rho(h_{l_0}, T_{X,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.9752$
 $\theta_{in}=1.57079$, $\phi_l=5.49779$, $\phi_P=2.35619$
 $E_\gamma=1$, $\phi_\gamma=5.49779$
 $Q^2=4.69458$, $x_B=0.395795$, $t=-2.5841$, $W^2=8.0464$, $y=0.574779$
 $\theta(\ell', \gamma)=74.1447$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= 1.5729$ $p_y= -1.5729$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.5729$ $p_y= 1.5729$ $p_z= 0.0000$
 l' $E= 1.4519$ $p_x= -0.7071$ $p_y= -1.2681$ $p_z= 0.0000$
 P' $E= 2.1866$ $p_x= 0.0000$ $p_y= 1.9752$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.7071$ $p_y= -0.7071$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=7, retained=98.7%)

