



high_Egamma Ty proton: max $C_{\ell_0 p}$ regions



Ty proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_high_egamma_ty_proton_region_0 $C_{\ell_0 p}$ =8.80362e-12
 region: high_Egamma_Ty_proton_region_0 final-pair delta_xy=1.58254 rad
 outgoing-state purity: 0.507948
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2} \sum_{h_{\ell_0}} \rho(h_{\ell_0}, T_{Y,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.708355$
 $\theta_{in}=1.57079$, $\phi_i=3.53429$, $\phi_p=0.392699$
 $E_\gamma=1.8$, $\phi_\gamma=3.53429$
 $Q^2=14.2008$, $x_B=0.731691$, $t=-2.7095$, $W^2=6.08723$, $y=0.9405$
 $\theta(\ell', \gamma)=156.827$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.2244$ $p_x= -2.0551$ $p_y= -0.8512$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 2.0551$ $p_y= 0.8512$ $p_z= 0.0000$
 ℓ' $E= 1.6631$ $p_x= 1.6630$ $p_y= -0.0195$ $p_z= 0.0000$
 P' $E= 1.1754$ $p_x= 0.0000$ $p_y= 0.7084$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -1.6630$ $p_y= -0.6888$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=96.5%)



Ty proton characteristic max C_{l_0p} configuration

3D momenta




c_massless_p_high_egamma_ty_proton_region_1 $C_{l_0p}=8.15625e-12$
 region: high_Egamma_Ty_proton_region_1 final-pair delta_xy=1.55562 rad
 outgoing-state purity: 0.509438
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{l_0}}\rho(h_{l_0}, T_{Y,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.25347$
 $\theta_{in}=1.57079$, $\phi_l=5.49779$, $\phi_P=2.35619$
 $E_Y=1.8$, $\phi_Y=5.49779$
 $Q^2=9.72782$, $x_B=0.524277$, $t=-1.85606$, $W^2=9.70675$, $y=0.899144$
 $\theta(l', \gamma)=135.87$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.5729$ $p_y= -1.5729$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.5729$ $p_y= 1.5729$ $p_z= 0.0000$
 l' $E= 1.2729$ $p_x= -1.2728$ $p_y= 0.0193$ $p_z= 0.0000$
 P' $E= 1.5656$ $p_x= 0.0000$ $p_y= 1.2535$ $p_z= 0.0000$
 q_Y $E= 1.8000$ $p_x= 1.2728$ $p_y= -1.2728$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=96.5%)



Ty proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_high_egamma_ty_proton_region_2 $C_{\ell_0 p}=5.15415e-12$
 region: high_Egamma_Ty_proton_region_2 final-pair delta_xy=2.05734 rad
 outgoing-state purity: 0.500479
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2} \sum_{h_{\ell_0}} \rho(h_{\ell_0}, T_{y,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.190824$
 $\theta_{in}=1.57079$, $\phi_l=0.392699$, $\phi_p=3.53429$
 $E_\gamma=1.8$, $\phi_\gamma=0.392699$
 $Q^2=16.7024$, $x_B=0.839929$, $t=-3.18681$, $W^2=4.06292$, $y=0.96363$
 $\theta(\ell', \gamma)=174.623$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 2.0551$ $p_y= 0.8512$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.0551$ $p_y= -0.8512$ $p_z= 0.0000$
 l' $E= 1.8813$ $p_x= -1.6630$ $p_y= -0.8797$ $p_z= 0.0000$
 P' $E= 0.9572$ $p_x= 0.0000$ $p_y= 0.1908$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 1.6630$ $p_y= 0.6888$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=96.5%)



Ty proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_high_egamma_ty_proton_region_3 $C_{\ell_0 p}=9.30478e-13$
 region: high_Egamma_Ty_proton_region_3 final-pair delta_xy=3.14159 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2} \sum_{h_{\ell_0}} \rho(h_{\ell_0}, T_{y,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.0956529$
 $\theta_{in}=1.57079$, $\phi_{\ell}=1.5708$, $\phi_p=4.71239$
 $E_{\gamma}=1.8$, $\phi_{\gamma}=1.5708$
 $Q^2=16.8669$, $x_B=0.846865$, $t=-3.21819$, $W^2=3.92981$, $y=0.965151$
 $\theta(\ell', \gamma)=180$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= 0.0000$
 ℓ' $E= 1.8957$ $p_x= -0.0000$ $p_y= -1.8957$ $p_z= 0.0000$
 P' $E= 0.9429$ $p_x= 0.0000$ $p_y= 0.0957$ $p_z= 0.0000$
 q_{γ} $E= 1.8000$ $p_x= 0.0000$ $p_y= 1.8000$ $p_z= 0.0000$

Transverse plane



$h_e=-1, h_p=-1, h_{\gamma}=-1$
 electron $h=-1$, proton Ty

$h_e=+1, h_p=+1, h_{\gamma}=+1$
 electron $h=+1$, proton Ty

Leading initial-ensemble/final-state components (N=2, retained=96.5%)

