



low_Egamma Ty proton: max $C_{\ell_0\gamma}$ regions



Ty proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_low_egamma_ty_proton_region_0 $C_{\{\ell_0\gamma\}}=3.55263\text{e-}11$
 region: low_Egamma_Ty_proton_region_0 final-pair delta_xy=0.658658 rad
 outgoing-state purity: 0.500882
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0}, T_{y,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.19996$
 $\theta_{\text{in}}=1.57079$, $\phi_l=4.12334$, $\phi_P=0.981748$
 $E_\gamma=0.25$, $\phi_\gamma=4.12334$
 $Q^2=1.85841$, $x_B=0.468254$, $t=-1.64954$, $W^2=2.99024$, $y=0.192324$
 $\theta(\ell', \gamma)=37.7383$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -1.2358$ $p_y= -1.8495$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.2358$ $p_y= 1.8495$ $p_z= 0.0000$
 ℓ' $E= 1.9969$ $p_x= 0.1389$ $p_y= -1.9921$ $p_z= 0.0000$
 P' $E= 2.3916$ $p_x= 0.0000$ $p_y= 2.2000$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.1389$ $p_y= -0.2079$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=100.0%)



Ty proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_low_egamma_ty_proton_region_1 $C_{\ell_0\gamma}=1.73403e-11$
 region: low_Egamma_Ty_proton_region_1 final-pair delta_xy=0.658658 rad
 outgoing-state purity: 0.500882
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0}, T_{\gamma,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.19996$
 $\theta_{in}=1.57079$, $\phi_{\ell}=5.30144$, $\phi_P=2.15984$
 $E_{\gamma}=0.25$, $\phi_{\gamma}=5.30144$
 $Q^2=1.85841$, $x_B=0.468254$, $t=-1.64954$, $W^2=2.99024$, $y=0.192324$
 $\theta(\ell', \gamma)=37.7383$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ	$E= 2.2244$	$p_x= 1.2358$	$p_y= -1.8495$	$p_z= -0.0000$
P	$E= 2.4141$	$p_x= -1.2358$	$p_y= 1.8495$	$p_z= 0.0000$
ℓ'	$E= 1.9969$	$p_x= -0.1389$	$p_y= -1.9921$	$p_z= 0.0000$
P'	$E= 2.3916$	$p_x= 0.0000$	$p_y= 2.2000$	$p_z= 0.0000$
q_{γ}	$E= 0.2500$	$p_x= 0.1389$	$p_y= -0.2079$	$p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=100.0%)



Ty proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_low_egamma_ty_proton_region_2 $C_{\ell_0\gamma}=1.48565e-11$
 region: low_Egamma_Ty_proton_region_2 final-pair delta_xy=1.78701 rad
 outgoing-state purity: 0.527269
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0}, T_{\gamma,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.07351$
 $\theta_{in}=1.57079$, $\phi_l=3.04342$, $\phi_P=6.18501$
 $E_\gamma=0.25$, $\phi_\gamma=3.04342$
 $Q^2=11.4155$, $x_B=0.916776$, $t=-10.1325$, $W^2=1.91613$, $y=0.603401$
 $\theta(\ell', \gamma)=102.388$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ	$E= 2.2244$	$p_x= -2.2137$	$p_y= 0.2180$	$p_z= -0.0000$
P	$E= 2.4141$	$p_x= 2.2137$	$p_y= -0.2180$	$p_z= 0.0000$
ℓ'	$E= 2.1127$	$p_x= 0.2488$	$p_y= -2.0980$	$p_z= 0.0000$
P'	$E= 2.2758$	$p_x= 0.0000$	$p_y= 2.0735$	$p_z= 0.0000$
q_γ	$E= 0.2500$	$p_x= -0.2488$	$p_y= 0.0245$	$p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=6, retained=99.4%)



Ty proton characteristic max $C_{\ell_0\gamma}$ configuration

3D momenta




c_massless_gamma_low_egamma_ty_proton_region_3 $C_{\ell_0\gamma}=1.00811e-11$
 region: low_Egamma_Ty_proton_region_3 final-pair delta_xy=3.05449 rad
 outgoing-state purity: 0.500002
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0}, T_{\gamma,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.96352$
 $\theta_{in}=1.57079$, $\phi_l=1.66897$, $\phi_P=4.81056$
 $E_\gamma=0.25$, $\phi_\gamma=1.66897$
 $Q^2=19.6484$, $x_B=0.994382$, $t=-17.4401$, $W^2=0.990843$, $y=0.957519$
 $\theta(\ell', \gamma)=175.01$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.2180$ $p_y= 2.2137$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.2180$ $p_y= -2.2137$ $p_z= 0.0000$
 ℓ' $E= 2.2125$ $p_x= 0.0245$ $p_y= -2.2123$ $p_z= 0.0000$
 P' $E= 2.1761$ $p_x= 0.0000$ $p_y= 1.9635$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.0245$ $p_y= 0.2488$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=100.0%)

