



low_Egamma Ty proton: max $C_{\ell_0 p}$ regions



Ty proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_low_egamma_ty_proton_region_0 $C_{\ell_0 p}=2.40383e-11$
 region: low_Egamma_Ty_proton_region_0 final-pair delta_xy=3.04543 rad
 outgoing-state purity: 0.513922
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2} \sum_{h_{\ell_0}} \rho(h_{\ell_0}, T_{Y,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.01605$
 $\theta_{in}=1.57079$, $\phi_l=2.55254$, $\phi_P=5.69414$
 $E_Y=0.25$, $\phi_Y=2.55254$
 $Q^2=15.7266$, $x_B=0.966105$, $t=-13.9591$, $W^2=1.4316$, $y=0.788834$
 $\theta(\ell', \gamma)=129.26$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= -1.8495$ $p_y= 1.2358$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.8495$ $p_y= -1.2358$ $p_z= 0.0000$
 l' $E= 2.1649$ $p_x= 0.2079$ $p_y= -2.1549$ $p_z= 0.0000$
 P' $E= 2.2236$ $p_x= 0.0000$ $p_y= 2.0160$ $p_z= 0.0000$
 q $E= 0.2500$ $p_x= -0.2079$ $p_y= 0.1389$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=5, retained=97.7%)



Ty proton characteristic max $C_{\ell_0 p}$ configuration

3D momenta




c_massless_p_low_egamma_ty_proton_region_1 $C_{\ell_0 p}=1.60805e-11$
 region: low_Egamma_Ty_proton_region_1 final-pair delta_xy=3.14159 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2} \sum_{h_{\ell_0}} \rho(h_{\ell_0}, T_{y,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.96296$
 $\theta_{in}=1.57079$, $\phi_{\ell}=1.5708$, $\phi_p=4.71239$
 $E_{\gamma}=0.25$, $\phi_{\gamma}=1.5708$
 $Q^2=19.6902$, $x_B=0.99463$, $t=-17.4772$, $W^2=0.986143$, $y=0.959318$
 $\theta(\ell', \gamma)=180$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= 0.0000$
 ℓ' $E= 2.2130$ $p_x= -0.0000$ $p_y= -2.2130$ $p_z= 0.0000$
 P' $E= 2.1756$ $p_x= 0.0000$ $p_y= 1.9630$ $p_z= 0.0000$
 q_{γ} $E= 0.2500$ $p_x= 0.0000$ $p_y= 0.2500$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



Ty proton characteristic max C_{l_0p} configuration

3D momenta




c_massless_p_low_egamma_ty_proton_region_2 $C_{l_0p}=4.55797e-12$
 region: low_Egamma_Ty_proton_region_2 final-pair delta_xy=3.02223 rad
 outgoing-state purity: 0.525049
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{l_0}}\rho(h_{l_0}, T_{y,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.09905$
 $\theta_{in}=1.57079$, $\phi_l=6.18501$, $\phi_p=3.04342$
 $E_Y=0.25$, $\phi_Y=6.18501$
 $Q^2=9.49235$, $x_B=0.883439$, $t=-8.42552$, $W^2=2.13227$, $y=0.520681$
 $\theta(l', \gamma)=91.2137$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= 2.2137$ $p_y= -0.2180$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.2137$ $p_y= 0.2180$ $p_z= 0.0000$
 l' $E= 2.0894$ $p_x= -0.2488$ $p_y= -2.0745$ $p_z= 0.0000$
 P' $E= 2.2991$ $p_x= 0.0000$ $p_y= 2.0991$ $p_z= 0.0000$
 q_Y $E= 0.2500$ $p_x= 0.2488$ $p_y= -0.0245$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=6, retained=99.1%)



Ty proton characteristic max $C_{\ell op}$ configuration

3D momenta




c_massless_p_low_egamma_ty_proton_region_3 $C_{\ell op}=1.7989e-12$
 region: low_Egamma_Ty_proton_region_3 final-pair delta_xy=3.10494 rad
 outgoing-state purity: 0.500019
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_{\ell_0}}\rho(h_{\ell_0}, T_{y,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.21812$
 $\theta_{in}=1.57079$, $\phi_{\ell}=5.00691$, $\phi_P=1.86532$
 $E_V=0.25$, $\phi_V=5.00691$
 $Q^2=0.478725$, $x_B=0.174451$, $t=-0.424921$, $W^2=3.1453$, $y=0.13298$
 $\theta(\ell', \gamma)=18.9753$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ	$E= 2.2244$	$p_x= 0.6457$	$p_y= -2.1286$	$p_z= -0.0000$
P	$E= 2.4141$	$p_x= -0.6457$	$p_y= 2.1286$	$p_z= 0.0000$
ℓ'	$E= 1.9802$	$p_x= -0.0726$	$p_y= -1.9789$	$p_z= 0.0000$
P'	$E= 2.4083$	$p_x= 0.0000$	$p_y= 2.2181$	$p_z= 0.0000$
q_γ	$E= 0.2500$	$p_x= 0.0726$	$p_y= -0.2392$	$p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=100.0%)

