



high_Egamma L muon + Tx proton: max $C_{\mu\gamma}$ regions



L muon + Tx proton characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c_mu_gamma_high_egamma_ltx_region_0 C_{\mu\gamma}=0.53389
 region: high_Egamma_LTx_region_0 final-pair delta_xy=0.510997 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_\mu\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.19415$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1.8$, $\phi_\gamma=4.61421$
 $Q^2=0.199845$, $x_B=0.0120018$, $t=-0.000128163$, $W^2=17.3312$, $y=0.807338$
 $\theta(l', \gamma)=29.278$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 0.4523$ $p_x= 0.1764$ $p_y= -0.4028$ $p_z= 0.0000$
 P' $E= 2.3862$ $p_x= 0.0000$ $p_y= 2.1942$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -0.1764$ $p_y= -1.7913$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=+1, h_\gamma=-1$
 electron L, proton Tx

$h_e=-1, h_p=-1, h_\gamma=+1$
 electron L, proton Tx

$h_e=+1, h_p=-1, h_\gamma=+1$
 electron L, proton Tx


$h_e=+1, h_p=-1, h_\gamma=-1$
 electron L, proton Tx

Leading initial-ensemble/final-state components (N=4, retained=99.7%)



L muon + Tx proton characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c_mu_gamma_high_egamma_ltx_region_1 $C_{\mu\gamma}=0.138226$
 region: high_Egamma_LTx_region_1 final-pair delta_xy=0.510997 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_\mu\rangle \otimes |\bar{T}_{x,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.19415$
 $\theta_{in}=1.57079$, $\phi_l=0.490874$, $\phi_P=3.63247$
 $E_\gamma=1.8$, $\phi_\gamma=4.81056$
 $Q^2=3.52697$, $x_B=0.17654$, $t=-14.3546$, $W^2=17.3312$, $y=0.968655$
 $\theta(l', \gamma)=29.278$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= 1.9606$ $p_y= 1.0480$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= -1.9606$ $p_y= -1.0480$ $p_z= 0.0000$
 l' $E= 0.4523$ $p_x= -0.1764$ $p_y= -0.4028$ $p_z= 0.0000$
 P' $E= 2.3862$ $p_x= 0.0000$ $p_y= 2.1942$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 0.1764$ $p_y= -1.7913$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=99.6%)



L muon + Tx proton characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c_mu_gamma_high_egamma_ltx_region_2 C_{\mu\gamma}=0.136696
 region: high_Egamma_LTx_region_2 final-pair delta_xy=0.510997 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_\mu\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.19415$
 $\theta_{in}=1.57079$, $\phi_l=2.65072$, $\phi_p=5.79231$
 $E_\gamma=1.8$, $\phi_\gamma=4.61421$
 $Q^2=3.52697$, $x_B=0.17654$, $t=-14.3546$, $W^2=17.3312$, $y=0.968655$
 $\theta(l', \gamma)=29.278$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= -1.9606$ $p_y= 1.0480$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 1.9606$ $p_y= -1.0480$ $p_z= 0.0000$
 l' $E= 0.4523$ $p_x= 0.1764$ $p_y= -0.4028$ $p_z= 0.0000$
 P' $E= 2.3862$ $p_x= 0.0000$ $p_y= 2.1942$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -0.1764$ $p_y= -1.7913$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=98.8%)

