



low\_Egamma L muon + Tx proton: max  $C_{\mu\gamma}$  regions



# L muon + Tx proton characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c\_mu\_gamma\_low\_egamma\_ltx\_region\_0 C\_{\mu\gamma}=0.668771  
 region: low\_Egamma\_LTx\_region\_0 final-pair delta\_xy=0 rad  
 outgoing-state purity: 1  
 kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
 incoming state:  $|L_\mu\rangle \otimes |T_{x,p}\rangle$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22311$ ,  $|\vec{P}'|=2.22295$   
 $\theta_{in}=1.57079$ ,  $\phi_l=4.12334$ ,  $\phi_p=0.981748$   
 $E_\gamma=0.25$ ,  $\phi_\gamma=4.71239$   
 $Q^2=1.47853$ ,  $x_B=0.389459$ ,  $t=-1.66571$ ,  $W^2=3.19769$ ,  $y=0.184068$   
 $\theta(l', \gamma)=0$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2256$   $p_x= -1.2351$   $p_y= -1.8484$   $p_z= -0.0000$   
 $P$   $E= 2.4129$   $p_x= 1.2351$   $p_y= 1.8484$   $p_z= 0.0000$   
 $l'$   $E= 1.9758$   $p_x= 0.0000$   $p_y= -1.9729$   $p_z= 0.0000$   
 $P'$   $E= 2.4127$   $p_x= 0.0000$   $p_y= 2.2229$   $p_z= 0.0000$   
 $q_\gamma$   $E= 0.2500$   $p_x= -0.0000$   $p_y= -0.2500$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=6, retained=100.0%)



# L muon + Tx proton characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c\_mu\_gamma\_low\_egamma\_ltx\_region\_1  $C_{\mu\gamma}=0.619135$   
 region: low\_Egamma\_LTx\_region\_1 final-pair delta\_xy=0 rad  
 outgoing-state purity: 1  
 kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
 incoming state:  $|L_\mu\rangle \otimes |T_{X,p}\rangle$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22311$ ,  $|\vec{P}'|=2.22295$   
 $\theta_{in}=1.57079$ ,  $\phi_l=5.49779$ ,  $\phi_p=2.35619$   
 $E_\gamma=0.25$ ,  $\phi_\gamma=4.71239$   
 $Q^2=2.56946$ ,  $x_B=0.525742$ ,  $t=-2.89487$ ,  $W^2=3.19769$ ,  $y=0.236962$   
 $\theta(l', \gamma)=0$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2256$   $p_x= 1.5720$   $p_y= -1.5720$   $p_z= -0.0000$   
 $P$   $E= 2.4129$   $p_x= -1.5720$   $p_y= 1.5720$   $p_z= 0.0000$   
 $l'$   $E= 1.9758$   $p_x= 0.0000$   $p_y= -1.9729$   $p_z= 0.0000$   
 $P'$   $E= 2.4127$   $p_x= 0.0000$   $p_y= 2.2229$   $p_z= 0.0000$   
 $q_\gamma$   $E= 0.2500$   $p_x= -0.0000$   $p_y= -0.2500$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=6, retained=100.0%)



# L muon + Tx proton characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c\_mu\_gamma\_low\_egamma\_ltx\_region\_2  $C_{\mu\gamma}=0.394735$   
 region: low\_Egamma\_LTx\_region\_2 final-pair delta\_xy=1.39241 rad  
 outgoing-state purity: 1  
 kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
 incoming state:  $|L_\mu\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22311$ ,  $|\vec{P}'|=2.12326$   
 $\theta_{in}=1.57079$ ,  $\phi_l=3.43612$ ,  $\phi_p=0.294524$   
 $E_\gamma=0.25$ ,  $\phi_\gamma=3.43612$   
 $Q^2=7.55084$ ,  $x_B=0.837157$ ,  $t=-6.70162$ ,  $W^2=2.34863$ ,  $y=0.437319$   
 $\theta(l', \gamma)=79.7791$  deg


four-momenta  $[E, p_x, p_y, p_z]$  GeV:

|            |      |        |        |         |        |         |        |         |
|------------|------|--------|--------|---------|--------|---------|--------|---------|
| $\ell$     | $E=$ | 2.2256 | $p_x=$ | -2.1274 | $p_y=$ | -0.6453 | $p_z=$ | -0.0000 |
| $P$        | $E=$ | 2.4129 | $p_x=$ | 2.1274  | $p_y=$ | 0.6453  | $p_z=$ | 0.0000  |
| $\ell'$    | $E=$ | 2.0673 | $p_x=$ | 0.2392  | $p_y=$ | -2.0507 | $p_z=$ | 0.0000  |
| $P'$       | $E=$ | 2.3212 | $p_x=$ | 0.0000  | $p_y=$ | 2.1233  | $p_z=$ | 0.0000  |
| $q_\gamma$ | $E=$ | 0.2500 | $p_x=$ | -0.2392 | $p_y=$ | -0.0726 | $p_z=$ | 0.0000  |

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=97.2%)



# L muon + Tx proton characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c\_mu\_gamma\_low\_egamma\_ltx\_region\_3  $C_{\mu\gamma}=0.360793$   
 region: low\_Egamma\_LTx\_region\_3 final-pair delta\_xy=1.39241 rad  
 outgoing-state purity: 1  
 kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
 incoming state:  $|L_\mu\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22311$ ,  $|\vec{P}'|=2.12326$   
 $\theta_{in}=1.57079$ ,  $\phi_l=5.98866$ ,  $\phi_p=2.84707$   
 $E_\gamma=0.25$ ,  $\phi_\gamma=5.98866$   
 $Q^2=7.55084$ ,  $x_B=0.837157$ ,  $t=-6.70162$ ,  $W^2=2.34863$ ,  $y=0.437319$   
 $\theta(l', \gamma)=79.7791$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2256$   $p_x= 2.1274$   $p_y= -0.6453$   $p_z= -0.0000$   
 $P$   $E= 2.4129$   $p_x= -2.1274$   $p_y= 0.6453$   $p_z= 0.0000$   
 $l'$   $E= 2.0673$   $p_x= -0.2392$   $p_y= -2.0507$   $p_z= 0.0000$   
 $P'$   $E= 2.3212$   $p_x= 0.0000$   $p_y= 2.1233$   $p_z= 0.0000$   
 $q_\gamma$   $E= 0.2500$   $p_x= 0.2392$   $p_y= -0.0726$   $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=5, retained=98.2%)

