



low_Egamma L muon + Tx proton: max $P_{\text{GHZ}+}$ regions



L muon + Tx proton characteristic max P_{GHZ} + configuration

3D momenta




ghz_purity_low_egamma_ltx_region_0 $P_{\{\text{rm GHZ}\}}=0.281081$
region: low_Egamma_LTx_region_0
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $|L_\mu\rangle \otimes |T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.20577$
 $\theta_{\text{in}}=1.57079$, $\phi_\ell=1.07992$, $\phi_p=4.22152$
 $E_\gamma=0.25$, $\phi_\gamma=4.22152$
 $Q^2=16.3805$, $x_B=0.882968$, $t=-18.4567$, $W^2=3.05097$, $y=0.899478$
 $\theta(\ell', \gamma)=31.5222$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2256$ $p_x= 1.0480$ $p_y= 1.9606$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= -1.0480$ $p_y= -1.9606$ $p_z= 0.0000$
 ℓ' $E= 1.9916$ $p_x= 0.1178$ $p_y= -1.9853$ $p_z= 0.0000$
 P' $E= 2.3969$ $p_x= 0.0000$ $p_y= 2.2058$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.1178$ $p_y= -0.2205$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
electron L, proton Tx


$h_e=+1, h_p=+1, h_\gamma=-1$
electron L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=99.9%)



L muon + Tx proton characteristic max P_{GHZ} + configuration

3D momenta




ghz_purity_low_egamma_ltx_region_1 $P_{\text{GHZ}}=0.281076$
region: low_Egamma_LTx_region_1
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $|L_\mu\rangle \otimes |T_{x,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=1.97054$
 $\theta_{\text{in}}=1.57079$, $\phi_\ell=1.07992$, $\phi_p=4.22152$
 $E_\gamma=0.25$, $\phi_\gamma=1.9635$
 $Q^2=18.2297$, $x_B=0.990173$, $t=-16.499$, $W^2=1.06077$, $y=0.892644$
 $\theta(\ell', \gamma)=159.988$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2256$ $p_x= 1.0480$ $p_y= 1.9606$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= -1.0480$ $p_y= -1.9606$ $p_z= 0.0000$
 ℓ' $E= 2.2061$ $p_x= 0.0957$ $p_y= -2.2015$ $p_z= 0.0000$
 P' $E= 2.1824$ $p_x= 0.0000$ $p_y= 1.9705$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.0957$ $p_y= 0.2310$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=2, retained=99.9%)



L muon + Tx proton characteristic max P_{GHZ} + configuration

3D momenta




ghz_purity_low_egamma_ltx_region_2 $P_{\{\text{rm GHZ}\}}=0.281013$
 region: low_Egamma_LTx_region_2
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_\mu\rangle \otimes |\overline{T}_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.17054$
 $\theta_{\text{in}}=1.57079$, $\phi_l=0.981748$, $\phi_p=4.12334$
 $E_\gamma=0.25$, $\phi_\gamma=5.59596$
 $Q^2=16.9022$, $x_B=0.900348$, $t=-17.6754$, $W^2=2.75061$, $y=0.91021$
 $\theta(l', \gamma)=56.1116$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= 1.2351$ $p_y= 1.8484$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= -1.2351$ $p_y= -1.8484$ $p_z= 0.0000$
 l' $E= 2.0240$ $p_x= -0.1933$ $p_y= -2.0119$ $p_z= 0.0000$
 P' $E= 2.3646$ $p_x= 0.0000$ $p_y= 2.1705$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.1933$ $p_y= -0.1586$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=2, retained=99.8%)

