



high_Egamma L muon + Ty proton: max $C_{\mu\gamma}$ regions



L muon + Ty proton characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c_mu_gamma_high_egamma_lty_region_0 C_{\mu\gamma}=0.556072
 region: high_Egamma_LTy_region_0 final-pair delta_xy=0.510997 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_\mu\rangle \otimes |T_{\gamma,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.19415$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1.8$, $\phi_\gamma=4.61421$
 $Q^2=0.199845$, $x_B=0.0120018$, $t=-0.000128163$, $W^2=17.3312$, $y=0.807338$
 $\theta(l', \gamma)=29.278$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 0.4523$ $p_x= 0.1764$ $p_y= -0.4028$ $p_z= 0.0000$
 P' $E= 2.3862$ $p_x= 0.0000$ $p_y= 2.1942$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -0.1764$ $p_y= -1.7913$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=6, retained=100.0%)



L muon + Ty proton characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c_mu_gamma_high_egamma_lty_region_1 C_{\mu\gamma}=0.136216
 region: high_Egamma_LTy_region_1 final-pair delta_xy=0.510997 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_\mu\rangle \otimes |\bar{T}_{y,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.19415$
 $\theta_{in}=1.57079$, $\phi_l=0.687223$, $\phi_p=3.82882$
 $E_\gamma=1.8$, $\phi_\gamma=4.81056$
 $Q^2=3.73347$, $x_B=0.184964$, $t=-15.9448$, $W^2=17.3312$, $y=0.978667$
 $\theta(l', \gamma)=29.278$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= 1.7185$ $p_y= 1.4103$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= -1.7185$ $p_y= -1.4103$ $p_z= 0.0000$
 l' $E= 0.4523$ $p_x= -0.1764$ $p_y= -0.4028$ $p_z= 0.0000$
 P' $E= 2.3862$ $p_x= 0.0000$ $p_y= 2.1942$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 0.1764$ $p_y= -1.7913$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=99.2%)



L muon + Ty proton characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c_mu_gamma_high_egamma_lty_region_2 C_{\mu\gamma}=0.136216
 region: high_Egamma_LTy_region_2 final-pair delta_xy=0.510997 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|L_\mu\rangle \otimes |T_{\gamma,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.19415$
 $\theta_{in}=1.57079$, $\phi_l=2.45437$, $\phi_p=5.59596$
 $E_\gamma=1.8$, $\phi_\gamma=4.61421$
 $Q^2=3.73347$, $x_B=0.184964$, $t=-15.9448$, $W^2=17.3312$, $y=0.978667$
 $\theta(l', \gamma)=29.278$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2256$ $p_x= -1.7185$ $p_y= 1.4103$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 1.7185$ $p_y= -1.4103$ $p_z= 0.0000$
 l' $E= 0.4523$ $p_x= 0.1764$ $p_y= -0.4028$ $p_z= 0.0000$
 P' $E= 2.3862$ $p_x= 0.0000$ $p_y= 2.1942$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -0.1764$ $p_y= -1.7913$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=99.2%)

