



low_Egamma L muon + Ty proton: max P_{GHZ} + regions



L muon + Ty proton characteristic max P_{GHZ} + configuration

3D momenta




ghz_purity_low_egamma_lty_region_0 $P_{\{\text{rm GHZ}\}}=0.279193$
region: low_Egamma_LTy_region_0
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $|L_\mu\rangle \otimes |T_{y,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=1.97548$
 $\theta_{in}=1.57079$, $\phi_l=1.5708$, $\phi_p=4.71239$
 $E_\gamma=0.25$, $\phi_\gamma=1.07992$
 $Q^2=19.5415$, $x_B=0.988751$, $t=-17.5771$, $W^2=1.10217$, $y=0.958254$
 $\theta(l',\gamma)=154.947$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= 0.0000$
 l' $E= 2.2017$ $p_x= -0.1178$ $p_y= -2.1960$ $p_z= 0.0000$
 P' $E= 2.1869$ $p_x= 0.0000$ $p_y= 1.9755$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.1178$ $p_y= 0.2205$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L muon + Ty proton characteristic max P_{GHZ} + configuration

3D momenta




ghz_purity_low_egamma_lty_region_1 $P_{\{\text{rm GHZ}\}}=0.279173$
region: low_Egamma_LTy_region_1
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $|L_\mu\rangle \otimes |T_{\gamma,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.00509$
 $\theta_{\text{in}}=1.57079$, $\phi_\ell=1.5708$, $\phi_p=4.71239$
 $E_\gamma=0.25$, $\phi_\gamma=2.45437$
 $Q^2=19.2788$, $x_B=0.976161$, $t=-17.838$, $W^2=1.35066$, $y=0.957564$
 $\theta(\ell', \gamma)=134.479$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2256$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= 0.0000$
 ℓ' $E= 2.1749$ $p_x= 0.1933$ $p_y= -2.1637$ $p_z= 0.0000$
 P' $E= 2.2136$ $p_x= 0.0000$ $p_y= 2.0051$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.1933$ $p_y= 0.1586$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
electron L, proton Ty


$h_e=+1, h_p=+1, h_\gamma=-1$
electron L, proton Ty

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L muon + Ty proton characteristic max P_{GHZ} + configuration

3D momenta




ghz_purity_low_egamma_lty_region_2 $P_{\text{GHZ}}=0.279092$
region: low_Egamma_LTy_region_2
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $|L_\mu\rangle \otimes |T_{y,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.12326$
 $\theta_{in}=1.57079$, $\phi_t=1.5708$, $\phi_p=4.71239$
 $E_\gamma=0.25$, $\phi_\gamma=5.98866$
 $Q^2=18.2975$, $x_B=0.925692$, $t=-18.8825$, $W^2=2.34863$, $y=0.958374$
 $\theta(l',\gamma)=79.7791$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= 0.0000$
 l' $E= 2.0673$ $p_x= -0.2392$ $p_y= -2.0507$ $p_z= 0.0000$
 P' $E= 2.3212$ $p_x= 0.0000$ $p_y= 2.1233$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2392$ $p_y= -0.0726$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L muon + Ty proton characteristic max P_{GHZ} + configuration

3D momenta




ghz_purity_low_egamma_lty_region_3 $P_{\text{GHZ}}=0.279083$
region: low_Egamma_LTy_region_3
outgoing-state purity: 1
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $|L_\mu\rangle \otimes |T_{\gamma,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.17054$
 $\theta_{\text{in}}=1.57079$, $\phi_l=1.5708$, $\phi_p=4.71239$
 $E_\gamma=0.25$, $\phi_\gamma=3.82882$
 $Q^2=17.9324$, $x_B=0.905532$, $t=-19.3019$, $W^2=2.75061$, $y=0.960161$
 $\theta(l',\gamma)=56.1116$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= 0.0000$
 l' $E= 2.0240$ $p_x= 0.1933$ $p_y= -2.0119$ $p_z= 0.0000$
 P' $E= 2.3646$ $p_x= 0.0000$ $p_y= 2.1705$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.1933$ $p_y= -0.1586$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
electron L, proton Ty

$h_e=+1, h_p=+1, h_\gamma=-1$
electron L, proton Ty

Leading initial-ensemble/final-state components (N=2, retained=100.0%)

