



high_Egamma L muon: max $C_{p\gamma}$ regions



L muon characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_high_egamma_l_lepton_region_0 C_{p\gamma}=0.366931
region: high_Egamma_L_lepton_region_0 final-pair delta_xy=2.94524 rad
outgoing-state purity: 0.751977
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_\mu, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.1263$
 $\theta_{in}=1.57079$, $\phi_i=4.71239$, $\phi_P=1.5708$
 $E_\gamma=1.8$, $\phi_\gamma=4.51604$
 $Q^2=0.663283$, $x_B=0.0401083$, $t=-0.00147055$, $W^2=16.7539$, $y=0.801816$
 $\theta(\ell', \gamma)=55.4673$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 ℓ' $E= 0.5145$ $p_x= 0.3512$ $p_y= -0.3609$ $p_z= 0.0000$
 P' $E= 2.3240$ $p_x= 0.0000$ $p_y= 2.1263$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -0.3512$ $p_y= -1.7654$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=-1, h_\gamma=+1$
electron L, proton h=+1


$h_e=+1, h_p=-1, h_\gamma=-1$
electron L, proton h=-1

$h_e=+1, h_p=+1, h_\gamma=-1$
electron L, proton h=+1

$h_e=+1, h_p=+1, h_\gamma=-1$
electron L, proton h=-1


$h_e=-1, h_p=+1, h_\gamma=+1$
electron L, proton h=-1

Leading initial-ensemble/final-state components (N=5, retained=95.0%)



L muon characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_high_egamma_l_lepton_region_1 C_{p\gamma}=0.140537
region: high_Egamma_L_lepton_region_1 final-pair delta_xy=1.9635 rad
outgoing-state purity: 0.775972
kinematic point: high_s_high_theta_in_high_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_\mu, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=0.70287$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1.8$, $\phi_\gamma=5.89049$
 $Q^2=7.33278$, $x_B=0.585651$, $t=-0.771614$, $W^2=6.0678$, $y=0.607071$
 $\theta(\ell', \gamma)=157.016$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 ℓ' $E= 1.6664$ $p_x= -1.6630$ $p_y= -0.0140$ $p_z= 0.0000$
 P' $E= 1.1721$ $p_x= 0.0000$ $p_y= 0.7029$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 1.6630$ $p_y= -0.6888$ $p_z= 0.0000$

Transverse plane



$h_e=+1$, $h_p=-1$, $h_\gamma=+1$
electron L, proton $h=+1$

$h_e=+1$, $h_p=+1$, $h_\gamma=-1$
electron L, proton $h=-1$

Leading initial-ensemble/final-state components (N=2, retained=98.7%)

