



mid_Egamma L muon: max $C_{\mu\gamma}$ regions



L muon characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c_mu_gamma_mid_egamma_l_lepton_region_0 $C_{\mu\gamma}=0.603234$
 region: mid_Egamma_L_lepton_region_0 final-pair delta_xy=0.178193 rad
 outgoing-state purity: 0.500568
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_\mu, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.2175$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1$, $\phi_\gamma=4.81056$
 $Q^2=0.021497$, $x_B=0.00232384$, $t=-4.76223e-06$, $W^2=10.109$, $y=0.448518$
 $\theta(l', \gamma)=10.2097$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 1.2308$ $p_x= -0.0980$ $p_y= -1.2223$ $p_z= 0.0000$
 P' $E= 2.4077$ $p_x= 0.0000$ $p_y= 2.2175$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.0980$ $p_y= -0.9952$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=7, retained=97.8%)



L muon characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c_mu_gamma_mid_egamma_l_lepton_region_1 C_{\mu\gamma}=0.182185
region: mid_Egamma_L_lepton_region_1 final-pair delta_xy=0.178193 rad
outgoing-state purity: 0.928058
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_\mu, h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.2175$
 $\theta_{in}=1.57079$, $\phi_l=0.589049$, $\phi_p=3.73064$
 $E_\gamma=1$, $\phi_\gamma=4.81056$
 $Q^2=8.83792$, $x_B=0.489174$, $t=-15.3372$, $W^2=10.109$, $y=0.875984$
 $\theta(l', \gamma)=10.2097$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= 1.8484$ $p_y= 1.2351$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= -1.8484$ $p_y= -1.2351$ $p_z= 0.0000$
 l' $E= 1.2308$ $p_x= -0.0980$ $p_y= -1.2223$ $p_z= 0.0000$
 P' $E= 2.4077$ $p_x= 0.0000$ $p_y= 2.2175$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.0980$ $p_y= -0.9952$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=95.9%)



L muon characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c_mu_gamma_mid_egamma_l_lepton_region_2 C_{\mu\gamma}=0.182185
region: mid_Egamma_L_lepton_region_2 final-pair delta_xy=0.178193 rad
outgoing-state purity: 0.928058
kinematic point: high_s_high_theta_in_mid_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_\mu, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.2175$
 $\theta_{in}=1.57079$, $\phi_l=2.55254$, $\phi_P=5.69414$
 $E_\gamma=1$, $\phi_\gamma=4.61421$
 $Q^2=8.83792$, $x_B=0.489174$, $t=-15.3372$, $W^2=10.109$, $y=0.875984$
 $\theta(l', \gamma)=10.2097$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= -1.8484$ $p_y= 1.2351$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 1.8484$ $p_y= -1.2351$ $p_z= 0.0000$
 l' $E= 1.2308$ $p_x= 0.0980$ $p_y= -1.2223$ $p_z= 0.0000$
 P' $E= 2.4077$ $p_x= 0.0000$ $p_y= 2.2175$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.0980$ $p_y= -0.9952$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
electron L, proton h=+1

$h_e=+1, h_p=+1, h_\gamma=-1$
electron L, proton h=+1

$h_e=-1, h_p=+1, h_\gamma=+1$
electron L, proton h=+1

$h_e=+1, h_p=-1, h_\gamma=+1$
electron L, proton h=-1

Leading initial-ensemble/final-state components (N=4, retained=95.9%)

