



high_Egamma Tx muon + Tx proton: max $C_{\mu p}$ regions



Tx muon + Tx proton characteristic max $C_{\mu p}$ configuration

3D momenta




c_mu_p_high_egamma_txtx_region_0 C_{\mu p}=0.377017
 region: high_Egamma_TxTx_region_0 final-pair delta_xy=2.72877 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|T_{x,\mu}\rangle \otimes |T_{x,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.19415$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1.8$, $\phi_\gamma=4.61421$
 $Q^2=0.199845$, $x_B=0.0120018$, $t=-0.000128163$, $W^2=17.3312$, $y=0.807338$
 $\theta(l', \gamma)=29.278$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 0.4523$ $p_x= 0.1764$ $p_y= -0.4028$ $p_z= 0.0000$
 P' $E= 2.3862$ $p_x= 0.0000$ $p_y= 2.1942$ $p_z= 0.0000$
 q_Y $E= 1.8000$ $p_x= -0.1764$ $p_y= -1.7913$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=7, retained=99.9%)



Tx muon + Tx proton characteristic max $C_{\mu p}$ configuration

3D momenta




c_mu_p_high_egamma_txtx_region_1 C_{\mu p}=0.366569
 region: high_Egamma_TxTx_region_1 final-pair delta_xy=1.57924 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|T_{x,\mu}\rangle \otimes |\bar{T}_{x,p}\rangle$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=0.70287$
 $\theta_{in}=1.57079$, $\phi_l=0$, $\phi_p=3.14159$
 $E_\gamma=1.8$, $\phi_\gamma=5.89049$
 $Q^2=14.7892$, $x_B=0.740306$, $t=-3.89673$, $W^2=6.0678$, $y=0.968597$
 $\theta(l', \gamma)=157.016$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= 2.2231$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= -2.2231$ $p_y= 0.0000$ $p_z= 0.0000$
 l' $E= 1.6664$ $p_x= -1.6630$ $p_y= -0.0140$ $p_z= 0.0000$
 P' $E= 1.1721$ $p_x= 0.0000$ $p_y= 0.7029$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 1.6630$ $p_y= -0.6888$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=95.3%)



Tx muon + Tx proton characteristic max $C_{\mu p}$ configuration

3D momenta




c_mu_p_high_egamma_txtx_region_2 C_{\mu p}=0.366569
 region: high_Egamma_TxTx_region_2 final-pair delta_xy=1.57924 rad
 outgoing-state purity: 1
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $|T_{x,\mu}\rangle \otimes |\bar{T}_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=0.70287$
 $\theta_{in}=1.57079$, $\phi_l=3.14159$, $\phi_P=0$
 $E_Y=1.8$, $\phi_Y=3.53429$
 $Q^2=14.7892$, $x_B=0.740306$, $t=-3.89673$, $W^2=6.0678$, $y=0.968597$
 $\theta(l', \gamma)=157.016$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= -2.2231$ $p_y= -0.0000$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 2.2231$ $p_y= 0.0000$ $p_z= 0.0000$
 l' $E= 1.6664$ $p_x= 1.6630$ $p_y= -0.0140$ $p_z= 0.0000$
 P' $E= 1.1721$ $p_x= 0.0000$ $p_y= 0.7029$ $p_z= 0.0000$
 q_Y $E= 1.8000$ $p_x= -1.6630$ $p_y= -0.6888$ $p_z= 0.0000$

Transverse plane



$h_e=-1, h_p=-1, h_Y=-1$
 electron Tx, proton Tx

$h_e=+1, h_p=+1, h_Y=+1$
 electron Tx, proton Tx

$h_e=-1, h_p=+1, h_Y=-1$
 electron Tx, proton Tx

$h_e=+1, h_p=-1, h_Y=+1$
 electron Tx, proton Tx

Leading initial-ensemble/final-state components (N=4, retained=95.3%)

