



high_Egamma Tx muon: max P_W regions



Tx muon characteristic max P_W configuration

3D momenta




w_purity_high_egamma_tx_lepton_region_0 P_W=0.320112
 region: high_Egamma_Tx_lepton_region_0
 outgoing-state purity: 0.500089
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,\mu},h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.21757$
 $\theta_{in}=1.57079$, $\phi_l=4.41786$, $\phi_P=1.27627$
 $E_V=1.8$, $\phi_V=4.71239$
 $Q^2=0.118292$, $x_B=0.00705395$, $t=-0.424564$, $W^2=17.5311$, $y=0.813077$
 $\theta(l',\gamma)=0$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2256$ $p_x= -0.6453$ $p_y= -2.1274$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.6453$ $p_y= 2.1274$ $p_z= 0.0000$
 ℓ' $E= 0.4307$ $p_x= 0.0000$ $p_y= -0.4176$ $p_z= 0.0000$
 P' $E= 2.4078$ $p_x= 0.0000$ $p_y= 2.2176$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -0.0000$ $p_y= -1.8000$ $p_z= 0.0000$

Transverse plane




$h_e=-1, h_p=+1, h_\gamma=+1$
 electron Tx, proton h=+1
 $h_e=-1, h_p=-1, h_\gamma=+1$
 electron Tx, proton h=-1
 $h_e=+1, h_p=-1, h_\gamma=-1$
 electron Tx, proton h=-1
 $h_e=+1, h_p=+1, h_\gamma=-1$
 electron Tx, proton h=+1
 $h_e=-1, h_p=-1, h_\gamma=+1$
 electron Tx, proton h=+1
 $h_e=-1, h_p=+1, h_\gamma=+1$
 electron Tx, proton h=-1
 $h_e=+1, h_p=+1, h_\gamma=-1$
 electron Tx, proton h=-1
 $h_e=+1, h_p=-1, h_\gamma=-1$
 electron Tx, proton h=+1

Leading initial-ensemble/final-state components (N=8, retained=96.2%)



Tx muon characteristic max P_W configuration

3D momenta




w_purity_high_egamma_tx_lepton_region_1 P_W=0.237715
 region: high_Egamma_Tx_lepton_region_1
 outgoing-state purity: 0.500089
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,\mu},h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=1.24788$
 $\theta_{in}=1.57079$, $\phi_l=5.49779$, $\phi_p=2.35619$
 $E_\gamma=1.8$, $\phi_\gamma=5.49779$
 $Q^2=9.74367$, $x_B=0.525542$, $t=-1.8506$, $W^2=9.6764$, $y=0.898927$
 $\theta(l',\gamma)=136.121$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2256$ $p_x= 1.5720$ $p_y= -1.5720$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= -1.5720$ $p_y= 1.5720$ $p_z= 0.0000$
 l' $E= 1.2774$ $p_x= -1.2728$ $p_y= 0.0249$ $p_z= 0.0000$
 P' $E= 1.5611$ $p_x= 0.0000$ $p_y= 1.2479$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 1.2728$ $p_y= -1.2728$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=99.9%)



Tx muon characteristic max P_W configuration

3D momenta




w_purity_high egamma_tx_lepton_region_2 P_W=0.213269
 region: high_Egamma_Tx_lepton_region_2
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,\mu},h_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=0.147625$
 $\theta_{in}=1.57079$, $\phi_l=3.82882$, $\phi_p=0.687223$
 $E_\gamma=1.8$, $\phi_\gamma=0.589049$
 $Q^2=0.00488027$, $x_B=0.00156019$, $t=-2.40622$, $W^2=4.00295$, $y=0.151661$
 $\theta(l',\gamma)=176.268$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= -1.7185$ $p_y= -1.4103$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 1.7185$ $p_y= 1.4103$ $p_z= 0.0000$
 l' $E= 1.8890$ $p_x= -1.4966$ $p_y= -1.1477$ $p_z= 0.0000$
 P' $E= 0.9495$ $p_x= 0.0000$ $p_y= 0.1476$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 1.4966$ $p_y= 1.0000$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=100.0%)



Tx muon characteristic max P_W configuration

3D momenta




w_purity_high_egamma_tx_lepton_region_3 P_W=0.211783
 region: high_Egamma_Tx_lepton_region_3
 outgoing-state purity: 0.50002
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{x,\mu},h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=0.822183$
 $\theta_{in}=1.57079$, $\phi_l=3.63247$, $\phi_p=0.490874$
 $E_\gamma=1.8$, $\phi_\gamma=3.63247$
 $Q^2=13.3404$, $x_B=0.693871$, $t=-2.53642$, $W^2=6.7655$, $y=0.932179$
 $\theta(l',\gamma)=152.825$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2256$ $p_x= -1.9606$ $p_y= -1.0480$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 1.9606$ $p_y= 1.0480$ $p_z= 0.0000$
 l' $E= 1.5912$ $p_x= 1.5875$ $p_y= 0.0263$ $p_z= 0.0000$
 P' $E= 1.2473$ $p_x= 0.0000$ $p_y= 0.8222$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -1.5875$ $p_y= -0.8485$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=96.9%)

