



mid_Egamma Tx muon: max $C_{p\gamma}$ regions



Tx muon characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_tx_lepton_region_0 $C_{\{p\}\gamma}=0.106774$
 region: mid_Egamma_Tx_lepton_region_0 final-pair delta_xy=3.04342 rad
 outgoing-state purity: 0.503601
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{X,\mu},h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.2175$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1$, $\phi_\gamma=4.61421$
 $Q^2=0.021497$, $x_B=0.00232384$, $t=-4.76223e-06$, $W^2=10.109$, $y=0.448518$
 $\theta(l',\gamma)=10.2097$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 1.2308$ $p_x= 0.0980$ $p_y= -1.2223$ $p_z= 0.0000$
 P' $E= 2.4077$ $p_x= 0.0000$ $p_y= 2.2175$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -0.0980$ $p_y= -0.9952$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=+1, h_\gamma=-1$
 electron Tx, proton h=+1
 $h_e=+1, h_p=-1, h_\gamma=-1$
 electron Tx, proton h=-1
 $h_e=+1, h_p=+1, h_\gamma=+1$
 electron Tx, proton h=+1
 $h_e=+1, h_p=-1, h_\gamma=+1$
 electron Tx, proton h=-1
 $h_e=-1, h_p=-1, h_\gamma=-1$
 electron Tx, proton h=-1
 $h_e=-1, h_p=+1, h_\gamma=-1$
 electron Tx, proton h=+1
 $h_e=-1, h_p=+1, h_\gamma=+1$
 electron Tx, proton h=+1
 $h_e=-1, h_p=-1, h_\gamma=+1$
 electron Tx, proton h=-1

Leading initial-ensemble/final-state components (N=8, retained=93.2%)



Tx muon characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_tx_lepton_region_1 C_{p\gamma}=0.00375154
 region: mid_Egamma_Tx_lepton_region_1 final-pair delta_xy=1.86532 rad
 outgoing-state purity: 0.500078
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{X,\mu}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=1.69401$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_P=1.5708$
 $E_\gamma=1$, $\phi_\gamma=5.98866$
 $Q^2=1.31312$, $x_B=0.212846$, $t=-0.0528683$, $W^2=5.73606$, $y=0.299121$
 $\theta(l', \gamma)=107.408$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 1.7022$ $p_x= -0.9569$ $p_y= -1.4037$ $p_z= 0.0000$
 P' $E= 1.9364$ $p_x= 0.0000$ $p_y= 1.6940$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= 0.9569$ $p_y= -0.2903$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=97.3%)



Tx muon characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_mid_egamma_tx_lepton_region_2 C_{p\gamma}=0.00240754
 region: mid_Egamma_Tx_lepton_region_2 final-pair delta_xy=1.5708 rad
 outgoing-state purity: 0.500007
 kinematic point: high_s_high_theta_in_mid_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{X,\mu},h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=1.5377$
 $\theta_{in}=1.57079$, $\phi_l=4.61421$, $\phi_P=1.47262$
 $E_\gamma=1$, $\phi_\gamma=3.14159$
 $Q^2=1.78773$, $x_B=0.331665$, $t=-0.128553$, $W^2=4.48227$, $y=0.261343$
 $\theta(l',\gamma)=123.037$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= -0.2179$ $p_y= -2.2124$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.2179$ $p_y= 2.2124$ $p_z= 0.0000$
 l' $E= 1.8373$ $p_x= 1.0000$ $p_y= -1.5377$ $p_z= 0.0000$
 P' $E= 1.8012$ $p_x= 0.0000$ $p_y= 1.5377$ $p_z= 0.0000$
 q_γ $E= 1.0000$ $p_x= -1.0000$ $p_y= 0.0000$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=90.7%)

