



low_Egamma Ty muon: max $C_{p\gamma}$ regions



Ty muon characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_ty_lepton_region_0 C_{p\gamma}=0.00656005
 region: low_Egamma_Ty_lepton_region_0 final-pair delta_xy=2.45437 rad
 outgoing-state purity: 0.501099
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{\gamma,\mu},h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.19014$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_P=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=5.39961$
 $Q^2=0.0280799$, $x_B=0.0135924$, $t=-0.000166358$, $W^2=2.91762$, $y=0.100164$
 $\theta(l',\gamma)=43.9161$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 2.0060$ $p_x= -0.1586$ $p_y= -1.9969$ $p_z= 0.0000$
 P' $E= 2.3826$ $p_x= 0.0000$ $p_y= 2.1901$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.1586$ $p_y= -0.1933$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=-1, h_\gamma=+1$ electron Ty, proton h=+1	phase=-1.53, Re=1.76e+01, Im=-4.54e+02
$h_e=-1, h_p=+1, h_\gamma=-1$ electron Ty, proton h=-1	phase=-0.04, Re=4.54e+02, Im=-1.84e+01
$h_e=+1, h_p=+1, h_\gamma=-1$ electron Ty, proton h=-1	phase=-1.52, Re=1.88e+01, Im=-4.08e+02
$h_e=-1, h_p=-1, h_\gamma=+1$ electron Ty, proton h=+1	phase=-0.03, Re=4.09e+02, Im=-1.36e+01
$h_e=-1, h_p=+1, h_\gamma=+1$ electron Ty, proton h=+1	phase=-0.17, Re=1.85e+02, Im=-3.27e+01
$h_e=-1, h_p=-1, h_\gamma=+1$ electron Ty, proton h=-1	phase=-0.17, Re=1.85e+02, Im=-3.26e+01
$h_e=+1, h_p=+1, h_\gamma=-1$ electron Ty, proton h=+1	phase=1.50, Re=1.31e+01, Im=1.87e+02
$h_e=+1, h_p=-1, h_\gamma=-1$ electron Ty, proton h=-1	phase=1.50, Re=1.30e+01, Im=1.87e+02

Leading initial-ensemble/final-state components (N=8, retained=99.9%)



Ty muon characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_ty_lepton_region_1 C_{p\gamma}=0.00656005
 region: low_Egamma_Ty_lepton_region_1 final-pair delta_xy=2.45437 rad
 outgoing-state purity: 0.501099
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{y,\mu}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.19014$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=4.02517$
 $Q^2=0.0280799$, $x_B=0.0135924$, $t=-0.000166358$, $W^2=2.91762$, $y=0.100164$
 $\theta(l', \gamma)=43.9161$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 2.0060$ $p_x= 0.1586$ $p_y= -1.9969$ $p_z= 0.0000$
 P' $E= 2.3826$ $p_x= 0.0000$ $p_y= 2.1901$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.1586$ $p_y= -0.1933$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=99.9%)



Ty muon characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_ty_lepton_region_2 C_{p\gamma}=0.000537942
 region: low_Egamma_Ty_lepton_region_2 final-pair delta_xy=1.07992 rad
 outgoing-state purity: 0.500003
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{\gamma,\mu},h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.02504$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_P=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=0.490874$
 $Q^2=0.0503098$, $x_B=0.0730316$, $t=-0.00641231$, $W^2=1.51841$, $y=0.0334003$
 $\theta(l',\gamma)=123.999$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 2.1568$ $p_x= -0.2205$ $p_y= -2.1429$ $p_z= 0.0000$
 P' $E= 2.2317$ $p_x= 0.0000$ $p_y= 2.0250$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2205$ $p_y= 0.1178$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=-1, h_\gamma=+1$
 electron Ty, proton h=+1

$h_e=-1, h_p=+1, h_\gamma=-1$
 electron Ty, proton h=-1

$h_e=+1, h_p=+1, h_\gamma=-1$
 electron Ty, proton h=-1


$h_e=-1, h_p=-1, h_\gamma=+1$
 electron Ty, proton h=+1

Leading initial-ensemble/final-state components (N=4, retained=99.2%)



Ty muon characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_ty_lepton_region_3 C_{p\gamma}=0.000537942
 region: low_Egamma_Ty_lepton_region_3 final-pair delta_xy=1.07992 rad
 outgoing-state purity: 0.500003
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_p}\rho(T_{y,\mu}, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.02504$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=2.65072$
 $Q^2=0.0503098$, $x_B=0.0730316$, $t=-0.00641231$, $W^2=1.51841$, $y=0.0334003$
 $\theta(l', \gamma)=123.999$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 2.1568$ $p_x= 0.2205$ $p_y= -2.1429$ $p_z= 0.0000$
 P' $E= 2.2317$ $p_x= 0.0000$ $p_y= 2.0250$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.2205$ $p_y= 0.1178$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=99.2%)

