



high_Egamma L proton: max $C_{\mu p}$ regions



L proton characteristic max $C_{\mu p}$ configuration

3D momenta




c_mu_p_high_egamma_l_proton_region_0 C_{\mu p}=0.316755
 region: high_Egamma_L_proton_region_0 final-pair delta_xy=2.72877 rad
 outgoing-state purity: 0.554605
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_\mu}\rho(h_\mu, L_p)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.19415$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1.8$, $\phi_\gamma=4.81056$
 $Q^2=0.199845$, $x_B=0.0120018$, $t=-0.000128163$, $W^2=17.3312$, $y=0.807338$
 $\theta(l', \gamma)=29.278$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 0.4523$ $p_x= -0.1764$ $p_y= -0.4028$ $p_z= 0.0000$
 P' $E= 2.3862$ $p_x= 0.0000$ $p_y= 2.1942$ $p_z= 0.0000$
 q_Y $E= 1.8000$ $p_x= 0.1764$ $p_y= -1.7913$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=94.3%)



L proton characteristic max $C_{\mu p}$ configuration

3D momenta




c_mu_p_high_egamma_l_proton_region_1 C_{\mu p}=0.00991389
 region: high_Egamma_L_proton_region_1 final-pair delta_xy=1.55421 rad
 outgoing-state purity: 0.88317
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_\mu}\rho(h_\mu, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=0.822183$
 $\theta_{in}=1.57079$, $\phi_l=5.59596$, $\phi_p=2.45437$
 $E_\gamma=1.8$, $\phi_\gamma=5.79231$
 $Q^2=12.5908$, $x_B=0.681451$, $t=-1.94057$, $W^2=6.7655$, $y=0.895833$
 $\theta(l', \gamma)=152.825$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= 1.7185$ $p_y= -1.4103$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= -1.7185$ $p_y= 1.4103$ $p_z= 0.0000$
 l' $E= 1.5912$ $p_x= -1.5875$ $p_y= 0.0263$ $p_z= 0.0000$
 P' $E= 1.2473$ $p_x= 0.0000$ $p_y= 0.8222$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 1.5875$ $p_y= -0.8485$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=+1, h_\gamma=+1$
 electron $h=+1$, proton L

$h_e=+1, h_p=-1, h_\gamma=+1$
 electron $h=+1$, proton L

$h_e=+1, h_p=+1, h_\gamma=-1$
 electron $h=-1$, proton L


$h_e=+1, h_p=+1, h_\gamma=-1$
 electron $h=+1$, proton L

Leading initial-ensemble/final-state components (N=4, retained=94.9%)



L proton characteristic max $C_{\mu\rho}$ configuration

3D momenta




c_mu_p_high_egamma_l_proton_region_2 C_{\mu\rho}=0.00991389
 region: high_Egamma_L_proton_region_2 final-pair delta_xy=1.55421 rad
 outgoing-state purity: 0.88317
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_\mu}\rho(h_\mu, L_\rho)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=0.822183$
 $\theta_{in}=1.57079$, $\phi_l=3.82882$, $\phi_p=0.687223$
 $E_\gamma=1.8$, $\phi_\gamma=3.63247$
 $Q^2=12.5908$, $x_B=0.681451$, $t=-1.94057$, $W^2=6.7655$, $y=0.895833$
 $\theta(l', \gamma)=152.825$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= -1.7185$ $p_y= -1.4103$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 1.7185$ $p_y= 1.4103$ $p_z= 0.0000$
 l' $E= 1.5912$ $p_x= 1.5875$ $p_y= 0.0263$ $p_z= 0.0000$
 P' $E= 1.2473$ $p_x= 0.0000$ $p_y= 0.8222$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -1.5875$ $p_y= -0.8485$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=+1, h_\gamma=+1$
 electron h=+1, proton L
 $h_e=+1, h_p=-1, h_\gamma=+1$
 electron h=+1, proton L
 $h_e=+1, h_p=+1, h_\gamma=-1$
 electron h=-1, proton L
 $h_e=+1, h_p=+1, h_\gamma=-1$
 electron h=+1, proton L

Leading initial-ensemble/final-state components (N=4, retained=94.9%)



L proton characteristic max $C_{\mu p}$ configuration

3D momenta




c_mu_p_high_egamma_l_proton_region_3 C_{\mu p}=0.00939262
 region: high_Egamma_L_proton_region_3 final-pair delta_xy=3.14159 rad
 outgoing-state purity: 0.934439
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2} \sum_{h_\mu} \rho(h_\mu, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=0.0929745$
 $\theta_{in}=1.57079$, $\phi_l=1.37445$, $\phi_p=4.51604$
 $E_\gamma=1.8$, $\phi_\gamma=1.5708$
 $Q^2=16.6717$, $x_B=0.844978$, $t=-3.19453$, $W^2=3.93848$, $y=0.956632$
 $\theta(l', \gamma)=180$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= 0.4337$ $p_y= 2.1804$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= -0.4337$ $p_y= -2.1804$ $p_z= 0.0000$
 l' $E= 1.8959$ $p_x= -0.0000$ $p_y= -1.8930$ $p_z= 0.0000$
 P' $E= 0.9426$ $p_x= 0.0000$ $p_y= 0.0930$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 0.0000$ $p_y= 1.8000$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=3, retained=99.2%)

