



low_Egamma L proton: max P_W regions



L proton characteristic max P_W configuration

3D momenta




w_purity_low egamma_l_proton_region_0 P_W=0.181643
 region: low_Egamma_L_proton_region_0
 outgoing-state purity: 0.502431
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_\mu}\rho(h_\mu, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.22295$
 $\theta_{in}=1.57079$, $\phi_l=4.31969$, $\phi_P=1.1781$
 $E_Y=0.25$, $\phi_Y=4.71239$
 $Q^2=0.6679$, $x_B=0.223696$, $t=-0.752353$, $W^2=3.19769$, $y=0.144765$
 $\theta(l', \gamma)=0$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2256$ $p_x= -0.8507$ $p_y= -2.0539$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.8507$ $p_y= 2.0539$ $p_z= 0.0000$
 l' $E= 1.9758$ $p_x= 0.0000$ $p_y= -1.9729$ $p_z= 0.0000$
 P' $E= 2.4127$ $p_x= 0.0000$ $p_y= 2.2229$ $p_z= 0.0000$
 q_Y $E= 0.2500$ $p_x= -0.0000$ $p_y= -0.2500$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=86.1%)



L proton characteristic max P_W configuration

3D momenta




w_purity_low_egamma_l_proton_region_1 P_W=0.165805
 region: low_Egamma_L_proton_region_1
 outgoing-state purity: 0.500013
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_\mu}\rho(h_\mu, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=1.96163$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=1.5708$
 $Q^2=2.98483e-07$, $x_B=2.80622e-06$, $t=-0.0114721$, $W^2=0.986208$, $y=0.00515711$
 $\theta(l', \gamma)=180$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 2.2142$ $p_x= -0.0000$ $p_y= -2.2116$ $p_z= 0.0000$
 P' $E= 2.1744$ $p_x= 0.0000$ $p_y= 1.9616$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.0000$ $p_y= 0.2500$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=-1, h_\gamma=+1$
 electron $h=+1$, proton L

$h_e=-1, h_p=-1, h_\gamma=+1$
 electron $h=-1$, proton L

Leading initial-ensemble/final-state components (N=2, retained=100.0%)

