



low_Egamma Tx proton: max $C_{\mu\gamma}$ regions



Tx proton characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c_mu_gamma_low_egamma_tx_proton_region_0 C_{\mu\gamma}=0.0663755
 region: low_Egamma_Tx_proton_region_0 final-pair delta_xy=0.331208 rad
 outgoing-state purity: 0.53875
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_\mu}\rho(h_\mu, T_{x,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.21665$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=5.00691$
 $Q^2=0.0060701$, $x_B=0.00267388$, $t=-6.31712e-06$, $W^2=3.14392$, $y=0.110069$
 $\theta(l', \gamma)=18.9768$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 1.9816$ $p_x= -0.0726$ $p_y= -1.9774$ $p_z= 0.0000$
 P' $E= 2.4069$ $p_x= 0.0000$ $p_y= 2.2167$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.0726$ $p_y= -0.2392$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=5, retained=92.2%)



Tx proton characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c_mu_gamma_low_egamma_tx_proton_region_1 $C_{\mu\gamma}=0.0251841$
 region: low_Egamma_Tx_proton_region_1 final-pair delta_xy=0 rad
 outgoing-state purity: 0.506527
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_\mu} \rho(h_\mu, T_{x,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.22295$
 $\theta_{in}=1.57079$, $\phi_l=2.55254$, $\phi_P=5.69414$
 $E_\gamma=0.25$, $\phi_\gamma=4.71239$
 $Q^2=13.6459$, $x_B=0.854805$, $t=-15.3748$, $W^2=3.19769$, $y=0.774004$
 $\theta(l', \gamma)=0$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= -1.8484$ $p_y= 1.2351$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 1.8484$ $p_y= -1.2351$ $p_z= 0.0000$
 l' $E= 1.9758$ $p_x= 0.0000$ $p_y= -1.9729$ $p_z= 0.0000$
 P' $E= 2.4127$ $p_x= 0.0000$ $p_y= 2.2229$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.0000$ $p_y= -0.2500$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=3, retained=96.4%)



Tx proton characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c_mu_gamma_low_egamma_tx_proton_region_2 $C_{\mu\gamma}=0.0251841$
 region: low_Egamma_Tx_proton_region_2 final-pair delta_xy=0 rad
 outgoing-state purity: 0.506527
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_\mu} \rho(h_\mu, T_{x,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.22295$
 $\theta_{in}=1.57079$, $\phi_l=0.589049$, $\phi_p=3.73064$
 $E_\gamma=0.25$, $\phi_\gamma=4.71239$
 $Q^2=13.6459$, $x_B=0.854805$, $t=-15.3748$, $W^2=3.19769$, $y=0.774004$
 $\theta(l', \gamma)=0$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= 1.8484$ $p_y= 1.2351$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= -1.8484$ $p_y= -1.2351$ $p_z= 0.0000$
 l' $E= 1.9758$ $p_x= 0.0000$ $p_y= -1.9729$ $p_z= 0.0000$
 P' $E= 2.4127$ $p_x= 0.0000$ $p_y= 2.2229$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.0000$ $p_y= -0.2500$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=3, retained=96.4%)

