



low_Egamma Tx proton: max C_{py} regions



Tx proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_tx_proton_region_0 C_{p\gamma}=0.999987
 region: low_Egamma_Tx_proton_region_0 final-pair delta_xy=0 rad
 outgoing-state purity: 0.5
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_\mu}\rho(h_\mu, T_{x,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=1.96163$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=1.5708$
 $Q^2=2.98483e-07$, $x_B=2.80622e-06$, $t=-0.0114721$, $W^2=0.986208$, $y=0.00515711$
 $\theta(l', \gamma)=180$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 2.2142$ $p_x= -0.0000$ $p_y= -2.2116$ $p_z= 0.0000$
 P' $E= 2.1744$ $p_x= 0.0000$ $p_y= 1.9616$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.0000$ $p_y= 0.2500$ $p_z= 0.0000$

Transverse plane




$h_e=-1, h_p=+1, h_\gamma=-1$
 electron h=-1, proton Tx

$h_e=+1, h_p=-1, h_\gamma=+1$
 electron h=+1, proton Tx

$h_e=+1, h_p=+1, h_\gamma=-1$
 electron h=+1, proton Tx


$h_e=-1, h_p=-1, h_\gamma=+1$
 electron h=-1, proton Tx

Leading initial-ensemble/final-state components (N=4, retained=100.0%)



Tx proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_tx_proton_region_1 C_{p\gamma}=0.983856
 region: low_Egamma_Tx_proton_region_1 final-pair delta_xy=1.37445 rad
 outgoing-state purity: 0.506753
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_\mu}\rho(h_\mu, T_{x,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.05969$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_P=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=0.19635$
 $Q^2=0.0632013$, $x_B=0.0635893$, $t=-0.00430381$, $W^2=1.81054$, $y=0.0481894$
 $\theta(l', \gamma)=107.883$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 2.1253$ $p_x= -0.2452$ $p_y= -2.1085$ $p_z= 0.0000$
 P' $E= 2.2632$ $p_x= 0.0000$ $p_y= 2.0597$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.2452$ $p_y= 0.0488$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=99.3%)



Tx proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_tx_proton_region_2 C_{p\gamma}=0.983856
 region: low_Egamma_Tx_proton_region_2 final-pair delta_xy=1.37445 rad
 outgoing-state purity: 0.506753
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_\mu}\rho(h_\mu, T_{x,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.05969$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_P=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=2.94524$
 $Q^2=0.0632013$, $x_B=0.0635893$, $t=-0.00430381$, $W^2=1.81054$, $y=0.0481894$
 $\theta(l', \gamma)=107.883$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 2.1253$ $p_x= 0.2452$ $p_y= -2.1085$ $p_z= 0.0000$
 P' $E= 2.2632$ $p_x= 0.0000$ $p_y= 2.0597$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= -0.2452$ $p_y= 0.0488$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=99.3%)



Tx proton characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_tx_proton_region_3 C_{p\gamma}=0.541616
 region: low_Egamma_Tx_proton_region_3 final-pair delta_xy=2.74889 rad
 outgoing-state purity: 0.564315
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_\mu}\rho(h_\mu, T_{x,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22311$, $|\vec{P}'|=2.21185$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.25$, $\phi_\gamma=5.10509$
 $Q^2=0.0104116$, $x_B=0.00466175$, $t=-1.92644e-05$, $W^2=3.10284$, $y=0.108287$
 $\theta(l', \gamma)=25.2651$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2256$ $p_x= -0.0000$ $p_y= -2.2231$ $p_z= -0.0000$
 P $E= 2.4129$ $p_x= 0.0000$ $p_y= 2.2231$ $p_z= 0.0000$
 l' $E= 1.9860$ $p_x= -0.0957$ $p_y= -1.9809$ $p_z= 0.0000$
 P' $E= 2.4025$ $p_x= 0.0000$ $p_y= 2.2118$ $p_z= 0.0000$
 q_γ $E= 0.2500$ $p_x= 0.0957$ $p_y= -0.2310$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=5, retained=97.3%)

