



low\_Egamma Ty proton: max  $C_{\mu\gamma}$  regions



# Ty proton characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c\_mu\_gamma\_low\_egamma\_ty\_proton\_region\_0  $C_{\mu\gamma}=0.0928198$   
 region: low\_Egamma\_Ty\_proton\_region\_0 final-pair delta\_xy=0 rad  
 outgoing-state purity: 0.520793  
 kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
 incoming state:  $\frac{1}{2}\sum_{h_\mu} \rho(h_\mu, T_{y,p})$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22311$ ,  $|\vec{P}'|=2.22295$   
 $\theta_{in}=1.57079$ ,  $\phi_l=3.33794$ ,  $\phi_p=0.19635$   
 $E_\gamma=0.25$ ,  $\phi_\gamma=4.71239$   
 $Q^2=7.06095$ ,  $x_B=0.752863$ ,  $t=-7.9555$ ,  $W^2=3.19769$ ,  $y=0.454733$   
 $\theta(l', \gamma)=0$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2256$   $p_x= -2.1804$   $p_y= -0.4337$   $p_z= -0.0000$   
 $P$   $E= 2.4129$   $p_x= 2.1804$   $p_y= 0.4337$   $p_z= 0.0000$   
 $l'$   $E= 1.9758$   $p_x= 0.0000$   $p_y= -1.9729$   $p_z= 0.0000$   
 $P'$   $E= 2.4127$   $p_x= 0.0000$   $p_y= 2.2229$   $p_z= 0.0000$   
 $q_\gamma$   $E= 0.2500$   $p_x= -0.0000$   $p_y= -0.2500$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=5, retained=94.2%)



# Ty proton characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c\_mu\_gamma\_low\_egamma\_ty\_proton\_region\_1  $C_{\mu\gamma}=0.0928198$   
 region: low\_Egamma\_Ty\_proton\_region\_1 final-pair delta\_xy=0 rad  
 outgoing-state purity: 0.520793  
 kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
 incoming state:  $\frac{1}{2}\sum_{h_\mu}\rho(h_\mu, T_{y,p})$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22311$ ,  $|\vec{P}'|=2.22295$   
 $\theta_{in}=1.57079$ ,  $\phi_l=6.08684$ ,  $\phi_P=2.94524$   
 $E_\gamma=0.25$ ,  $\phi_\gamma=4.71239$   
 $Q^2=7.06095$ ,  $x_B=0.752863$ ,  $t=-7.9555$ ,  $W^2=3.19769$ ,  $y=0.454733$   
 $\theta(l', \gamma)=0$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2256$   $p_x= 2.1804$   $p_y= -0.4337$   $p_z= -0.0000$   
 $P$   $E= 2.4129$   $p_x= -2.1804$   $p_y= 0.4337$   $p_z= 0.0000$   
 $l'$   $E= 1.9758$   $p_x= 0.0000$   $p_y= -1.9729$   $p_z= 0.0000$   
 $P'$   $E= 2.4127$   $p_x= 0.0000$   $p_y= 2.2229$   $p_z= 0.0000$   
 $q_\gamma$   $E= 0.2500$   $p_x= -0.0000$   $p_y= -0.2500$   $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=5, retained=94.2%)

