



low\_Egamma Unpolarized: max  $C_{\mu\gamma}$  regions



# Unpolarized characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c\_mu\_gamma\_low\_egamma\_unpolarized\_region\_0  $C_{\{\mu\gamma\}}=0$   
 region: low\_Egamma\_unpolarized\_region\_0 final-pair delta\_xy=1.69014 rad  
 outgoing-state purity: 0.352415  
 kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
 incoming state:  $\frac{1}{4} \sum_{h_\mu, h_p} \rho(h_\mu, h_p)$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22311$ ,  $|\vec{P}'|=2.08482$   
 $\theta_{in}=1.57079$ ,  $\phi_l=0$ ,  $\phi_p=3.14159$   
 $E_\gamma=0.25$ ,  $\phi_\gamma=0$   
 $Q^2=10.4476$ ,  $x_B=0.901381$ ,  $t=-9.2726$ ,  $W^2=2.0229$ ,  $y=0.561973$   
 $\theta(l', \gamma)=96.838$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2256$   $p_x= 2.2231$   $p_y= -0.0000$   $p_z= -0.0000$   
 $P$   $E= 2.4129$   $p_x= -2.2231$   $p_y= 0.0000$   $p_z= 0.0000$   
 $l'$   $E= 2.1024$   $p_x= -0.2500$   $p_y= -2.0848$   $p_z= 0.0000$   
 $P'$   $E= 2.2861$   $p_x= 0.0000$   $p_y= 2.0848$   $p_z= 0.0000$   
 $q_\gamma$   $E= 0.2500$   $p_x= 0.2500$   $p_y= 0.0000$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=92.9%)



# Unpolarized characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c\_mu\_gamma\_low\_egamma\_unpolarized\_region\_1 C\_{\mu\gamma}=0  
 region: low\_Egamma\_unpolarized\_region\_1 final-pair delta\_xy=2.96732 rad  
 outgoing-state purity: 0.358819  
 kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
 incoming state:  $\frac{1}{4} \sum_{h_\mu, h_p} \rho(h_\mu, h_p)$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22311$ ,  $|\vec{P}'|=1.96387$   
 $\theta_{in}=1.57079$ ,  $\phi_l=0$ ,  $\phi_p=3.14159$   
 $E_\gamma=0.25$ ,  $\phi_\gamma=1.37445$   
 $Q^2=10.0413$ ,  $x_B=0.987693$ ,  $t=-8.74309$ ,  $W^2=1.00497$ ,  $y=0.49292$   
 $\theta(l', \gamma)=170.015$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2256$   $p_x= 2.2231$   $p_y= -0.0000$   $p_z= -0.0000$   
 $P$   $E= 2.4129$   $p_x= -2.2231$   $p_y= 0.0000$   $p_z= 0.0000$   
 $l'$   $E= 2.2121$   $p_x= -0.0488$   $p_y= -2.2091$   $p_z= 0.0000$   
 $P'$   $E= 2.1764$   $p_x= 0.0000$   $p_y= 1.9639$   $p_z= 0.0000$   
 $q_\gamma$   $E= 0.2500$   $p_x= 0.0488$   $p_y= 0.2452$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=89.3%)



# Unpolarized characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c\_mu\_gamma\_low\_egamma\_unpolarized\_region\_2 C\_{\mu\gamma}=0  
 region: low\_Egamma\_unpolarized\_region\_2 final-pair delta\_xy=2.07142 rad  
 outgoing-state purity: 0.343962  
 kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
 incoming state:  $\frac{1}{4} \sum_{h_\mu, h_p} \rho(h_\mu, h_p)$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22311$ ,  $|\vec{P}'|=2.03605$   
 $\theta_{in}=1.57079$ ,  $\phi_l=0$ ,  $\phi_p=3.14159$   
 $E_\gamma=0.25$ ,  $\phi_\gamma=2.74889$   
 $Q^2=8.50663$ ,  $x_B=0.920839$ ,  $t=-9.05841$ ,  $W^2=1.61113$ ,  $y=0.447902$   
 $\theta(l', \gamma)=118.684$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2256$   $p_x= 2.2231$   $p_y= -0.0000$   $p_z= -0.0000$   
 $P$   $E= 2.4129$   $p_x= -2.2231$   $p_y= 0.0000$   $p_z= 0.0000$   
 $l'$   $E= 2.1468$   $p_x= 0.2310$   $p_y= -2.1317$   $p_z= 0.0000$   
 $P'$   $E= 2.2417$   $p_x= 0.0000$   $p_y= 2.0360$   $p_z= 0.0000$   
 $q_\gamma$   $E= 0.2500$   $p_x= -0.2310$   $p_y= 0.0957$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=89.2%)



# Unpolarized characteristic max $C_{\mu\gamma}$ configuration

3D momenta




c\_mu\_gamma\_low\_egamma\_unpolarized\_region\_3 C\_{\mu\gamma}=0  
 region: low\_Egamma\_unpolarized\_region\_3 final-pair delta\_xy=0.658709 rad  
 outgoing-state purity: 0.348179  
 kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
 incoming state:  $\frac{1}{4} \sum_{h_\mu, h_p} \rho(h_\mu, h_p)$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22311$ ,  $|\vec{P}'|=2.19851$   
 $\theta_{in}=1.57079$ ,  $\phi_l=0$ ,  $\phi_p=3.14159$   
 $E_\gamma=0.25$ ,  $\phi_\gamma=4.12334$   
 $Q^2=8.25492$ ,  $x_B=0.796497$ ,  $t=-9.77514$ ,  $W^2=2.98896$ ,  $y=0.502503$   
 $\theta(l', \gamma)=37.7412$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2256$   $p_x= 2.2231$   $p_y= -0.0000$   $p_z= -0.0000$   
 $P$   $E= 2.4129$   $p_x= -2.2231$   $p_y= 0.0000$   $p_z= 0.0000$   
 $l'$   $E= 1.9983$   $p_x= 0.1389$   $p_y= -1.9906$   $p_z= 0.0000$   
 $P'$   $E= 2.3902$   $p_x= 0.0000$   $p_y= 2.1985$   $p_z= 0.0000$   
 $q_\gamma$   $E= 0.2500$   $p_x= -0.1389$   $p_y= -0.2079$   $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=89.3%)

