


high_Egamma Tx_proton: max $C_{e\gamma}$ regions





Tx_proton characteristic max $C_{e\gamma}$ configuration


c_e_gamma_high_egamma_tx_proton_region_0 $C_{\{e\gamma\}}=4.80703e-11$
 region: high_Egamma_Tx_proton_region_0 final-pair delta_xy=3.09939 rad
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e,T_{X,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.1211$
 $\theta_{in}=1.57079$, $\phi_l=0.850848$, $\phi_P=3.99244$
 $E_\gamma=1.8$, $\phi_\gamma=0.850848$
 $Q^2=16.8334$, $x_B=0.845455$, $t=-3.21181$, $W^2=3.9569$, $y=0.964841$
 $\theta(l',\gamma)=177.582$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.4667$ $p_y= 1.6724$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.4667$ $p_y= -1.6724$ $p_z= 0.0000$
 l' $E= 1.8927$ $p_x= -1.1868$ $p_y= -1.4744$ $p_z= 0.0000$
 P' $E= 0.9458$ $p_x= 0.0000$ $p_y= 0.1211$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 1.1868$ $p_y= 1.3533$ $p_z= 0.0000$




Leading initial-ensemble/final-state components (N=4, retained=96.5%)



Tx_proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_high_egamma_tx_proton_region_1 $C_{e\gamma}=3.96365e-11$
 region: high_Egamma_Tx_proton_region_1 final-pair delta_xy=2.51738 rad
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e} \rho(h_e, T_{x,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.0525$
 $\theta_{in}=1.57079$, $\phi_l=5.62869$, $\phi_P=2.48709$
 $E_\gamma=1.8$, $\phi_\gamma=5.62869$
 $Q^2=11.5134$, $x_B=0.609324$, $t=-2.19676$, $W^2=8.26183$, $y=0.915653$
 $\theta(l', \gamma)=144.235$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.7647$ $p_y= -1.3541$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.7647$ $p_y= 1.3541$ $p_z= 0.0000$
 l' $E= 1.4287$ $p_x= -1.4280$ $p_y= 0.0433$ $p_z= 0.0000$
 P' $E= 1.4098$ $p_x= 0.0000$ $p_y= 1.0525$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 1.4280$ $p_y= -1.0958$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=96.5%)



Tx_proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_high_egamma_tx_proton_region_2 $C_{e\gamma}=2.80718e-11$
 region: high_Egamma Tx_proton_region_2 final-pair delta_xy=2.91967 rad
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{X,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.401092$
 $\theta_{in}=1.57079$, $\phi_l=3.20704$, $\phi_P=0.0654498$
 $E_\gamma=1.8$, $\phi_\gamma=3.20704$
 $Q^2=15.9808$, $x_B=0.809244$, $t=-3.04913$, $W^2=4.64684$, $y=0.956958$
 $\theta(l', \gamma)=167.285$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -2.2197$ $p_y= -0.1455$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 2.2197$ $p_y= 0.1455$ $p_z= 0.0000$
 l' $E= 1.8184$ $p_x= 1.7961$ $p_y= -0.2834$ $p_z= 0.0000$
 P' $E= 1.0202$ $p_x= 0.0000$ $p_y= 0.4011$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -1.7961$ $p_y= -0.1177$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=96.5%)



Tx_proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_high_egamma_tx_proton_region_3 $C_{e\gamma}=2.19258e-11$
 region: high_Egamma_Tx_proton_region_3 final-pair delta_xy=3.12092 rad
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{x,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=0.102337$
 $\theta_{in}=1.57079$, $\phi_l=1.9635$, $\phi_p=5.10509$
 $E_\gamma=1.8$, $\phi_\gamma=1.9635$
 $Q^2=16.8589$, $x_B=0.846527$, $t=-3.21666$, $W^2=3.93631$, $y=0.965077$
 $\theta(l', \gamma)=178.816$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.8512$ $p_y= 2.0551$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.8512$ $p_y= -2.0551$ $p_z= 0.0000$
 l' $E= 1.8950$ $p_x= 0.6888$ $p_y= -1.7653$ $p_z= 0.0000$
 P' $E= 0.9436$ $p_x= 0.0000$ $p_y= 0.1023$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= -0.6888$ $p_y= 1.6630$ $p_z= 0.0000$

Transverse plane



$h_e=-1, h_p=-1, h_\gamma=-1$
 electron $h=-1$, proton Tx

$h_e=+1, h_p=+1, h_\gamma=+1$
 electron $h=+1$, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=93.7%)

