



high\_Egamma L\_electron: max  $C_{ep}$  regions



# L\_electron characteristic max $C_{ep}$ configuration

### 3D momenta




c\_ep\_high\_egamma\_l\_electron\_region\_0  $C_{ep}$ =1.51389e-11  
region: high\_Egamma\_L\_electron\_region\_0 final-pair delta\_xy=1.95149 rad  
kinematic point: high\_s\_high\_theta\_in\_high\_Egamma  
incoming state:  $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=0.229964$   
 $\theta_{in}=1.57079$ ,  $\phi_l=2.87979$ ,  $\phi_P=6.02139$   
 $E_Y=1.8$ ,  $\phi_Y=2.87979$   
 $Q^2=16.6042$ ,  $x_B=0.835779$ ,  $t=-3.16807$ ,  $W^2=4.14238$ ,  $y=0.962722$   
 $\theta(l', \gamma)=173.188$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= -2.1486$   $p_y= 0.5757$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 2.1486$   $p_y= -0.5757$   $p_z= 0.0000$   
 $l'$   $E= 1.8727$   $p_x= 1.7387$   $p_y= -0.6958$   $p_z= 0.0000$   
 $P'$   $E= 0.9658$   $p_x= 0.0000$   $p_y= 0.2300$   $p_z= 0.0000$   
 $q_Y$   $E= 1.8000$   $p_x= -1.7387$   $p_y= 0.4659$   $p_z= 0.0000$

### Transverse plane




### Leading initial-ensemble/final-state components (N=3, retained=99.1%)



# L\_electron characteristic max $C_{ep}$ configuration

3D momenta




c\_ep\_high\_egamma\_l\_electron\_region\_1  $C_{ep}=1.17755e-11$   
 region: high\_Egamma\_L\_electron\_region\_1 final-pair delta\_xy=2.76956 rad  
 kinematic point: high\_s\_high\_theta\_in\_high\_Egamma  
 incoming state:  $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=0.102337$   
 $\theta_{in}=1.57079$ ,  $\phi_l=1.1781$ ,  $\phi_p=4.31969$   
 $E_\gamma=1.8$ ,  $\phi_\gamma=1.1781$   
 $Q^2=16.8589$ ,  $x_B=0.846527$ ,  $t=-3.21666$ ,  $W^2=3.93631$ ,  $y=0.965077$   
 $\theta(l', \gamma)=178.816$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= 0.8512$   $p_y= 2.0551$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -0.8512$   $p_y= -2.0551$   $p_z= 0.0000$   
 $l'$   $E= 1.8950$   $p_x= -0.6888$   $p_y= -1.7653$   $p_z= 0.0000$   
 $P'$   $E= 0.9436$   $p_x= 0.0000$   $p_y= 0.1023$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.8000$   $p_x= 0.6888$   $p_y= 1.6630$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=3, retained=99.9%)



# L\_electron characteristic max $C_{ep}$ configuration

3D momenta




c\_ep\_high\_egamma\_l\_electron\_region\_2  $C_{ep}=6.42505e-12$   
 region: high\_Egamma\_L\_electron\_region\_2 final-pair delta\_xy=1.80863 rad  
 kinematic point: high\_s\_high\_theta\_in\_high\_Egamma  
 incoming state:  $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=0.317708$   
 $\theta_{in}=1.57079$ ,  $\phi_\ell=0.0654498$ ,  $\phi_P=3.20704$   
 $E_\gamma=1.8$ ,  $\phi_\gamma=0.0654498$   
 $Q^2=16.3226$ ,  $x_B=0.823831$ ,  $t=-3.11434$ ,  $W^2=4.37028$ ,  $y=0.960118$   
 $\theta(\ell', \gamma)=170.123$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $\ell$   $E= 2.2244$   $p_x= 2.2197$   $p_y= 0.1455$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -2.2197$   $p_y= -0.1455$   $p_z= 0.0000$   
 $\ell'$   $E= 1.8482$   $p_x= -1.7961$   $p_y= -0.4354$   $p_z= 0.0000$   
 $P'$   $E= 0.9903$   $p_x= 0.0000$   $p_y= 0.3177$   $p_z= 0.0000$   
 $q_Y$   $E= 1.8000$   $p_x= 1.7961$   $p_y= 0.1177$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=3, retained=98.9%)



# L\_electron characteristic max C<sub>ep</sub> configuration

3D momenta




c\_ep\_high egamma\_l\_electron\_region 3 C<sub>ep</sub>=4.72387e-12  
 region: high\_Egamma\_L\_electron\_region\_3 final-pair delta\_xy=1.576 rad  
 kinematic point: high\_s\_high\_theta\_in\_high\_Egamma  
 incoming state:  $\frac{1}{2} \sum_{h_p} \rho(L_e, h_p)$

s=21.5158,  $\sqrt{s}$ =4.63852,  $|\vec{P}|$ =2.22442,  $|\vec{P}'|$ =1.35948  
 $\theta_{in}$ =1.57079,  $\phi_l$ =3.99244,  $\phi_P$ =0.850848  
 $E_\gamma$ =1.8,  $\phi_\gamma$ =3.99244  
 $Q^2$ =8.74073,  $x_B$ =0.475909,  $t$ =-1.66773,  $W^2$ =10.5055,  $y$ =0.890017  
 $\theta(l', \gamma)$ =130.952 deg

four-momenta [E, p<sub>x</sub>, p<sub>y</sub>, p<sub>z</sub>] GeV:  
 l E= 2.2244 p<sub>x</sub>= -1.4667 p<sub>y</sub>= -1.6724 p<sub>z</sub>= -0.0000  
 P E= 2.4141 p<sub>x</sub>= 1.4667 p<sub>y</sub>= 1.6724 p<sub>z</sub>= 0.0000  
 l' E= 1.1868 p<sub>x</sub>= 1.1868 p<sub>y</sub>= -0.0062 p<sub>z</sub>= 0.0000  
 P' E= 1.6517 p<sub>x</sub>= 0.0000 p<sub>y</sub>= 1.3595 p<sub>z</sub>= 0.0000  
 q<sub>γ</sub> E= 1.8000 p<sub>x</sub>= -1.1868 p<sub>y</sub>= -1.3533 p<sub>z</sub>= 0.0000

Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$   
 electron L, proton h=+1

$h_e=+1, h_p=-1, h_\gamma=+1$   
 electron L, proton h=+1

$h_e=+1, h_p=-1, h_\gamma=+1$   
 electron L, proton h=-1

$h_e=+1, h_p=+1, h_\gamma=+1$   
 electron L, proton h=-1

$h_e=+1, h_p=+1, h_\gamma=-1$   
 electron L, proton h=+1

Leading initial-ensemble/final-state components (N=5, retained=98.9%)

