



high\_Egamma LTx: max  $C_{ep}$  regions



# LTx characteristic max $C_{ep}$ configuration

3D momenta




c\_ep\_high\_egamma\_ltx\_region\_0 C\_{ep}=9.98222e-11  
 region: high\_Egamma\_LTx\_region\_0 final-pair delta\_xy=2.00355 rad  
 kinematic point: high\_s\_high\_theta\_in\_high\_Egamma  
 incoming state:  $|L_e T_{x,p}\rangle$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=0.208804$   
 $\theta_{in}=1.57079$ ,  $\phi_l=2.81434$ ,  $\phi_p=5.95594$   
 $E_\gamma=1.8$ ,  $\phi_\gamma=2.81434$   
 $Q^2=16.6594$ ,  $x_B=0.838115$ ,  $t=-3.17861$ ,  $W^2=4.09767$ ,  $y=0.963233$   
 $\theta(l', \gamma)=173.955$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= -2.1064$   $p_y= 0.7150$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 2.1064$   $p_y= -0.7150$   $p_z= 0.0000$   
 $l'$   $E= 1.8776$   $p_x= 1.7045$   $p_y= -0.7874$   $p_z= 0.0000$   
 $P'$   $E= 0.9610$   $p_x= 0.0000$   $p_y= 0.2088$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.8000$   $p_x= -1.7045$   $p_y= 0.5786$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=3, retained=99.2%)



# LTx characteristic max $C_{ep}$ configuration

3D momenta




c\_ep\_high\_egamma\_ltx\_region\_1  $C_{ep}$ =6.88515e-11  
 region: high\_Egamma\_LTx\_region\_1 final-pair delta\_xy=1.56485 rad  
 kinematic point: high\_s\_high\_theta\_in\_high\_Egamma  
 incoming state:  $|L_e T_{x,p}\rangle$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=0.786525$   
 $\theta_{in}=1.57079$ ,  $\phi_l=5.82504$ ,  $\phi_P=2.68344$   
 $E_\gamma=1.8$ ,  $\phi_\gamma=5.82504$   
 $Q^2=13.6425$ ,  $x_B=0.706804$ ,  $t=-2.60298$ ,  $W^2=6.539$ ,  $y=0.935338$   
 $\theta(l', \gamma)=154.091$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= 1.9950$   $p_y= -0.9838$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -1.9950$   $p_y= 0.9838$   $p_z= 0.0000$   
 $l'$   $E= 1.6144$   $p_x= -1.6144$   $p_y= 0.0096$   $p_z= 0.0000$   
 $P'$   $E= 1.2241$   $p_x= 0.0000$   $p_y= 0.7865$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.8000$   $p_x= 1.6144$   $p_y= -0.7961$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=3, retained=98.9%)



# LTx characteristic max $C_{ep}$ configuration

3D momenta




c\_ep\_high\_egamma\_ltx\_region\_2  $C_{ep}$ =6.17882e-11  
region: high\_Egamma\_LTx\_region\_2 final-pair delta\_xy=2.22659 rad  
kinematic point: high\_s\_high\_theta\_in\_high\_Egamma  
incoming state:  $|L_e T_{x,p}\rangle$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=0.151482$   
 $\theta_{in}=1.57079$ ,  $\phi_l=0.589049$ ,  $\phi_p=3.73064$   
 $E_Y=1.8$ ,  $\phi_Y=0.589049$   
 $Q^2=16.7833$ ,  $x_B=0.843345$ ,  $t=-3.20225$ ,  $W^2=3.99742$ ,  $y=0.964378$   
 $\theta(l', \gamma)=176.176$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= 1.8495$   $p_y= 1.2358$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -1.8495$   $p_y= -1.2358$   $p_z= 0.0000$   
 $l'$   $E= 1.8884$   $p_x= -1.4966$   $p_y= -1.1515$   $p_z= 0.0000$   
 $P'$   $E= 0.9502$   $p_x= 0.0000$   $p_y= 0.1515$   $p_z= 0.0000$   
 $q_Y$   $E= 1.8000$   $p_x= 1.4966$   $p_y= 1.0000$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=3, retained=99.4%)



# LTx characteristic max $C_{ep}$ configuration

3D momenta




c\_ep\_high\_egamma\_ltx\_region\_3  $C_{ep}=5.49319e-11$   
 region: high Egamma\_LTx\_region\_3 final-pair delta\_xy=1.54051 rad  
 kinematic point: high\_s\_high\_theta\_in\_high\_Egamma  
 incoming state:  $|L_e T_{x,p}\rangle$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.0525$   
 $\theta_{in}=1.57079$ ,  $\phi_l=3.79609$ ,  $\phi_P=0.654498$   
 $E_\gamma=1.8$ ,  $\phi_\gamma=3.79609$   
 $Q^2=11.5134$ ,  $x_B=0.609324$ ,  $t=-2.19676$ ,  $W^2=8.26183$ ,  $y=0.915653$   
 $\theta(l', \gamma)=144.235$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= -1.7647$   $p_y= -1.3541$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 1.7647$   $p_y= 1.3541$   $p_z= 0.0000$   
 $l'$   $E= 1.4287$   $p_x= 1.4280$   $p_y= 0.0433$   $p_z= 0.0000$   
 $P'$   $E= 1.4098$   $p_x= 0.0000$   $p_y= 1.0525$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.8000$   $p_x= -1.4280$   $p_y= -1.0958$   $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$   
 electron L, proton Tx

$h_e=+1, h_p=-1, h_\gamma=+1$   
 electron L, proton Tx

$h_e=+1, h_p=+1, h_\gamma=-1$   
 electron L, proton Tx

Leading initial-ensemble/final-state components (N=3, retained=99.5%)

