



high\_Egamma Ty\_proton: max  $C_{ep}$  regions



# Ty\_proton characteristic max $C_{ep}$ configuration

3D momenta




c\_ep\_high\_egamma\_ty\_proton\_region\_0 C\_{ep}=2.60908e-11  
 region: high\_Egamma\_Ty\_proton\_region\_0 final-pair delta\_xy=2.1126 rad  
 kinematic point: high\_s\_high\_theta\_in\_high\_Egamma  
 incoming state:  $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{y,p})$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=0.175547$   
 $\theta_{in}=1.57079$ ,  $\phi_l=2.68344$ ,  $\phi_P=5.82504$   
 $E_\gamma=1.8$ ,  $\phi_\gamma=2.68344$   
 $Q^2=16.736$ ,  $x_B=0.841347$ ,  $t=-3.19321$ ,  $W^2=4.03576$ ,  $y=0.96394$   
 $\theta(l', \gamma)=175.207$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= -1.9950$   $p_y= 0.9838$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 1.9950$   $p_y= -0.9838$   $p_z= 0.0000$   
 $l'$   $E= 1.8842$   $p_x= 1.6144$   $p_y= -0.9717$   $p_z= 0.0000$   
 $P'$   $E= 0.9543$   $p_x= 0.0000$   $p_y= 0.1755$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.8000$   $p_x= -1.6144$   $p_y= 0.7961$   $p_z= 0.0000$


Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=96.5%)



# Ty\_proton characteristic max $C_{ep}$ configuration




c\_ep\_high\_egamma\_ty\_proton\_region\_1  $C_{ep}=2.0844e-11$   
 region: high\_Egamma\_Ty\_proton\_region\_1 final-pair delta\_xy=1.54426 rad  
 kinematic point: high\_s\_high\_theta\_in\_high\_Egamma  
 incoming state:  $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{Y,p})$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.1509$   
 $\theta_{in}=1.57079$ ,  $\phi_l=5.56324$ ,  $\phi_p=2.42164$   
 $E_\gamma=1.8$ ,  $\phi_\gamma=5.56324$   
 $Q^2=10.6547$ ,  $x_B=0.568811$ ,  $t=-2.03291$ ,  $W^2=8.9567$ ,  $y=0.907714$   
 $\theta(l', \gamma)=140.27$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:

| Particle | E      | $p_x$   | $p_y$   | $p_z$   |
|----------|--------|---------|---------|---------|
| $l$      | 2.2244 | 1.6724  | -1.4667 | -0.0000 |
| $P$      | 2.4141 | -1.6724 | 1.4667  | 0.0000  |
| $l'$     | 1.3538 | -1.3533 | 0.0359  | 0.0000  |
| $P'$     | 1.4847 | 0.0000  | 1.1509  | 0.0000  |
| $q_Y$    | 1.8000 | 1.3533  | -1.1868 | 0.0000  |




Leading initial-ensemble/final-state components (N=4, retained=96.5%)



# Ty\_proton characteristic max $C_{ep}$ configuration

3D momenta




c\_ep\_high\_egamma\_ty\_proton\_region 2 C\_{ep}=2.01267e-11  
 region: high\_Egamma\_Ty\_proton\_region 2 final-pair delta\_xy=2.16909 rad  
 kinematic point: high\_s\_high\_theta\_in\_high\_Egamma  
 incoming state:  $\frac{1}{2} \sum_{h_e} \rho(h_e, T_{y,p})$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=0.162554$   
 $\theta_{in}=1.57079$ ,  $\phi_l=0.523599$ ,  $\phi_p=3.66519$   
 $E_Y=1.8$ ,  $\phi_Y=0.523599$   
 $Q^2=16.7624$ ,  $x_B=0.842461$ ,  $t=-3.19825$ ,  $W^2=4.01438$ ,  $y=0.964185$   
 $\theta(l', \gamma)=175.721$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= 1.9264$   $p_y= 1.1122$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -1.9264$   $p_y= -1.1122$   $p_z= 0.0000$   
 $l'$   $E= 1.8865$   $p_x= -1.5588$   $p_y= -1.0626$   $p_z= 0.0000$   
 $P'$   $E= 0.9520$   $p_x= 0.0000$   $p_y= 0.1626$   $p_z= 0.0000$   
 $q_Y$   $E= 1.8000$   $p_x= 1.5588$   $p_y= 0.9000$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=96.5%)



# Ty\_proton characteristic max $C_{ep}$ configuration

3D momenta




c\_ep\_high\_egamma\_ty\_proton\_region\_3  $C_{ep}=5.11857e-12$   
 region: high\_Egamma\_Ty\_proton\_region\_3 final-pair delta\_xy=1.60718 rad  
 kinematic point: high\_s\_high\_theta\_in\_high\_Egamma  
 incoming state:  $\frac{1}{2}\sum_{h_e} \rho(h_e, T_{y,p})$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.46792$   
 $\theta_{in}=1.57079$ ,  $\phi_i=4.05789$ ,  $\phi_P=0.916298$   
 $E_\gamma=1.8$ ,  $\phi_\gamma=4.05789$   
 $Q^2=7.70501$ ,  $x_B=0.42408$ ,  $t=-1.47011$ ,  $W^2=11.3436$ ,  $y=0.880441$   
 $\theta(l', \gamma)=125.415$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= -1.3541$   $p_y= -1.7647$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 1.3541$   $p_y= 1.7647$   $p_z= 0.0000$   
 $l'$   $E= 1.0965$   $p_x= 1.0958$   $p_y= -0.0399$   $p_z= 0.0000$   
 $P'$   $E= 1.7420$   $p_x= 0.0000$   $p_y= 1.4679$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.8000$   $p_x= -1.0958$   $p_y= -1.4280$   $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=96.5%)

