



low_Egamma Tx_proton: max $C_{e\gamma}$ regions



Tx_proton characteristic max $C_{e\gamma}$ configuration

3D momenta




$c_{e\gamma_low_egamma_tx_proton_region_0}$ $C_{e\gamma}=9.02337e-12$
region: low_Egamma_Tx_proton_region_0 final-pair delta_xy=2.57543 rad
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{x,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.75088$
 $\theta_{in}=1.57079$, $\phi_l=0.850848$, $\phi_p=3.99244$
 $E_\gamma=0.5$, $\phi_\gamma=0.850848$
 $Q^2=17.6556$, $x_B=0.963443$, $t=-13.687$, $W^2=1.54977$, $y=0.888037$
 $\theta(l', \gamma)=147.561$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.4667$ $p_y= 1.6724$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.4667$ $p_y= -1.6724$ $p_z= 0.0000$
 l' $E= 2.1522$ $p_x= -0.3297$ $p_y= -2.1268$ $p_z= 0.0000$
 P' $E= 1.9863$ $p_x= 0.0000$ $p_y= 1.7509$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= 0.3297$ $p_y= 0.3759$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=98.3%)



Tx_proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_tx_proton_region_1 $C_{e\gamma}=5.11531e-12$
 region: low_Egamma_Tx_proton_region_1 final-pair delta_xy=0.502401 rad
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e} \rho(h_e, T_{x,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.19913$
 $\theta_{in}=1.57079$, $\phi_l=5.10509$, $\phi_p=1.9635$
 $E_\gamma=0.5$, $\phi_\gamma=5.10509$
 $Q^2=0.960793$, $x_B=0.178475$, $t=-0.744828$, $W^2=5.3024$, $y=0.260872$
 $\theta(l', \gamma)=28.7855$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 0.8512$ $p_y= -2.0551$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -0.8512$ $p_y= 2.0551$ $p_z= 0.0000$
 l' $E= 1.7477$ $p_x= -0.1913$ $p_y= -1.7372$ $p_z= 0.0000$
 P' $E= 2.3908$ $p_x= 0.0000$ $p_y= 2.1991$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= 0.1913$ $p_y= -0.4619$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=7, retained=98.2%)



Tx_proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_tx_proton_region_2 $C_{e\gamma}=4.54391e-12$
 region: low_Egamma_Tx_proton_region_2 final-pair delta_xy=0.904303 rad
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e} \rho(h_e, T_{x,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.14387$
 $\theta_{in}=1.57079$, $\phi_t=3.99244$, $\phi_p=0.850848$
 $E_\gamma=0.5$, $\phi_\gamma=3.99244$
 $Q^2=3.05447$, $x_B=0.435954$, $t=-2.3679$, $W^2=4.83178$, $y=0.339524$
 $\theta(\ell', \gamma)=51.8127$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -1.4667$ $p_y= -1.6724$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.4667$ $p_y= 1.6724$ $p_z= 0.0000$
 ℓ' $E= 1.7984$ $p_x= 0.3297$ $p_y= -1.7680$ $p_z= 0.0000$
 P' $E= 2.3401$ $p_x= 0.0000$ $p_y= 2.1439$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.3297$ $p_y= -0.3759$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=+1, h_\gamma=+1$
 electron $h=+1$, proton Tx
 $h_e=-1, h_p=+1, h_\gamma=-1$
 electron $h=-1$, proton Tx
 $h_e=+1, h_p=+1, h_\gamma=-1$
 electron $h=+1$, proton Tx
 $h_e=-1, h_p=+1, h_\gamma=+1$
 electron $h=-1$, proton Tx
 $h_e=-1, h_p=-1, h_\gamma=-1$
 electron $h=-1$, proton Tx
 $h_e=-1, h_p=-1, h_\gamma=+1$
 electron $h=-1$, proton Tx
 $h_e=+1, h_p=-1, h_\gamma=+1$
 electron $h=+1$, proton Tx
 $h_e=+1, h_p=-1, h_\gamma=-1$
 electron $h=+1$, proton Tx

Leading initial-ensemble/final-state components (N=8, retained=100.0%)



Tx_proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_tx_proton_region_3 $C_{e\gamma}=4.30903e-12$
 region: low_Egamma_Tx_proton_region_3 final-pair delta_xy=2.41313 rad
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{x,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.78252$
 $\theta_{in}=1.57079$, $\phi_l=2.48709$, $\phi_P=5.62869$
 $E_\gamma=0.5$, $\phi_\gamma=2.48709$
 $Q^2=16.5025$, $x_B=0.946699$, $t=-12.7931$, $W^2=1.80897$, $y=0.844718$
 $\theta(l', \gamma)=138.262$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -1.7647$ $p_y= 1.3541$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.7647$ $p_y= -1.3541$ $p_z= 0.0000$
 l' $E= 2.1243$ $p_x= 0.3967$ $p_y= -2.0869$ $p_z= 0.0000$
 P' $E= 2.0143$ $p_x= 0.0000$ $p_y= 1.7825$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.3967$ $p_y= 0.3044$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=4, retained=96.7%)

