



low_Egamma L_electron: max C_{ep} regions



L_electron characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_l_electron_region_0 C_{ep}=7.87401e-14
 region: low_Egamma_L_electron_region_0 final-pair delta_xy=3.14159 rad
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2} \sum_{h_p} \rho(L_e, h_p)$

s=21.5158, $\sqrt{s}$ =4.63852, $|\vec{P}|$ =2.22442, $|\vec{P}'|$ =1.69835
 θ_{in} =1.57079, ϕ_l =1.5708, ϕ_P =4.71239
 E_γ =0.5, ϕ_γ =1.5708
 Q^2 =19.5602, x_B =0.987788, t =-15.1635, W^2 =1.12166, y =0.959586
 $\theta(l', \gamma)$ =180 deg

four-momenta [E, p_x, p_y, p_z] GeV:
 l E= 2.2244 p_x= 0.0000 p_y= 2.2244 p_z= -0.0000
 P E= 2.4141 p_x= -0.0000 p_y= -2.2244 p_z= 0.0000
 l' E= 2.1984 p_x= -0.0000 p_y= -2.1984 p_z= 0.0000
 P' E= 1.9402 p_x= 0.0000 p_y= 1.6984 p_z= 0.0000
 q_γ E= 0.5000 p_x= 0.0000 p_y= 0.5000 p_z= 0.0000


Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
 electron L, proton h=+1


$h_e=+1, h_p=+1, h_\gamma=-1$
 electron L, proton h=+1

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



L_electron characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_l_electron_region_1 C_{ep}=2.11413e-15
region: low_Egamma L_electron_region_1 final-pair delta_xy=3.04913 rad
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2} \sum_{h_p} \rho(L_e, h_p)$


s=21.5158, $\sqrt{s}$ =4.63852, $|\vec{P}|$ =2.22442, $|\vec{P}'|$ =2.20673
 θ_{in} =1.57079, ϕ_l =4.71239, ϕ_p =1.5708
 E_γ =0.5, ϕ_γ =5.03964
 Q^2 =0.0330795, x_B =0.00731763, t =-4.75382e-05, W^2 =5.36728, y =0.21906
 $\theta(l', \gamma)$ =24.0477 deg

four-momenta [E, p_x, p_y, p_z] GeV:
l E= 2.2244 p_x= -0.0000 p_y= -2.2244 p_z= -0.0000
P E= 2.4141 p_x= 0.0000 p_y= 2.2244 p_z= 0.0000
l' E= 1.7407 p_x= -0.1607 p_y= -1.7333 p_z= 0.0000
P' E= 2.3978 p_x= 0.0000 p_y= 2.2067 p_z= 0.0000
q_γ E= 0.5000 p_x= 0.1607 p_y= -0.4735 p_z= 0.0000

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=100.0%)



L_electron characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_l_electron_region_2 $C_{ep}=1.54782e-17$
region: low_Egamma L_electron_region_2 final-pair delta_xy=2.9254 rad
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.82064$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_P=1.5708$
 $E_\gamma=0.5$, $\phi_\gamma=2.68344$
 $Q^2=0.216502$, $x_B=0.148358$, $t=-0.0290554$, $W^2=2.12266$, $y=0.0707172$
 $\theta(l', \gamma)=128.637$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 2.0905$ $p_x= 0.4484$ $p_y= -2.0418$ $p_z= 0.0000$
 P' $E= 2.0481$ $p_x= 0.0000$ $p_y= 1.8206$ $p_z= 0.0000$
 q_Y $E= 0.5000$ $p_x= -0.4484$ $p_y= 0.2211$ $p_z= 0.0000$


Transverse plane



$h_e=+1$, $h_p=-1$, $h_\gamma=+1$
electron L, proton h=+1


$h_e=+1$, $h_p=+1$, $h_\gamma=-1$
electron L, proton h=-1

Leading initial-ensemble/final-state components (N=2, retained=99.2%)



L_electron characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_l_electron_region_3 C_{ep} =6.55393e-18
region: low_Egamma L_electron_region_3 final-pair delta_xy=3.0681 rad
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_p}\rho(L_e, h_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.70935$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.5$, $\phi_\gamma=1.24355$
 $Q^2=0.0262876$, $x_B=0.0735414$, $t=-0.0497215$, $W^2=1.21101$, $y=0.0173218$
 $\theta(l', \gamma)=165.461$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 2.1887$ $p_x= -0.1607$ $p_y= -2.1828$ $p_z= 0.0000$
 P' $E= 1.9498$ $p_x= 0.0000$ $p_y= 1.7093$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= 0.1607$ $p_y= 0.4735$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=-1, h_\gamma=+1$
electron L, proton h=+1

$h_e=+1, h_p=+1, h_\gamma=-1$
electron L, proton h=-1

Leading initial-ensemble/final-state components (N=2, retained=99.9%)

