



low_Egamma L_proton: max C_{ep} regions



L_proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_l_proton_region_0 C_{ep} =1.77791e-12
 region: low_Egamma L_proton_region_0 final-pair delta_xy=2.88875 rad
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.99869$
 $\theta_{in}=1.57079$, $\phi_i=6.02139$, $\phi_P=2.87979$
 $E_\gamma=0.5$, $\phi_\gamma=6.02139$
 $Q^2=8.51225$, $x_B=0.757493$, $t=-6.59888$, $W^2=3.605$, $y=0.544553$
 $\theta(l', \gamma)=89.4866$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 2.1486$ $p_y= -0.5757$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.1486$ $p_y= 0.5757$ $p_z= 0.0000$
 l' $E= 1.9307$ $p_x= -0.4830$ $p_y= -1.8693$ $p_z= 0.0000$
 P' $E= 2.2079$ $p_x= 0.0000$ $p_y= 1.9987$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= 0.4830$ $p_y= -0.1294$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=+1, h_\gamma=+1$
 electron h=+1, proton L
 $h_e=+1, h_p=+1, h_\gamma=-1$
 electron h=+1, proton L
 $h_e=-1, h_p=+1, h_\gamma=-1$
 electron h=-1, proton L
 $h_e=-1, h_p=+1, h_\gamma=+1$
 electron h=-1, proton L
 $h_e=+1, h_p=-1, h_\gamma=+1$
 electron h=+1, proton L
 $h_e=-1, h_p=-1, h_\gamma=-1$
 electron h=-1, proton L
 $h_e=+1, h_p=-1, h_\gamma=-1$
 electron h=+1, proton L
 $h_e=-1, h_p=-1, h_\gamma=+1$
 electron h=-1, proton L

Leading initial-ensemble/final-state components (N=8, retained=100.0%)



L_proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_l_proton_region_1 $C_{\{ep\}}=1.25851e-12$
 region: low_Egamma_L_proton_region_1 final-pair delta_xy=2.93414 rad
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.80726$
 $\theta_{in}=1.57079$, $\phi_l=2.61799$, $\phi_P=5.75959$
 $E_\gamma=0.5$, $\phi_\gamma=2.61799$
 $Q^2=15.5975$, $x_B=0.932304$, $t=-12.0915$, $W^2=2.01239$, $y=0.81072$
 $\theta(l', \gamma)=131.886$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -1.9264$ $p_y= 1.1122$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.9264$ $p_y= -1.1122$ $p_z= 0.0000$
 l' $E= 2.1023$ $p_x= 0.4330$ $p_y= -2.0573$ $p_z= 0.0000$
 P' $E= 2.0362$ $p_x= 0.0000$ $p_y= 1.8073$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.4330$ $p_y= 0.2500$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
 electron $h=+1$, proton L


$h_e=+1, h_p=+1, h_\gamma=-1$
 electron $h=+1$, proton L

Leading initial-ensemble/final-state components (N=2, retained=93.4%)



L_proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_l_proton_region_2 $C_{ep}=7.98417e-13$
region: low_Egamma L_proton_region_2 final-pair delta_xy=2.9759 rad
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{p}|=2.22442$, $|\vec{p}'|=1.76067$
 $\theta_{in}=1.57079$, $\phi_l=0.785398$, $\phi_p=3.92699$
 $E_\gamma=0.5$, $\phi_\gamma=0.785398$
 $Q^2=17.2995$, $x_B=0.95845$, $t=-13.411$, $W^2=1.62981$, $y=0.874661$
 $\theta(l', \gamma)=144.494$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.5729$ $p_y= 1.5729$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.5729$ $p_y= -1.5729$ $p_z= 0.0000$
 l' $E= 2.1436$ $p_x= -0.3536$ $p_y= -2.1142$ $p_z= 0.0000$
 P' $E= 1.9949$ $p_x= 0.0000$ $p_y= 1.7607$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= 0.3536$ $p_y= 0.3536$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
electron $h=+1$, proton L


$h_e=+1, h_p=+1, h_\gamma=-1$
electron $h=+1$, proton L

Leading initial-ensemble/final-state components (N=2, retained=97.0%)



L_proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_l_proton_region_3 $C_{ep}=4.80463e-13$
region: low_Egamma L_proton_region_3 final-pair delta_xy=2.92415 rad
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.09981$
 $\theta_{in}=1.57079$, $\phi_l=3.79609$, $\phi_p=0.654498$
 $E_\gamma=0.5$, $\phi_\gamma=3.79609$
 $Q^2=4.71774$, $x_B=0.568689$, $t=-3.6573$, $W^2=4.45792$, $y=0.402007$
 $\theta(l', \gamma)=64.9586$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -1.7647$ $p_y= -1.3541$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.7647$ $p_y= 1.3541$ $p_z= 0.0000$
 l' $E= 1.8387$ $p_x= 0.3967$ $p_y= -1.7954$ $p_z= 0.0000$
 P' $E= 2.2998$ $p_x= 0.0000$ $p_y= 2.0998$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.3967$ $p_y= -0.3044$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=100.0%)

