



low_Egamma Tx_proton: max C_{ep} regions



Tx_proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_tx_proton_region_0 C_{ep} =4.10483e-12
 region: low_Egamma_Tx_proton_region_0 final-pair delta_xy=2.88875 rad
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{x,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.99869$
 $\theta_{in}=1.57079$, $\phi_l=6.02139$, $\phi_P=2.87979$
 $E_\gamma=0.5$, $\phi_\gamma=6.02139$
 $Q^2=8.51225$, $x_B=0.757493$, $t=-6.59888$, $W^2=3.605$, $y=0.544553$
 $\theta(l', \gamma)=89.4866$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l $E= 2.2244$ $p_x= 2.1486$ $p_y= -0.5757$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -2.1486$ $p_y= 0.5757$ $p_z= 0.0000$
 l' $E= 1.9307$ $p_x= -0.4830$ $p_y= -1.8693$ $p_z= 0.0000$
 P' $E= 2.2079$ $p_x= 0.0000$ $p_y= 1.9987$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= 0.4830$ $p_y= -0.1294$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=100.0%)



Tx_proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_tx_proton_region_1 $C_{ep}=3.63509e-12$
 region: low_Egamma_tx_proton_region_1 final-pair delta_xy=3.01307 rad
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{x,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.73371$
 $\theta_{in}=1.57079$, $\phi_l=0.981748$, $\phi_p=4.12334$
 $E_\gamma=0.5$, $\phi_\gamma=0.981748$
 $Q^2=18.2796$, $x_B=0.97184$, $t=-14.1708$, $W^2=1.40951$, $y=0.911479$
 $\theta(l', \gamma)=153.614$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.2358$ $p_y= 1.8495$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.2358$ $p_y= -1.8495$ $p_z= 0.0000$
 l' $E= 2.1673$ $p_x= -0.2778$ $p_y= -2.1494$ $p_z= 0.0000$
 P' $E= 1.9712$ $p_x= 0.0000$ $p_y= 1.7337$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= 0.2778$ $p_y= 0.4157$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=4, retained=99.0%)



Tx_proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_tx_proton_region 2 $C_{ep}=3.1421e-12$
 region: low_Egamma_Tx_proton_region 2 final-pair delta_xy=2.9254 rad
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, T_{x,p})$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.82064$
 $\theta_{in}=1.57079$, $\phi_l=2.68344$, $\phi_p=5.82504$
 $E_\gamma=0.5$, $\phi_\gamma=2.68344$
 $Q^2=15.1069$, $x_B=0.923985$, $t=-11.7112$, $W^2=2.12266$, $y=0.792291$
 $\theta(l', \gamma)=128.637$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -1.9950$ $p_y= 0.9838$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.9950$ $p_y= -0.9838$ $p_z= 0.0000$
 l' $E= 2.0905$ $p_x= 0.4484$ $p_y= -2.0418$ $p_z= 0.0000$
 P' $E= 2.0481$ $p_x= 0.0000$ $p_y= 1.8206$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.4484$ $p_y= 0.2211$ $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=5, retained=96.7%)



Tx_proton characteristic max C_{ep} configuration

3D momenta




c_ep_low_egamma_tx_proton_region_3 C_{ep} =7.35523e-13
 region: low_Egamma_Tx_proton_region_3 final-pair delta_xy=2.97037 rad
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e} \rho(h_e, T_{x,p})$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.15697$
 $\theta_{in}=1.57079$, $\phi_i=4.05789$, $\phi_p=0.916298$
 $E_\gamma=0.5$, $\phi_\gamma=4.05789$
 $Q^2=2.55887$, $x_B=0.386407$, $t=-1.98369$, $W^2=4.94318$, $y=0.320906$
 $\theta(\ell', \gamma)=47.3103$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -1.3541$ $p_y= -1.7647$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.3541$ $p_y= 1.7647$ $p_z= 0.0000$
 ℓ' $E= 1.7864$ $p_x= 0.3044$ $p_y= -1.7603$ $p_z= 0.0000$
 P' $E= 2.3521$ $p_x= 0.0000$ $p_y= 2.1570$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.3044$ $p_y= -0.3967$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
 electron $h=+1$, proton Tx
 $h_e=-1, h_p=+1, h_\gamma=-1$
 electron $h=-1$, proton Tx
 $h_e=+1, h_p=+1, h_\gamma=-1$
 electron $h=+1$, proton Tx
 $h_e=-1, h_p=+1, h_\gamma=+1$
 electron $h=-1$, proton Tx
 $h_e=-1, h_p=-1, h_\gamma=-1$
 electron $h=-1$, proton Tx
 $h_e=-1, h_p=-1, h_\gamma=+1$
 electron $h=-1$, proton Tx
 $h_e=+1, h_p=-1, h_\gamma=+1$
 electron $h=+1$, proton Tx
 $h_e=+1, h_p=-1, h_\gamma=-1$
 electron $h=+1$, proton Tx

Leading initial-ensemble/final-state components (N=8, retained=100.0%)

