



low_Egamma LTx: max $C_{p\gamma}$ regions



LTx characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_ltx_region_0 C_{p\gamma}=0.999963
 region: low_Egamma_LTx_region_0 final-pair delta_xy=0.0654498 rad
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_e T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.69879$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.5$, $\phi_\gamma=1.63625$
 $Q^2=0.00108232$, $x_B=0.00439114$, $t=-0.0520337$, $W^2=1.12524$, $y=0.0119441$
 $\theta(l', \gamma)=177.102$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

l	$E=$	2.2244	$p_x=$	-0.0000	$p_y=$	-2.2244	$p_z=$	-0.0000
P	$E=$	2.4141	$p_x=$	0.0000	$p_y=$	2.2244	$p_z=$	0.0000
l'	$E=$	2.1980	$p_x=$	0.0327	$p_y=$	-2.1977	$p_z=$	0.0000
P'	$E=$	1.9406	$p_x=$	0.0000	$p_y=$	1.6988	$p_z=$	0.0000
q_γ	$E=$	0.5000	$p_x=$	-0.0327	$p_y=$	0.4989	$p_z=$	0.0000


Transverse plane



$h_e=+1, h_p=-1, h_\gamma=+1$
 electron L, proton Tx


$h_e=+1, h_p=+1, h_\gamma=-1$
 electron L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



LTx characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_ltx_region_1 C_{p\gamma}=0.993034
 region: low_Egamma_LTx_region_1 final-pair delta_xy=1.4399 rad
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_e T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.89613$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.5$, $\phi_\gamma=3.01069$
 $Q^2=0.274381$, $x_B=0.128076$, $t=-0.0185849$, $W^2=2.7478$, $y=0.103816$
 $\theta(l', \gamma)=111.684$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:

ℓ $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 ℓ' $E= 2.0231$ $p_x= 0.4957$ $p_y= -1.9614$ $p_z= 0.0000$
 P' $E= 2.1155$ $p_x= 0.0000$ $p_y= 1.8961$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.4957$ $p_y= 0.0653$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_\gamma=-1$
 electron L, proton Tx


$h_e=+1, h_p=-1, h_\gamma=+1$
 electron L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=99.3%)



LTx characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_ltx_region_2 C_{p\gamma}=0.969856
 region: low_Egamma_LTx_region_2 final-pair delta_xy=1.309 rad
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_e T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.86439$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.5$, $\phi_\gamma=0.261799$
 $Q^2=0.256523$, $x_B=0.137839$, $t=-0.0226607$, $W^2=2.48436$, $y=0.0901841$
 $\theta(l', \gamma)=118.617$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 2.0515$ $p_x= -0.4830$ $p_y= -1.9938$ $p_z= 0.0000$
 P' $E= 2.0871$ $p_x= 0.0000$ $p_y= 1.8644$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= 0.4830$ $p_y= 0.1294$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=-1, h_\gamma=+1$
 electron L, proton Tx


$h_e=+1, h_p=+1, h_\gamma=-1$
 electron L, proton Tx

Leading initial-ensemble/final-state components (N=2, retained=99.3%)



LTx characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_ltx_region_3 $C_{\{p\gamma\}}=0.798225$
 region: low_Egamma_LTx_region_3 final-pair delta_xy=2.81434 rad
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $|L_e T_{x,p}\rangle$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.20673$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=0.5$, $\phi_\gamma=4.38514$
 $Q^2=0.0330795$, $x_B=0.00731763$, $t=-4.75382e-05$, $W^2=5.36728$, $y=0.21906$
 $\theta(l', \gamma)=24.0477$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 ℓ' $E= 1.7407$ $p_x= 0.1607$ $p_y= -1.7333$ $p_z= 0.0000$
 P' $E= 2.3978$ $p_x= 0.0000$ $p_y= 2.2067$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.1607$ $p_y= -0.4735$ $p_z= 0.0000$

Transverse plane



$h_e=+1, h_p=+1, h_\gamma=-1$
 electron L, proton Tx

$h_e=+1, h_p=-1, h_\gamma=+1$
 electron L, proton Tx

$h_e=+1, h_p=-1, h_\gamma=-1$
 electron L, proton Tx

Leading initial-ensemble/final-state components (N=3, retained=100.0%)

