


W-configuration regions: Tx electron + Tx proton




WScan selected configuration


TxTx_high_Egamma_W_0
 polarization: Tx electron + Tx proton
 D_W=0.55601969
 C_ep=0.13341109, C_pgamma=0.56111135, C_egamma=0.54981437
 purity=1
 W_fidelity=0.12050374
 W-subspace population=0.25360138

s=21.51584, theta_in=1.570795, phi_in=0.9817477
 E_gamma=1.8, phi_gamma=5.399612
 Q2=2.177128, xB=0.1781956, t=-1.202301


3D momenta



Transverse plane



Leading helicity components and complex phases




WScan selected configuration


TxTx_high_Egamma_W_1
polarization: Tx electron + Tx proton
D_W=0.55601969
C_ep=0.13341109, C_pgamma=0.56111135, C_egamma=0.54981437
purity=1
W_fidelity=0.011850093
W-subspace population=0.12427574

s=21.51584, theta_in=1.570795, phi_in=2.159845
E_gamma=1.8, phi_gamma=4.025166
Q2=2.177128, xB=0.1781956, t=-1.202301

3D momenta



Transverse plane



$h_e = -1, h_p = -1, h_\gamma = -1$
electron Tx, proton Tx

$h_e = +1, h_p = -1, h_\gamma = +1$
electron Tx, proton Tx

$h_e = +1, h_p = +1, h_\gamma = +1$
electron Tx, proton Tx


$h_e = +1, h_p = -1, h_\gamma = -1$
electron Tx, proton Tx

$h_e = -1, h_p = +1, h_\gamma = +1$
electron Tx, proton Tx

$h_e = -1, h_p = +1, h_\gamma = -1$
electron Tx, proton Tx

$h_e = -1, h_p = -1, h_\gamma = +1$
electron Tx, proton Tx

Leading helicity components and complex phases




WScan selected configuration


TxTx_mid_Egamma_W_0
 polarization: Tx electron + Tx proton
 D_W=0.58943222
 C_ep=0.62683421, C_pgamma=0.47480361, C_egamma=0.11075994
 purity=1
 W fidelity=0.086275091
 W-subspace population=0.14165114

s=21.51584, theta_in=1.570795, phi_in=3.632467
 E_gamma=1, phi_gamma=2.748894
 Q2=8.854227, xB=0.7959029, t=-9.118869

3D momenta



Transverse plane



$h_e = +1, h_p = +1, h_\gamma = +1$
 electron Tx, proton Tx

$h_e = -1, h_p = -1, h_\gamma = -1$
 electron Tx, proton Tx

$h_e = +1, h_p = +1, h_\gamma = -1$
 electron Tx, proton Tx


$h_e = -1, h_p = +1, h_\gamma = +1$
 electron Tx, proton Tx

$h_e = -1, h_p = -1, h_\gamma = +1$
 electron Tx, proton Tx

$h_e = +1, h_p = -1, h_\gamma = -1$
 electron Tx, proton Tx

$h_e = -1, h_p = +1, h_\gamma = -1$
 electron Tx, proton Tx

Leading helicity components and complex phases




WScan selected configuration


TxTx_mid_Egamma_W_1
polarization: Tx electron + Tx proton
D_W=0.58943222
C_ep=0.62683421, C_pgamma=0.47480361, C_egamma=0.11075994
purity=1
W_fidelity=0.064401443
W-subspace population=0.19708439

s=21.51584, theta_in=1.570795, phi_in=5.792311
E_gamma=1, phi_gamma=0.3926991
Q2=8.854227, xB=0.7959029, t=-9.118869

3D momenta



Transverse plane



$h_e = -1, h_p = -1, h_\gamma = -1$
electron Tx, proton Tx

$h_e = +1, h_p = +1, h_\gamma = +1$
electron Tx, proton Tx

$h_e = -1, h_p = -1, h_\gamma = +1$
electron Tx, proton Tx


$h_e = +1, h_p = -1, h_\gamma = -1$
electron Tx, proton Tx

$h_e = +1, h_p = +1, h_\gamma = -1$
electron Tx, proton Tx

$h_e = -1, h_p = +1, h_\gamma = +1$
electron Tx, proton Tx

$h_e = +1, h_p = -1, h_\gamma = +1$
electron Tx, proton Tx

Leading helicity components and complex phases




WScan selected configuration


TxTx_mid_Egamma_W_2
 polarization: Tx electron + Tx proton
 D_W=0.59677344
 C_ep=0.57656255, C_pgamma=0.5061666, C_egamma=0.098987605
 purity=1
 W_fidelity=0.06585802
 W-subspace population=0.20320787

s=21.51584, theta_in=1.570795, phi_in=5.988661
 E_gamma=1, phi_gamma=0.7853982
 Q2=8.75843, xB=0.8658246, t=-7.384676


3D momenta



Transverse plane



Leading helicity components and complex phases




WScan selected configuration


TxTx_mid_Egamma_W_3
 polarization: Tx electron + Tx proton
 D_W=0.59677345
 C_ep=0.57656254, C_pgamma=0.5061666, C_egamma=0.098987602
 purity=1
 W fidelity=0.09532876
 W-subspace population=0.16326035

s=21.51584, theta_in=1.570795, phi_in=3.436117
 E_gamma=1, phi_gamma=2.356194
 Q2=8.75843, xB=0.8658246, t=-7.384676


3D momenta



Transverse plane



Leading helicity components and complex phases




WScan selected configuration


TxTx_high_Egamma_W_2
 polarization: Tx electron + Tx proton
 D_W=0.61138335
 C_ep=0.082914647, C_pgamma=0.53654637, C_egamma=0.53981284
 purity=1
 W fidelity=0.079323101
 W-subspace population=0.19249037

s=21.51584, theta_in=1.570795, phi_in=0.4908739
 E_gamma=1.8, phi_gamma=5.301438
 Q2=0.3704253, xB=0.03166317, t=-3.793086

3D momenta



Transverse plane



$h_e = +1, h_p = +1, h_\gamma = +1$
 electron Tx, proton Tx

$h_e = -1, h_p = -1, h_\gamma = -1$
 electron Tx, proton Tx


$h_e = -1, h_p = +1, h_\gamma = -1$
 electron Tx, proton Tx

$h_e = -1, h_p = +1, h_\gamma = +1$
 electron Tx, proton Tx

$h_e = +1, h_p = -1, h_\gamma = +1$
 electron Tx, proton Tx

$h_e = +1, h_p = -1, h_\gamma = -1$
 electron Tx, proton Tx

Leading helicity components and complex phases




WScan selected configuration


TxTx_high_Egamma_W_3
 polarization: Tx electron + Tx proton
 D_W=0.61138336
 C_ep=0.082914639, C_pgamma=0.53654637, C_egamma=0.53981284
 purity=1
 W fidelity=0.0020505956
 W-subspace population=0.14619238

s=21.51584, theta_in=1.570795, phi_in=2.650719
 E_gamma=1.8, phi_gamma=4.12334
 Q2=0.3704253, xB=0.03166317, t=-3.793086

3D momenta




Transverse plane



Helicity Components	Complex Phases
$h_e = -1, h_p = -1, h_\gamma = -1$ electron Tx, proton Tx	$\arg A = +1.476 \text{ rad}, \text{Re} A = +1.33e-02, \text{Im} A = +1.39e-01$
$h_e = +1, h_p = +1, h_\gamma = +1$ electron Tx, proton Tx	$\arg A = -0.916 \text{ rad}, \text{Re} A = +6.44e-02, \text{Im} A = -8.39e-02$
$h_e = +1, h_p = -1, h_\gamma = +1$ electron Tx, proton Tx	$\arg A = -1.773 \text{ rad}, \text{Re} A = -1.61e-02, \text{Im} A = -7.84e-02$
$h_e = +1, h_p = -1, h_\gamma = -1$ electron Tx, proton Tx	$\arg A = +1.044 \text{ rad}, \text{Re} A = +3.05e-02, \text{Im} A = +5.24e-02$
$h_e = -1, h_p = +1, h_\gamma = -1$ electron Tx, proton Tx	$\arg A = -2.929 \text{ rad}, \text{Re} A = -4.69e-02, \text{Im} A = -1.01e-02$
$h_e = -1, h_p = +1, h_\gamma = +1$ electron Tx, proton Tx	$\arg A = -0.543 \text{ rad}, \text{Re} A = +4.03e-02, \text{Im} A = -2.44e-02$

Leading helicity components and complex phases




WScan selected configuration


TxTx_low_Egamma_W_0
polarization: Tx electron + Tx proton
D_W=0.70751874
C_ep=0.0083818834, C_pgamma=0.54467529, C_egamma=0.43783918
purity=1
W fidelity=0.18638004
W-subspace population=0.71522383

s=21.51584, theta_in=1.570795, phi_in=1.570796
E_gamma=0.5, phi_gamma=5.006913
Q2=0.0270148, xB=0.005946774, t=-3.134196e-05

3D momenta



Transverse plane



$h_e = -1, h_p = -1, h_\gamma = +1$
electron Tx, proton Tx


$h_e = -1, h_p = +1, h_\gamma = -1$
electron Tx, proton Tx

$h_e = +1, h_p = -1, h_\gamma = +1$
electron Tx, proton Tx

$h_e = -1, h_p = +1, h_\gamma = +1$
electron Tx, proton Tx

$h_e = +1, h_p = -1, h_\gamma = -1$
electron Tx, proton Tx

Leading helicity components and complex phases




WScan selected configuration


TxTx_low_Egamma_W_1
polarization: Tx electron + Tx proton
D_W=0.70751875
C_ep=0.0083818834, C_pgamma=0.54467529, C_egamma=0.43783917
purity=1
W fidelity=0.18451774
W-subspace population=0.28442476

s=21.51584, theta_in=1.570795, phi_in=1.570796
E_gamma=0.5, phi_gamma=4.417865
Q2=0.0270148, xB=0.005946774, t=-3.134196e-05

3D momenta



Transverse plane



$h_e = +1, h_p = +1, h_\gamma = -1$
electron Tx, proton Tx


$h_e = +1, h_p = -1, h_\gamma = +1$
electron Tx, proton Tx

$h_e = -1, h_p = +1, h_\gamma = -1$
electron Tx, proton Tx

$h_e = +1, h_p = -1, h_\gamma = -1$
electron Tx, proton Tx

$h_e = -1, h_p = +1, h_\gamma = +1$
electron Tx, proton Tx

Leading helicity components and complex phases




WScan selected configuration


TxTx_low_Egamma_W_2
 polarization: Tx electron + Tx proton
 D_W=0.74344346
 C_ep=0.62539539, C_pgamma=0.25578718, C_egamma=0.048457227
 purity=1
 W_fidelity=0.083312453
 W-subspace population=0.25586578

s=21.51584, theta_in=1.570795, phi_in=6.185011
 E_gamma=0.5, phi_gamma=0.6872234
 Q2=8.674986, xB=0.9077116, t=-8.715785


3D momenta



Transverse plane



Leading helicity components and complex phases




WScan selected configuration


TxTx_low_Egamma_W_3
 polarization: Tx electron + Tx proton
 D_W=0.74344346
 C_ep=0.62539539, C_pgamma=0.25578718, C_egamma=0.048457223
 purity=1
 W fidelity=0.13745148
 W-subspace population=0.23819961

s=21.51584, theta_in=1.570795, phi_in=3.239767
 E_gamma=0.5, phi_gamma=2.454369
 Q2=8.674986, xB=0.9077116, t=-8.715785

3D momenta



Transverse plane



Leading helicity components and complex phases

