


W-configuration regions: Tx electron + Ty proton




WScan selected configuration


TxTy_low_Egamma_W_0
 polarization: Tx electron + Ty proton
 D_W=0.27069986
 C_ep=0.40524097, C_pgamma=0.67759526, C_egamma=0.59727225
 purity=1
 W fidelity=0.10073987
 W-subspace population=0.49560512

s=21.51584, theta_in=1.570795, phi_in=1.570796
 E_gamma=0.5, phi_gamma=4.417865
 Q2=0.0270148, xB=0.005946774, t=-3.134196e-05

3D momenta



Transverse plane



$h_e = -1, h_p = -1, h_\gamma = +1$
 electron Tx, proton Ty

$h_e = +1, h_p = +1, h_\gamma = -1$
 electron Tx, proton Ty


$h_e = +1, h_p = -1, h_\gamma = +1$
 electron Tx, proton Ty

$h_e = -1, h_p = +1, h_\gamma = -1$
 electron Tx, proton Ty

$h_e = +1, h_p = -1, h_\gamma = -1$
 electron Tx, proton Ty

$h_e = -1, h_p = +1, h_\gamma = +1$
 electron Tx, proton Ty

Leading helicity components and complex phases




WScan selected configuration


TxTy_low_Egamma_W_1
polarization: Tx electron + Ty proton
D_W=0.27071201
C_ep=0.40524523, C_pgamma=0.67760435, C_egamma=0.59721026
purity=1
W fidelity=0.10173856
W-subspace population=0.49551898

s=21.51584, theta_in=1.570795, phi_in=1.570796
E_gamma=0.5, phi_gamma=5.006913
Q2=0.0270148, xB=0.005946774, t=-3.134196e-05


3D momenta



Transverse plane



Leading helicity components and complex phases




WScan selected configuration


TxTy_mid_Egamma_W_0
 polarization: Tx electron + Ty proton
 D_W=0.39498875
 C_ep=0.30957961, C_pgamma=0.50788869, C_egamma=0.60926892
 purity=1
 W fidelity=0.090468028
 W-subspace population=0.49486253

 s=21.51584, theta_in=1.570795, phi_in=1.570796
 E_gamma=1, phi_gamma=4.908739
 Q2=0.06864607, xB=0.007468347, t=-4.945168e-05


3D momenta



Transverse plane



Leading helicity components and complex phases




WScan selected configuration


TxTy_mid_Egamma_W_1
 polarization: Tx electron + Ty proton
 D_W=0.46677794
 C_ep=0.26830504, C_pgamma=0.63013276, C_egamma=0.42613615
 purity=1
 W fidelity=0.12299072
 W-subspace population=0.4987156

s=21.51584, theta_in=1.570795, phi_in=1.570796
 E_gamma=1, phi_gamma=4.417865
 Q2=0.150634, xB=0.01657921, t=-0.0002460228

3D momenta



Transverse plane



$h_e = +1, h_p = -1, h_\gamma = +1$
 electron Tx, proton Ty

$h_e = -1, h_p = +1, h_\gamma = -1$
 electron Tx, proton Ty


$h_e = -1, h_p = -1, h_\gamma = +1$
 electron Tx, proton Ty

$h_e = +1, h_p = +1, h_\gamma = -1$
 electron Tx, proton Ty

$h_e = +1, h_p = -1, h_\gamma = -1$
 electron Tx, proton Ty

$h_e = -1, h_p = +1, h_\gamma = +1$
 electron Tx, proton Ty

Leading helicity components and complex phases




WScan selected configuration


TxTy_high_Egamma_W_0
polarization: Tx electron + Ty proton
D_W=0.55455219
C_ep=0.13329101, C_pgamma=0.56911059, C_egamma=0.55038529
purity=1
W_fidelity=0.037694191
W-subspace_population=0.14571794

s=21.51584, theta_in=1.570795, phi_in=2.159845
E_gamma=1.8, phi_gamma=4.025166
Q2=2.177128, xB=0.1781956, t=-1.202301

3D momenta



Transverse plane



$h_e = -1, h_p = -1, h_\gamma = -1$
electron Tx, proton Ty

$h_e = +1, h_p = +1, h_\gamma = +1$
electron Tx, proton Ty

$h_e = +1, h_p = -1, h_\gamma = +1$
electron Tx, proton Ty


$h_e = +1, h_p = -1, h_\gamma = -1$
electron Tx, proton Ty

$h_e = -1, h_p = +1, h_\gamma = -1$
electron Tx, proton Ty

$h_e = -1, h_p = +1, h_\gamma = +1$
electron Tx, proton Ty

$h_e = -1, h_p = -1, h_\gamma = +1$
electron Tx, proton Ty

Leading helicity components and complex phases




WScan selected configuration


TxTy_high_Egamma_W_1
polarization: Tx electron + Ty proton
D_W=0.55457206
C_ep=0.13327547, C_pgamma=0.56908415, C_egamma=0.55038402
purity=1
W fidelity=0.01325978
W-subspace population=0.14576109

s=21.51584, theta_in=1.570795, phi_in=0.9817477
E_gamma=1.8, phi_gamma=5.399612
Q2=2.177128, xB=0.1781956, t=-1.202301


3D momenta



Transverse plane



Leading helicity components and complex phases




WScan selected configuration


TxTy_mid_Egamma_W_2
 polarization: Tx electron + Ty proton
 D_W=0.59119124
 C_ep=0.62089791, C_pgamma=0.47045941, C_egamma=0.11086543
 purity=1
 W_fidelity=0.092355126
 W-subspace population=0.22123319

s=21.51584, theta_in=1.570795, phi_in=3.632467
 E_gamma=1, phi_gamma=2.748894
 Q2=8.854227, xB=0.7959029, t=-9.118869

3D momenta




Transverse plane



$h_e = -1, h_p = -1, h_\gamma = -1$
 electron Tx, proton Ty
 $h_e = +1, h_p = +1, h_\gamma = +1$
 electron Tx, proton Ty
 $h_e = -1, h_p = -1, h_\gamma = +1$
 electron Tx, proton Ty
 $h_e = +1, h_p = -1, h_\gamma = -1$
 electron Tx, proton Ty
 $h_e = +1, h_p = +1, h_\gamma = -1$
 electron Tx, proton Ty
 $h_e = -1, h_p = +1, h_\gamma = +1$
 electron Tx, proton Ty
 $h_e = +1, h_p = -1, h_\gamma = +1$
 electron Tx, proton Ty

Leading helicity components and complex phases




WScan selected configuration


TxTy_mid_Egamma_W_3
 polarization: Tx electron + Ty proton
 D_W=0.59119715
 C_ep=0.62089086, C_pgamma=0.47045656, C_egamma=0.11086073
 purity=1
 W fidelity=0.059045508
 W-subspace population=0.22122291

s=21.51584, theta_in=1.570795, phi_in=5.792311
 E_gamma=1, phi_gamma=0.3926991
 Q2=8.854227, xB=0.7959029, t=-9.118869

3D momenta



Transverse plane



$h_e = -1, h_p = -1, h_\gamma = -1$
 electron Tx, proton Ty

$h_e = +1, h_p = +1, h_\gamma = +1$
 electron Tx, proton Ty

$h_e = -1, h_p = -1, h_\gamma = +1$
 electron Tx, proton Ty


$h_e = +1, h_p = -1, h_\gamma = -1$
 electron Tx, proton Ty

$h_e = +1, h_p = +1, h_\gamma = -1$
 electron Tx, proton Ty

$h_e = -1, h_p = +1, h_\gamma = +1$
 electron Tx, proton Ty

$h_e = +1, h_p = -1, h_\gamma = +1$
 electron Tx, proton Ty

Leading helicity components and complex phases




WScan selected configuration


TxTy_high_Egamma_W_2
 polarization: Tx electron + Ty proton
 D_W=0.61418717
 C_ep=0.093295273, C_pgamma=0.61815262, C_egamma=0.45191678
 purity=1
 W fidelity=0.01685914
 W-subspace population=0.14721977

s=21.51584, theta_in=1.570795, phi_in=2.650719
 E_gamma=1.8, phi_gamma=4.025166
 Q2=0.5545474, xB=0.05234023, t=-3.466556

3D momenta



Transverse plane



$h_e = -1, h_p = -1, h_\gamma = -1$
 electron Tx, proton Ty

$h_e = +1, h_p = +1, h_\gamma = +1$
 electron Tx, proton Ty


$h_e = +1, h_p = -1, h_\gamma = +1$
 electron Tx, proton Ty

$h_e = +1, h_p = -1, h_\gamma = -1$
 electron Tx, proton Ty

$h_e = -1, h_p = +1, h_\gamma = +1$
 electron Tx, proton Ty

$h_e = -1, h_p = -1, h_\gamma = +1$
 electron Tx, proton Ty

Leading helicity components and complex phases




WScan selected configuration


TxTy_high_Egamma_W_3
 polarization: Tx electron + Ty proton
 D_W=0.61419256
 C_ep=0.093291952, C_pgamma=0.6181366, C_egamma=0.45191387
 purity=1
 W fidelity=0.014205686
 W-subspace population=0.14724549

 s=21.51584, theta_in=1.570795, phi_in=0.4908739
 E_gamma=1.8, phi_gamma=5.399612
 Q2=0.5545474, xB=0.05234023, t=-3.466556


3D momenta



Transverse plane



Leading helicity components and complex phases




WScan selected configuration


TxTy_low_Egamma_W_2
 polarization: Tx electron + Ty proton
 D_W=0.68126028
 C_ep=0.20581106, C_pgamma=0.90804004, C_egamma=0.22681832
 purity=1
 W fidelity=0.15863728
 W-subspace population=0.49988693

s=21.51584, theta_in=1.570795, phi_in=1.570796
 E_gamma=0.5, phi_gamma=3.926991
 Q2=0.1550088, xB=0.03886492, t=-0.001398638

3D momenta



Transverse plane



$h_e = +1, h_p = -1, h_\gamma = +1$
 electron Tx, proton Ty

$h_e = -1, h_p = +1, h_\gamma = -1$
 electron Tx, proton Ty


$h_e = -1, h_p = -1, h_\gamma = +1$
 electron Tx, proton Ty

$h_e = +1, h_p = +1, h_\gamma = -1$
 electron Tx, proton Ty

$h_e = +1, h_p = -1, h_\gamma = -1$
 electron Tx, proton Ty

$h_e = -1, h_p = +1, h_\gamma = +1$
 electron Tx, proton Ty

Leading helicity components and complex phases




WScan selected configuration


TxTy_low_Egamma_W_3
 polarization: Tx electron + Ty proton
 D_W=0.68126062
 C_ep=0.20581106, C_pgamma=0.90804017, C_egamma=0.22681785
 purity=1
 W fidelity=0.16068801
 W-subspace population=0.49986329

s=21.51584, theta_in=1.570795, phi_in=1.570796
 E_gamma=0.5, phi_gamma=5.497787
 Q2=0.1550088, xB=0.03886492, t=-0.001398638

3D momenta



Transverse plane



$h_e = +1, h_p = -1, h_\gamma = +1$
 electron Tx, proton Ty

$h_e = -1, h_p = +1, h_\gamma = -1$
 electron Tx, proton Ty

$h_e = -1, h_p = -1, h_\gamma = +1$
 electron Tx, proton Ty

$h_e = +1, h_p = +1, h_\gamma = -1$
 electron Tx, proton Ty

$h_e = -1, h_p = +1, h_\gamma = +1$
 electron Tx, proton Ty

$h_e = +1, h_p = -1, h_\gamma = -1$
 electron Tx, proton Ty

Leading helicity components and complex phases

