


W-configuration regions: Tx electron




WScan selected configuration


Tx_electron_high_Egamma_W_0
 polarization: Tx_electron
 D_W=0.94280918
 C_ep=0, C_pgamma=0, C_egamma=0.66716824
 purity=0.5
 W_fidelity=0.026095339
 W-subspace_population=0.096089817

 s=21.51584, theta_in=1.570795, phi_in=6.185011
 E_gamma=1.8, phi_gamma=4.614214
 Q2=2.943987, xB=0.1514215, t=-10.75157

3D momenta




Transverse plane



$h_e = -1, h_p = -1, h_\gamma = -1$
 electron Tx, proton h=-1
 $h_e = +1, h_p = +1, h_\gamma = +1$
 electron Tx, proton h=+1
 $h_e = -1, h_p = +1, h_\gamma = -1$
 electron Tx, proton h=+1
 $h_e = +1, h_p = -1, h_\gamma = +1$
 electron Tx, proton h=-1
 $h_e = -1, h_p = +1, h_\gamma = -1$
 electron Tx, proton h=-1
 $h_e = +1, h_p = -1, h_\gamma = +1$
 electron Tx, proton h=+1
 $h_e = -1, h_p = -1, h_\gamma = -1$
 electron Tx, proton h=+1
 $h_e = +1, h_p = +1, h_\gamma = +1$
 electron Tx, proton h=-1

Leading helicity components and complex phases




WScan selected configuration


Tx_electron_high_Egamma_W_1
 polarization: Tx_electron
 D_W=0.94280918
 C_ep=0, C_pgamma=0, C_egamma=0.66716825
 purity=0.5
 W_fidelity=0.040213122
 W-subspace population=0.096093005

 s=21.51584, theta_in=1.570795, phi_in=3.239767
 E_gamma=1.8, phi_gamma=4.810564
 Q2=2.943987, xB=0.1514215, t=-10.75157

3D momenta




Transverse plane



$h_e = +1, h_p = +1, h_\gamma = +1$
 electron Tx, proton h=+1
 $h_e = -1, h_p = -1, h_\gamma = -1$
 electron Tx, proton h=-1
 $h_e = +1, h_p = -1, h_\gamma = +1$
 electron Tx, proton h=-1
 $h_e = -1, h_p = +1, h_\gamma = -1$
 electron Tx, proton h=+1
 $h_e = +1, h_p = -1, h_\gamma = +1$
 electron Tx, proton h=+1
 $h_e = -1, h_p = +1, h_\gamma = -1$
 electron Tx, proton h=-1
 $h_e = +1, h_p = +1, h_\gamma = +1$
 electron Tx, proton h=-1
 $h_e = -1, h_p = -1, h_\gamma = -1$
 electron Tx, proton h=+1

Leading helicity components and complex phases




WScan selected configuration


Tx_electron_mid_Egamma_W_0
 polarization: Tx electron
 D_W=0.94281126
 C_ep=0, C_pgamma=0, C_egamma=0.66871316
 purity=0.50005367
 W fidelity=0.24371453
 W-subspace population=0.49536412

 s=21.51584, theta_in=1.570795, phi_in=0.1963495
 E_gamma=1, phi_gamma=3.337942
 Q2=10.7994, xB=0.7094831, t=-5.944465

3D momenta




Transverse plane



$h_e = +1, h_p = +1, h_\gamma = -1$
 electron Tx, proton h=+1
 $h_e = -1, h_p = -1, h_\gamma = +1$
 electron Tx, proton h=-1
 $h_e = +1, h_p = -1, h_\gamma = -1$
 electron Tx, proton h=-1
 $h_e = -1, h_p = +1, h_\gamma = +1$
 electron Tx, proton h=+1
 $h_e = +1, h_p = -1, h_\gamma = -1$
 electron Tx, proton h=+1
 $h_e = -1, h_p = +1, h_\gamma = +1$
 electron Tx, proton h=-1
 $h_e = +1, h_p = +1, h_\gamma = -1$
 electron Tx, proton h=-1
 $h_e = -1, h_p = -1, h_\gamma = +1$
 electron Tx, proton h=+1

Leading helicity components and complex phases




WScan selected configuration


Tx_electron_mid_Egamma_W_1
 polarization: Tx electron
 D_W=0.94281126
 C_ep=0, C_pgamma=0, C_egamma=0.66871317
 purity=0.50005367
 W_fidelity=0.24674896
 W-subspace population=0.50449924

 s=21.51584, theta_in=1.570795, phi_in=2.945243
 E_gamma=1, phi_gamma=6.086836
 Q2=10.7994, xB=0.7094831, t=-5.944465

3D momenta




Transverse plane



$h_e = -1, h_p = -1, h_\gamma = +1$
 electron Tx, proton h=-1
 $h_e = +1, h_p = +1, h_\gamma = -1$
 electron Tx, proton h=+1
 $h_e = -1, h_p = +1, h_\gamma = +1$
 electron Tx, proton h=+1
 $h_e = +1, h_p = -1, h_\gamma = -1$
 electron Tx, proton h=-1
 $h_e = -1, h_p = +1, h_\gamma = +1$
 electron Tx, proton h=-1
 $h_e = +1, h_p = -1, h_\gamma = -1$
 electron Tx, proton h=+1
 $h_e = -1, h_p = -1, h_\gamma = +1$
 electron Tx, proton h=+1
 $h_e = +1, h_p = +1, h_\gamma = -1$
 electron Tx, proton h=-1

Leading helicity components and complex phases




WScan selected configuration


Tx_electron_high_Egamma_W_2
 polarization: Tx_electron
 D_W=0.94281819
 C_ep=0, C_pgamma=0, C_egamma=0.67081944
 purity=0.5
 W_fidelity=0.030154385
 W-subspace_population=0.14058192

 s=21.51584, theta_in=1.570795, phi_in=2.945243
 E_gamma=1.8, phi_gamma=4.417865
 Q2=0.1465489, xB=0.009659608, t=-7.26546

3D momenta




Transverse plane



$h_e = -1, h_p = -1, h_\gamma = -1$
 electron Tx, proton h=-1
 $h_e = +1, h_p = +1, h_\gamma = +1$
 electron Tx, proton h=+1
 $h_e = -1, h_p = +1, h_\gamma = -1$
 electron Tx, proton h=+1
 $h_e = +1, h_p = -1, h_\gamma = +1$
 electron Tx, proton h=-1
 $h_e = -1, h_p = +1, h_\gamma = -1$
 electron Tx, proton h=-1
 $h_e = +1, h_p = -1, h_\gamma = +1$
 electron Tx, proton h=+1
 $h_e = -1, h_p = -1, h_\gamma = -1$
 electron Tx, proton h=+1
 $h_e = +1, h_p = +1, h_\gamma = +1$
 electron Tx, proton h=-1

Leading helicity components and complex phases




WScan selected configuration


Tx_electron_high_Egamma_W_3
 polarization: Tx_electron
 D_W=0.94281819
 C_ep=0, C_pgamma=0, C_egamma=0.67081944
 purity=0.5
 W_fidelity=0.042260341
 W-subspace population=0.14060288

 s=21.51584, theta_in=1.570795, phi_in=0.1963495
 E_gamma=1.8, phi_gamma=5.006913
 Q2=0.1465489, xB=0.009659608, t=-7.26546

3D momenta




Transverse plane



$h_e = +1, h_p = +1, h_\gamma = +1$
 electron Tx, proton h=+1
 $h_e = -1, h_p = -1, h_\gamma = -1$
 electron Tx, proton h=-1
 $h_e = +1, h_p = -1, h_\gamma = +1$
 electron Tx, proton h=-1
 $h_e = -1, h_p = +1, h_\gamma = -1$
 electron Tx, proton h=+1
 $h_e = +1, h_p = -1, h_\gamma = +1$
 electron Tx, proton h=+1
 $h_e = -1, h_p = +1, h_\gamma = -1$
 electron Tx, proton h=-1
 $h_e = +1, h_p = +1, h_\gamma = +1$
 electron Tx, proton h=-1
 $h_e = -1, h_p = -1, h_\gamma = -1$
 electron Tx, proton h=+1

Leading helicity components and complex phases




WScan selected configuration


Tx_electron_mid_Egamma_W_2
 polarization: Tx electron
 D_W=0.94282133
 C_ep=0, C_pgamma=0, C_egamma=0.67148062
 purity=0.50000073
 W_fidelity=0.037255707
 W-subspace population=0.49317009

 s=21.51584, theta_in=1.570795, phi_in=1.570796
 E_gamma=1, phi_gamma=4.614214
 Q2=0.01742221, xB=0.00188234, t=-3.123471e-06

3D momenta




Transverse plane



$h_e = +1, h_p = -1, h_\gamma = -1$
 electron Tx, proton h=-1
 $h_e = +1, h_p = +1, h_\gamma = -1$
 electron Tx, proton h=+1
 $h_e = -1, h_p = +1, h_\gamma = +1$
 electron Tx, proton h=+1
 $h_e = -1, h_p = -1, h_\gamma = +1$
 electron Tx, proton h=-1
 $h_e = +1, h_p = -1, h_\gamma = +1$
 electron Tx, proton h=+1
 $h_e = -1, h_p = +1, h_\gamma = -1$
 electron Tx, proton h=-1
 $h_e = -1, h_p = -1, h_\gamma = +1$
 electron Tx, proton h=+1
 $h_e = +1, h_p = +1, h_\gamma = -1$
 electron Tx, proton h=-1

Leading helicity components and complex phases




WScan selected configuration


Tx_electron_mid_Egamma_W_3
polarization: Tx electron
D_W=0.94289667
C_ep=0, C_pgamma=0, C_egamma=0.65381199
purity=0.5
W fidelity=0.14535373
W-subspace population=0.50001323

s=21.51584, theta_in=1.570795, phi_in=3.337942
E_gamma=1, phi_gamma=4.712389
Q2=6.509934, xB=0.4123613, t=-11.82669

3D momenta



Transverse plane




$h_e = +1, h_p = -1, h_\gamma = -1$
electron Tx, proton h=-1

$h_e = -1, h_p = +1, h_\gamma = +1$
electron Tx, proton h=+1

$h_e = -1, h_p = -1, h_\gamma = +1$
electron Tx, proton h=-1

$h_e = +1, h_p = +1, h_\gamma = -1$
electron Tx, proton h=+1

Leading helicity components and complex phases




WScan selected configuration


Tx_electron_low_Egamma_W_0
polarization: Tx electron
D_W=0.94289667
C_ep=0, C_pgamma=0, C_egamma=0.65381196
purity=0.5
W_fidelity=0.14529528
W-subspace population=0.50001317

s=21.51584, theta_in=1.570795, phi_in=3.337942
E_gamma=0.5, phi_gamma=4.712389
Q2=9.168314, xB=0.6640419, t=-11.82669

3D momenta



Transverse plane




$h_e = -1, h_p = +1, h_Y = +1$
electron Tx, proton h=+1

$h_e = +1, h_p = -1, h_Y = -1$
electron Tx, proton h=-1

$h_e = -1, h_p = -1, h_Y = +1$
electron Tx, proton h=-1

$h_e = +1, h_p = +1, h_Y = -1$
electron Tx, proton h=+1

Leading helicity components and complex phases




WScan selected configuration


Tx_electron_low_Egamma_W_1
polarization: Tx electron
D_W=0.94289667
C_ep=0, C_pgamma=0, C_egamma=0.65381196
purity=0.5
W fidelity=0.14548782
W-subspace population=0.49998668

s=21.51584, theta_in=1.570795, phi_in=6.086836
E_gamma=0.5, phi_gamma=4.712389
Q2=9.168314, xB=0.6640419, t=-11.82669

3D momenta



Transverse plane




$h_e = +1, h_p = -1, h_\gamma = -1$
electron Tx, proton h=-1

$h_e = -1, h_p = +1, h_\gamma = +1$
electron Tx, proton h=+1

$h_e = +1, h_p = +1, h_\gamma = -1$
electron Tx, proton h=+1

$h_e = -1, h_p = -1, h_\gamma = +1$
electron Tx, proton h=-1

Leading helicity components and complex phases




WScan selected configuration


Tx_electron_low_Egamma_W_2
 polarization: Tx electron
 D_W=0.94290236
 C_ep=0, C_pgamma=0, C_egamma=0.67993225
 purity=0.5004252
 W fidelity=0.189315
 W-subspace population=0.48622726

s=21.51584, theta_in=1.570795, phi_in=0
 E_gamma=0.5, phi_gamma=3.141593
 Q2=11.09167, xB=0.8379278, t=-8.598509

3D momenta




Transverse plane



$h_e = +1, h_p = +1, h_\gamma = -1$
 electron Tx, proton h=+1
 $h_e = -1, h_p = -1, h_\gamma = +1$
 electron Tx, proton h=-1
 $h_e = +1, h_p = -1, h_\gamma = -1$
 electron Tx, proton h=-1
 $h_e = -1, h_p = +1, h_\gamma = +1$
 electron Tx, proton h=+1
 $h_e = +1, h_p = -1, h_\gamma = -1$
 electron Tx, proton h=+1
 $h_e = -1, h_p = +1, h_\gamma = +1$
 electron Tx, proton h=-1
 $h_e = +1, h_p = +1, h_\gamma = -1$
 electron Tx, proton h=-1
 $h_e = -1, h_p = -1, h_\gamma = +1$
 electron Tx, proton h=+1

Leading helicity components and complex phases




WScan selected configuration


Tx_electron_low_Egamma_W_3
 polarization: Tx electron
 D_W=0.94290236
 C_ep=0, C_pgamma=0, C_egamma=0.67993226
 purity=0.5004252
 W fidelity=0.19826509
 W-subspace population=0.51321916

 s=21.51584, theta_in=1.570795, phi_in=3.141593
 E_gamma=0.5, phi_gamma=0
 Q2=11.09167, xB=0.8379278, t=-8.598509

3D momenta



Transverse plane



$h_e = -1, h_p = -1, h_\gamma = +1$
electron Tx, proton h=-1
$h_e = +1, h_p = +1, h_\gamma = -1$
electron Tx, proton h=+1
$h_e = -1, h_p = +1, h_\gamma = +1$
electron Tx, proton h=+1
$h_e = +1, h_p = -1, h_\gamma = -1$
electron Tx, proton h=-1
$h_e = -1, h_p = +1, h_\gamma = +1$
electron Tx, proton h=-1
$h_e = +1, h_p = -1, h_\gamma = -1$
electron Tx, proton h=+1
$h_e = -1, h_p = -1, h_\gamma = +1$
electron Tx, proton h=+1
$h_e = +1, h_p = +1, h_\gamma = -1$
electron Tx, proton h=-1

Leading helicity components and complex phases

