


W-configuration regions: Tx proton




# WScan selected configuration


Tx\_proton\_mid\_Egamma\_W\_0  
polarization: Tx proton  
D\_W=0.94280905  
C\_ep=0, C\_pgamma=0.66679928, C\_egamma=0  
purity=0.50027281  
W fidelity=0.089226846  
W-subspace population=0.23064205

s=21.51584, theta\_in=1.570795, phi\_in=0.9817477  
E\_gamma=1, phi\_gamma=0.1963495  
Q2=0.01100417, xB=0.003799353, t=-1.21393

## 3D momenta



## Transverse plane



$h_e = +1, h_p = +1, h_\gamma = +1$   
electron h=+1, proton Tx

$h_e = -1, h_p = +1, h_\gamma = +1$   
electron h=-1, proton Tx


$h_e = -1, h_p = +1, h_\gamma = -1$   
electron h=-1, proton Tx

$h_e = +1, h_p = +1, h_\gamma = -1$   
electron h=+1, proton Tx

$h_e = -1, h_p = -1, h_\gamma = -1$   
electron h=-1, proton Tx

$h_e = +1, h_p = -1, h_\gamma = -1$   
electron h=+1, proton Tx


## Leading helicity components and complex phases




# WScan selected configuration

Tx\_proton\_mid\_Egamma\_W\_1  
 polarization: Tx proton  
 D\_W=0.94280905  
 C\_ep=0, C\_pgamma=0.66679928, C\_egamma=0  
 purity=0.50027281  
 W fidelity=0.13260764  
 W-subspace population=0.355834  
  
 s=21.51584, theta\_in=1.570795, phi\_in=2.159845  
 E\_gamma=1, phi\_gamma=2.945243  
 Q2=0.01100417, xB=0.003799353, t=-1.21393

3D momenta




Transverse plane



- $h_e = -1, h_p = -1, h_\gamma = -1$   
electron  $h=-1$ , proton Tx
- $h_e = +1, h_p = -1, h_\gamma = -1$   
electron  $h=+1$ , proton Tx
- $h_e = +1, h_p = -1, h_\gamma = +1$   
electron  $h=+1$ , proton Tx
- $h_e = -1, h_p = -1, h_\gamma = +1$   
electron  $h=-1$ , proton Tx
- $h_e = +1, h_p = +1, h_\gamma = +1$   
electron  $h=+1$ , proton Tx
- $h_e = -1, h_p = +1, h_\gamma = +1$   
electron  $h=-1$ , proton Tx

Leading helicity components and complex phases




# WScan selected configuration


Tx\_proton\_mid\_Egamma\_W\_2  
 polarization: Tx proton  
 D\_W=0.94280907  
 C\_ep=0, C\_pgamma=0.6668878, C\_egamma=0  
 purity=0.5005604  
 W\_fidelity=0.064335356  
 W-subspace population=0.2208651

s=21.51584, theta\_in=1.570795, phi\_in=0.4908739  
 E\_gamma=1, phi\_gamma=0.6872234  
 Q2=2.122056, xB=0.5783362, t=-3.204395


## 3D momenta



## Transverse plane



## Leading helicity components and complex phases




# WScan selected configuration


Tx\_proton\_mid\_Egamma\_W\_3  
 polarization: Tx proton  
 D\_W=0.94280907  
 C\_ep=0, C\_pgamma=0.6668878, C\_egamma=0  
 purity=0.5005604  
 W\_fidelity=0.12110354  
 W-subspace population=0.319994

s=21.51584, theta\_in=1.570795, phi\_in=2.650719  
 E\_gamma=1, phi\_gamma=2.454369  
 Q2=2.122056, xB=0.5783362, t=-3.204395

## 3D momenta




## Transverse plane



$h_e = -1, h_p = -1, h_\gamma = -1$   
 electron h=-1, proton Tx  
 $h_e = +1, h_p = -1, h_\gamma = -1$   
 electron h=+1, proton Tx  
 $h_e = +1, h_p = +1, h_\gamma = +1$   
 electron h=+1, proton Tx  
 $h_e = -1, h_p = +1, h_\gamma = +1$   
 electron h=-1, proton Tx  
 $h_e = -1, h_p = -1, h_\gamma = +1$   
 electron h=-1, proton Tx  
 $h_e = +1, h_p = -1, h_\gamma = +1$   
 electron h=+1, proton Tx  
 $h_e = +1, h_p = +1, h_\gamma = -1$   
 electron h=+1, proton Tx  
 $h_e = -1, h_p = +1, h_\gamma = -1$   
 electron h=-1, proton Tx


## Leading helicity components and complex phases




# WScan selected configuration

Tx\_proton\_high\_Egamma\_W\_0  
 polarization: Tx proton  
 D\_W=0.94280915  
 C\_ep=0, C\_pgamma=0.66711959, C\_egamma=0  
 purity=0.50077647  
 W\_fidelity=0.062267095  
 W-subspace population=0.17156473  
  
 s=21.51584, theta\_in=1.570795, phi\_in=0.2945243  
 E\_gamma=1.8, phi\_gamma=5.399612  
 Q2=0.1912115, xB=0.01868812, t=-4.605448

3D momenta




Transverse plane



$h_e = +1, h_p = +1, h_\gamma = +1$   
 electron h=+1, proton Tx  
  
 $h_e = -1, h_p = -1, h_\gamma = -1$   
 electron h=-1, proton Tx  
  
 $h_e = -1, h_p = +1, h_\gamma = +1$   
 electron h=-1, proton Tx  
  
 $h_e = -1, h_p = +1, h_\gamma = -1$   
 electron h=-1, proton Tx  
  
 $h_e = +1, h_p = -1, h_\gamma = -1$   
 electron h=+1, proton Tx  
  
 $h_e = +1, h_p = -1, h_\gamma = +1$   
 electron h=+1, proton Tx


Leading helicity components and complex phases




# WScan selected configuration

Tx\_proton\_high\_Egamma\_W\_1  
 polarization: Tx proton  
 D\_W=0.94280915  
 C\_ep=0, C\_pgamma=0.6671196, C\_egamma=0  
 purity=0.50077647  
 W\_fidelity=0.052940093  
 W-subspace population=0.1622915  
  
 s=21.51584, theta\_in=1.570795, phi\_in=2.847068  
 E\_gamma=1.8, phi\_gamma=4.025166  
 Q2=0.1912115, xB=0.01868812, t=-4.605448


3D momenta



Transverse plane



Leading helicity components and complex phases




# WScan selected configuration


Tx\_proton\_high\_Egamma\_W\_2  
polarization: Tx proton  
D\_W=0.94280916  
C\_ep=0, C\_pgamma=0.6671316, C\_egamma=0  
purity=0.50267608  
W fidelity=0.11453359  
W-subspace population=0.2413944

s=21.51584, theta\_in=1.570795, phi\_in=0.8835729  
E\_gamma=1.8, phi\_gamma=5.497787  
Q2=2.137322, xB=0.194936, t=-1.488552

3D momenta



Transverse plane



$h_e = +1, h_p = +1, h_\gamma = +1$   
electron h=+1, proton Tx

$h_e = -1, h_p = +1, h_\gamma = -1$   
electron h=-1, proton Tx

$h_e = -1, h_p = -1, h_\gamma = -1$   
electron h=-1, proton Tx


$h_e = -1, h_p = +1, h_\gamma = +1$   
electron h=-1, proton Tx

$h_e = +1, h_p = -1, h_\gamma = +1$   
electron h=+1, proton Tx

$h_e = +1, h_p = -1, h_\gamma = -1$   
electron h=+1, proton Tx

$h_e = +1, h_p = +1, h_\gamma = -1$   
electron h=+1, proton Tx


Leading helicity components and complex phases




# WScan selected configuration

Tx\_proton\_high\_Egamma\_W\_3  
 polarization: Tx proton  
 D\_W=0.94280916  
 C\_ep=0, C\_pgamma=0.6671316, C\_egamma=0  
 purity=0.50267608  
 W\_fidelity=0.063355067  
 W-subspace\_population=0.15828701  
  
 s=21.51584, theta\_in=1.570795, phi\_in=2.25802  
 E\_gamma=1.8, phi\_gamma=3.926991  
 Q2=2.137322, xB=0.194936, t=-1.488552

## 3D momenta




## Transverse plane



$h_e = -1, h_p = -1, h_\gamma = -1$   
 electron  $h=-1$ , proton Tx  
  
 $h_e = +1, h_p = -1, h_\gamma = +1$   
 electron  $h=+1$ , proton Tx  
  
 $h_e = +1, h_p = +1, h_\gamma = +1$   
 electron  $h=+1$ , proton Tx  
  
 $h_e = +1, h_p = -1, h_\gamma = -1$   
 electron  $h=+1$ , proton Tx  
  
 $h_e = -1, h_p = +1, h_\gamma = -1$   
 electron  $h=-1$ , proton Tx  
  
 $h_e = -1, h_p = +1, h_\gamma = +1$   
 electron  $h=-1$ , proton Tx  
  
 $h_e = -1, h_p = -1, h_\gamma = +1$   
 electron  $h=-1$ , proton Tx


## Leading helicity components and complex phases




# WScan selected configuration

Tx\_proton\_low\_Egamma\_W\_0  
 polarization: Tx proton  
 D\_W=0.9428096  
 C\_ep=0, C\_pgamma=0.66769687, C\_egamma=0  
 purity=0.50001813  
 W fidelity=0.14193638  
 W-subspace population=0.37894967  
  
 s=21.51584, theta\_in=1.570795, phi\_in=1.668971  
 E\_gamma=0.5, phi\_gamma=2.06167  
 Q2=0.0005154761, xB=0.001164278, t=-0.08373733

## 3D momenta




## Transverse plane



|                                                                 |
|-----------------------------------------------------------------|
| $h_e = +1, h_p = -1, h_\gamma = +1$<br>electron h=+1, proton Tx |
| $h_e = -1, h_p = -1, h_\gamma = +1$<br>electron h=-1, proton Tx |
| $h_e = -1, h_p = -1, h_\gamma = -1$<br>electron h=-1, proton Tx |
| $h_e = +1, h_p = -1, h_\gamma = -1$<br>electron h=+1, proton Tx |
| $h_e = +1, h_p = +1, h_\gamma = +1$<br>electron h=+1, proton Tx |
| $h_e = -1, h_p = +1, h_\gamma = +1$<br>electron h=-1, proton Tx |


## Leading helicity components and complex phases




# WScan selected configuration

Tx\_proton\_low\_Egamma\_W\_1  
 polarization: Tx proton  
 D\_W=0.9428096  
 C\_ep=0, C\_pgamma=0.66769688, C\_egamma=0  
 purity=0.50001813  
 W fidelity=0.12250394  
 W-subspace population=0.31949044  
  
 s=21.51584, theta\_in=1.570795, phi\_in=1.472622  
 E\_gamma=0.5, phi\_gamma=1.079922  
 Q2=0.0005154761, xB=0.001164278, t=-0.08373733

## 3D momenta



## Transverse plane



$h_e = -1, h_p = +1, h_\gamma = -1$   
 electron h=-1, proton Tx

$h_e = +1, h_p = +1, h_\gamma = -1$   
 electron h=+1, proton Tx


$h_e = +1, h_p = +1, h_\gamma = +1$   
 electron h=+1, proton Tx

$h_e = -1, h_p = +1, h_\gamma = +1$   
 electron h=-1, proton Tx

$h_e = -1, h_p = -1, h_\gamma = -1$   
 electron h=-1, proton Tx

$h_e = +1, h_p = -1, h_\gamma = -1$   
 electron h=+1, proton Tx

## Leading helicity components and complex phases




# WScan selected configuration


Tx\_proton\_low\_Egamma\_W\_2  
polarization: Tx proton  
D\_W=0.94284545  
C\_ep=0, C\_pgamma=0.67495294, C\_egamma=0  
purity=0.58054467  
W fidelity=0.43159717  
W-subspace population=0.7007067

s=21.51584, theta\_in=1.570795, phi\_in=1.570796  
E\_gamma=0.5, phi\_gamma=5.105088  
Q2=0.04673873, xB=0.01045775, t=-9.747306e-05

3D momenta



Transverse plane



$h_e = -1, h_p = -1, h_\gamma = +1$   
electron h=-1, proton Tx


$h_e = +1, h_p = -1, h_\gamma = +1$   
electron h=+1, proton Tx

$h_e = -1, h_p = +1, h_\gamma = -1$   
electron h=-1, proton Tx

$h_e = +1, h_p = -1, h_\gamma = -1$   
electron h=+1, proton Tx

$h_e = -1, h_p = +1, h_\gamma = +1$   
electron h=-1, proton Tx


Leading helicity components and complex phases




# WScan selected configuration

Tx\_proton\_low\_Egamma\_W\_3  
polarization: Tx proton  
D\_W=0.94284545  
C\_ep=0, C\_pgamma=0.67495295, C\_egamma=0  
purity=0.58054467  
W fidelity=0.12702637  
W-subspace population=0.29924799  
  
s=21.51584, theta\_in=1.570795, phi\_in=1.570796  
E\_gamma=0.5, phi\_gamma=4.31969  
Q2=0.04673873, xB=0.01045775, t=-9.747306e-05

3D momenta



Transverse plane



$h_e = +1, h_p = +1, h_\gamma = -1$   
electron h=+1, proton Tx

$h_e = -1, h_p = +1, h_\gamma = -1$   
electron h=-1, proton Tx

$h_e = +1, h_p = -1, h_\gamma = +1$   
electron h=+1, proton Tx

$h_e = -1, h_p = +1, h_\gamma = +1$   
electron h=-1, proton Tx

$h_e = +1, h_p = -1, h_\gamma = -1$   
electron h=+1, proton Tx

Leading helicity components and complex phases

