


W-configuration regions: Ty electron




WScan selected configuration


Ty_electron_high_Egamma_W_0
 polarization: Ty_electron
 D_W=0.94280917
 C_ep=0, C_pgamma=0, C_egamma=0.66716809
 purity=0.5
 W_fidelity=0.038983644
 W-subspace_population=0.096075227

 s=21.51584, theta_in=1.570795, phi_in=3.239767
 E_gamma=1.8, phi_gamma=4.810564
 Q2=2.943987, xB=0.1514215, t=-10.75157

3D momenta




Transverse plane



$h_e = -1, h_p = -1, h_\gamma = -1$
 electron Ty, proton h=-1
 $h_e = +1, h_p = +1, h_\gamma = +1$
 electron Ty, proton h=+1
 $h_e = -1, h_p = +1, h_\gamma = -1$
 electron Ty, proton h=+1
 $h_e = +1, h_p = -1, h_\gamma = +1$
 electron Ty, proton h=-1
 $h_e = -1, h_p = +1, h_\gamma = -1$
 electron Ty, proton h=-1
 $h_e = +1, h_p = -1, h_\gamma = +1$
 electron Ty, proton h=+1
 $h_e = -1, h_p = -1, h_\gamma = -1$
 electron Ty, proton h=+1
 $h_e = +1, h_p = +1, h_\gamma = +1$
 electron Ty, proton h=-1

Leading helicity components and complex phases




WScan selected configuration


Ty_electron_high_Egamma_W_1
 polarization: Ty_electron
 D_W=0.94280917
 C_ep=0, C_pgamma=0, C_egamma=0.66716809
 purity=0.5
 W_fidelity=0.027648888
 W-subspace_population=0.096075227

 s=21.51584, theta_in=1.570795, phi_in=6.185011
 E_gamma=1.8, phi_gamma=4.614214
 Q2=2.943987, xB=0.1514215, t=-10.75157

3D momenta




Transverse plane



$h_e = -1, h_p = -1, h_\gamma = -1$
 electron Ty, proton h=-1
 $h_e = +1, h_p = +1, h_\gamma = +1$
 electron Ty, proton h=+1
 $h_e = -1, h_p = +1, h_\gamma = -1$
 electron Ty, proton h=+1
 $h_e = +1, h_p = -1, h_\gamma = +1$
 electron Ty, proton h=-1
 $h_e = -1, h_p = +1, h_\gamma = -1$
 electron Ty, proton h=-1
 $h_e = +1, h_p = -1, h_\gamma = +1$
 electron Ty, proton h=+1
 $h_e = -1, h_p = -1, h_\gamma = -1$
 electron Ty, proton h=+1
 $h_e = +1, h_p = +1, h_\gamma = +1$
 electron Ty, proton h=-1

Leading helicity components and complex phases




WScan selected configuration


Ty_electron_mid_Egamma_W_0
 polarization: Ty electron
 D_W=0.9428114
 C_ep=0, C_pgamma=0, C_egamma=0.66877613
 purity=0.50000163
 W fidelity=0.087952595
 W-subspace population=0.4991364

 s=21.51584, theta_in=1.570795, phi_in=0.1963495
 E_gamma=1, phi_gamma=3.337942
 Q2=10.7994, xB=0.7094831, t=-5.944465

3D momenta




Transverse plane



$h_e = +1, h_p = +1, h_\gamma = -1$
 electron Ty, proton h=+1
 $h_e = -1, h_p = -1, h_\gamma = +1$
 electron Ty, proton h=-1
 $h_e = +1, h_p = -1, h_\gamma = -1$
 electron Ty, proton h=-1
 $h_e = -1, h_p = +1, h_\gamma = +1$
 electron Ty, proton h=+1
 $h_e = +1, h_p = -1, h_\gamma = -1$
 electron Ty, proton h=+1
 $h_e = -1, h_p = +1, h_\gamma = +1$
 electron Ty, proton h=-1
 $h_e = +1, h_p = +1, h_\gamma = -1$
 electron Ty, proton h=-1
 $h_e = -1, h_p = -1, h_\gamma = +1$
 electron Ty, proton h=+1

Leading helicity components and complex phases




WScan selected configuration


Ty_electron_mid_Egamma_W_1
 polarization: Ty electron
 D_W=0.9428114
 C_ep=0, C_pgamma=0, C_egamma=0.66877613
 purity=0.50000163
 W fidelity=0.24479572
 W-subspace population=0.4991364

 s=21.51584, theta_in=1.570795, phi_in=2.945243
 E_gamma=1, phi_gamma=6.086836
 Q2=10.7994, xB=0.7094831, t=-5.944465

3D momenta




Transverse plane



$h_e = +1, h_p = +1, h_\gamma = -1$
 electron Ty, proton h=+1
 $h_e = -1, h_p = -1, h_\gamma = +1$
 electron Ty, proton h=-1
 $h_e = +1, h_p = -1, h_\gamma = -1$
 electron Ty, proton h=-1
 $h_e = -1, h_p = +1, h_\gamma = +1$
 electron Ty, proton h=+1
 $h_e = +1, h_p = -1, h_\gamma = -1$
 electron Ty, proton h=+1
 $h_e = -1, h_p = +1, h_\gamma = +1$
 electron Ty, proton h=-1
 $h_e = +1, h_p = +1, h_\gamma = -1$
 electron Ty, proton h=-1
 $h_e = -1, h_p = -1, h_\gamma = +1$
 electron Ty, proton h=+1

Leading helicity components and complex phases




WScan selected configuration


Ty_electron_high_Egamma_W_2
 polarization: Ty_electron
 D_W=0.94281819
 C_ep=0, C_pgamma=0, C_egamma=0.67081941
 purity=0.5
 W_fidelity=0.045266539
 W-subspace population=0.14053972

 s=21.51584, theta_in=1.570795, phi_in=0.1963495
 E_gamma=1.8, phi_gamma=5.006913
 Q2=0.1465489, xB=0.009659608, t=-7.26546

3D momenta




Transverse plane



$h_e = -1, h_p = -1, h_\gamma = -1$
 electron Ty, proton h=-1
 $h_e = +1, h_p = +1, h_\gamma = +1$
 electron Ty, proton h=+1
 $h_e = -1, h_p = +1, h_\gamma = -1$
 electron Ty, proton h=+1
 $h_e = +1, h_p = -1, h_\gamma = +1$
 electron Ty, proton h=-1
 $h_e = -1, h_p = +1, h_\gamma = -1$
 electron Ty, proton h=-1
 $h_e = +1, h_p = -1, h_\gamma = +1$
 electron Ty, proton h=+1
 $h_e = -1, h_p = -1, h_\gamma = -1$
 electron Ty, proton h=+1
 $h_e = +1, h_p = +1, h_\gamma = +1$
 electron Ty, proton h=-1

Leading helicity components and complex phases




WScan selected configuration


Ty_electron_high_Egamma_W_3
 polarization: Ty_electron
 D_W=0.94281819
 C_ep=0, C_pgamma=0, C_egamma=0.67081941
 purity=0.5
 W_fidelity=0.042651566
 W-subspace_population=0.14053972

 s=21.51584, theta_in=1.570795, phi_in=2.945243
 E_gamma=1.8, phi_gamma=4.417865
 Q2=0.1465489, xB=0.009659608, t=-7.26546

3D momenta




Transverse plane



$h_e = -1, h_p = -1, h_\gamma = -1$
electron Ty, proton h=-1
$h_e = +1, h_p = +1, h_\gamma = +1$
electron Ty, proton h=+1
$h_e = -1, h_p = +1, h_\gamma = -1$
electron Ty, proton h=+1
$h_e = +1, h_p = -1, h_\gamma = +1$
electron Ty, proton h=-1
$h_e = -1, h_p = +1, h_\gamma = -1$
electron Ty, proton h=-1
$h_e = +1, h_p = -1, h_\gamma = +1$
electron Ty, proton h=+1
$h_e = -1, h_p = -1, h_\gamma = -1$
electron Ty, proton h=+1
$h_e = +1, h_p = +1, h_\gamma = +1$
electron Ty, proton h=-1

Leading helicity components and complex phases




WScan selected configuration


Ty_electron_mid_Egamma_W_2
 polarization: Ty electron
 D_W=0.94282151
 C_ep=0, C_pgamma=0, C_egamma=0.67151577
 purity=0.50000235
 W fidelity=0.11064412
 W-subspace population=0.49308996

 s=21.51584, theta_in=1.570795, phi_in=1.570796
 E_gamma=1, phi_gamma=4.614214
 Q2=0.01742221, xB=0.00188234, t=-3.123471e-06

3D momenta




Transverse plane



$h_e = -1, h_p = +1, h_\gamma = +1$
 electron Ty, proton h=+1
 $h_e = -1, h_p = -1, h_\gamma = +1$
 electron Ty, proton h=-1
 $h_e = +1, h_p = -1, h_\gamma = -1$
 electron Ty, proton h=-1
 $h_e = +1, h_p = +1, h_\gamma = -1$
 electron Ty, proton h=+1
 $h_e = -1, h_p = +1, h_\gamma = -1$
 electron Ty, proton h=-1
 $h_e = +1, h_p = -1, h_\gamma = +1$
 electron Ty, proton h=+1
 $h_e = +1, h_p = +1, h_\gamma = -1$
 electron Ty, proton h=-1
 $h_e = -1, h_p = -1, h_\gamma = +1$
 electron Ty, proton h=+1

Leading helicity components and complex phases




WScan selected configuration


Ty_electron_mid_Egamma_W_3
polarization: Ty electron
D_W=0.94289667
C_ep=0, C_pgamma=0, C_egamma=0.653812
purity=0.50000001
W fidelity=0.27346085
W-subspace population=0.49993339

s=21.51584, theta_in=1.570795, phi_in=3.337942
E_gamma=1, phi_gamma=4.712389
Q2=6.509934, xB=0.4123613, t=-11.82669

3D momenta



Transverse plane




$h_e = -1, h_p = +1, h_\gamma = +1$
electron Ty, proton h=+1

$h_e = +1, h_p = -1, h_\gamma = -1$
electron Ty, proton h=-1

$h_e = +1, h_p = +1, h_\gamma = -1$
electron Ty, proton h=+1

$h_e = -1, h_p = -1, h_\gamma = +1$
electron Ty, proton h=-1

Leading helicity components and complex phases




WScan selected configuration


Ty_electron_low_Egamma_W_0
 polarization: Ty electron
 D_W=0.94289667
 C_ep=0, C_pgamma=0, C_egamma=0.65381188
 purity=0.50000001
 W fidelity=0.059854146
 W-subspace population=0.49993333

 s=21.51584, theta_in=1.570795, phi_in=6.086836
 E_gamma=0.5, phi_gamma=4.712389
 Q2=9.168314, xB=0.6640419, t=-11.82669

3D momenta



Transverse plane




$h_e = +1, h_p = -1, h_\gamma = -1$
 electron Ty, proton h=-1

 $h_e = -1, h_p = +1, h_\gamma = +1$
 electron Ty, proton h=+1

 $h_e = +1, h_p = +1, h_\gamma = -1$
 electron Ty, proton h=+1

 $h_e = -1, h_p = -1, h_\gamma = +1$
 electron Ty, proton h=-1

Leading helicity components and complex phases




WScan selected configuration


Ty_electron_low_Egamma_W_1
polarization: Ty electron
D_W=0.94289667
C_ep=0, C_pgamma=0, C_egamma=0.65381188
purity=0.50000001
W fidelity=0.27340236
W-subspace population=0.49993333

s=21.51584, theta_in=1.570795, phi_in=3.337942
E_gamma=0.5, phi_gamma=4.712389
Q2=9.168314, xB=0.6640419, t=-11.82669

3D momenta



Transverse plane




$h_e = +1, h_p = -1, h_\gamma = -1$
electron Ty, proton h=-1

$h_e = -1, h_p = +1, h_\gamma = +1$
electron Ty, proton h=+1

$h_e = +1, h_p = +1, h_\gamma = -1$
electron Ty, proton h=+1

$h_e = -1, h_p = -1, h_\gamma = +1$
electron Ty, proton h=-1

Leading helicity components and complex phases




WScan selected configuration


Ty_electron_low_Egamma_W_2
 polarization: Ty electron
 D_W=0.9429101
 C_ep=0, C_pgamma=0, C_egamma=0.68047111
 purity=0.50000017
 W fidelity=0.056952002
 W-subspace population=0.49999118

s=21.51584, theta_in=1.570795, phi_in=0
 E_gamma=0.5, phi_gamma=3.141593
 Q2=11.09167, xB=0.8379278, t=-8.598509

3D momenta




Transverse plane



$h_e = -1, h_p = -1, h_\gamma = +1$
 electron Ty, proton h=-1
 $h_e = +1, h_p = +1, h_\gamma = -1$
 electron Ty, proton h=+1
 $h_e = -1, h_p = +1, h_\gamma = +1$
 electron Ty, proton h=+1
 $h_e = +1, h_p = -1, h_\gamma = -1$
 electron Ty, proton h=-1
 $h_e = -1, h_p = +1, h_\gamma = +1$
 electron Ty, proton h=-1
 $h_e = +1, h_p = -1, h_\gamma = -1$
 electron Ty, proton h=+1
 $h_e = -1, h_p = -1, h_\gamma = +1$
 electron Ty, proton h=+1
 $h_e = +1, h_p = +1, h_\gamma = -1$
 electron Ty, proton h=-1

Leading helicity components and complex phases




WScan selected configuration


Ty_electron_low_Egamma_W_3
 polarization: Ty electron
 D_W=0.9429101
 C_ep=0, C_pgamma=0, C_egamma=0.68047111
 purity=0.50000017
 W fidelity=0.27636666
 W-subspace population=0.49999118

 s=21.51584, theta_in=1.570795, phi_in=3.141593
 E_gamma=0.5, phi_gamma=0
 Q2=11.09167, xB=0.8379278, t=-8.598509

3D momenta



Transverse plane



$h_e = -1, h_p = -1, h_\gamma = +1$ electron Ty, proton h=-1	
$h_e = +1, h_p = +1, h_\gamma = -1$ electron Ty, proton h=+1	
$h_e = -1, h_p = +1, h_\gamma = +1$ electron Ty, proton h=+1	
$h_e = +1, h_p = -1, h_\gamma = -1$ electron Ty, proton h=-1	
$h_e = -1, h_p = +1, h_\gamma = +1$ electron Ty, proton h=-1	
$h_e = +1, h_p = -1, h_\gamma = -1$ electron Ty, proton h=+1	
$h_e = -1, h_p = -1, h_\gamma = +1$ electron Ty, proton h=+1	
$h_e = +1, h_p = +1, h_\gamma = -1$ electron Ty, proton h=-1	

Leading helicity components and complex phases

