



high_Egamma Tx: max C_{py} regions



Tx characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_high_egamma_tx_region_0 $C_{\{p\}\gamma}=0.678524$
 region: high_Egamma_Tx_region_0 final-pair delta_xy=3.07614 rad
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $[A(h_e = +1, h_p = +1) + A(h_e = -1, h_p = +1)]/\sqrt{2}$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.21394$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_p=1.5708$
 $E_\gamma=1.8$, $\phi_\gamma=4.77784$
 $Q^2=0.07238$, $x_B=0.00433893$, $t=-1.66317e-05$, $W^2=17.489$, $y=0.808371$
 $\theta(l', \gamma)=19.4866$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 l' $E= 0.4341$ $p_x= -0.1177$ $p_y= -0.4178$ $p_z= 0.0000$
 P' $E= 2.4045$ $p_x= 0.0000$ $p_y= 2.2139$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 0.1177$ $p_y= -1.7961$ $p_z= 0.0000$

Transverse plane




Final-state amplitude decomposition



Tx characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_high_egamma_tx_region_1 C_{p\gamma}=0.206819
 region: high_Egamma_Tx_region_1 final-pair delta_xy=2.35619 rad
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $[A(h_e = +1, h_p = +1) + A(h_e = -1, h_p = +1)]/\sqrt{2}$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.25347$
 $\theta_{in}=1.57079$, $\phi_l=5.89049$, $\phi_P=2.74889$
 $E_\gamma=1.8$, $\phi_\gamma=3.92699$
 $Q^2=0.464572$, $x_B=0.0499999$, $t=-3.66521$, $W^2=9.70675$, $y=0.450256$
 $\theta(l', \gamma)=135.87$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:

l	$E= 2.2244$	$p_x= 2.0551$	$p_y= -0.8512$	$p_z= -0.0000$
P	$E= 2.4141$	$p_x= -2.0551$	$p_y= 0.8512$	$p_z= 0.0000$
l'	$E= 1.2729$	$p_x= 1.2728$	$p_y= 0.0193$	$p_z= 0.0000$
P'	$E= 1.5656$	$p_x= 0.0000$	$p_y= 1.2535$	$p_z= 0.0000$
q_γ	$E= 1.8000$	$p_x= -1.2728$	$p_y= -1.2728$	$p_z= 0.0000$

Transverse plane




Final-state amplitude decomposition



Tx characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_high_egamma_tx_region_2 C_{p\gamma}=0.206819
 region: high_Egamma_Tx_region_2 final-pair_delta_xy=2.35619 rad
 kinematic point: high_s_high_theta_in_high_Egamma
 incoming state: $[A(h_e = +1, h_p = +1) + A(h_e = -1, h_p = +1)]/\sqrt{2}$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.25347$
 $\theta_{in}=1.57079$, $\phi_l=3.53429$, $\phi_P=0.392699$
 $E_\gamma=1.8$, $\phi_\gamma=5.49779$
 $Q^2=0.464572$, $x_B=0.0499999$, $t=-3.66521$, $W^2=9.70675$, $y=0.450256$
 $\theta(l', \gamma)=135.87$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -2.0551$ $p_y= -0.8512$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 2.0551$ $p_y= 0.8512$ $p_z= 0.0000$
 l' $E= 1.2729$ $p_x= -1.2728$ $p_y= 0.0193$ $p_z= 0.0000$
 P' $E= 1.5656$ $p_x= 0.0000$ $p_y= 1.2535$ $p_z= 0.0000$
 q_γ $E= 1.8000$ $p_x= 1.2728$ $p_y= -1.2728$ $p_z= 0.0000$

Transverse plane



Final-state amplitude decomposition

