



low\_Egamma double\_transverse: max  $C_{p\gamma}$  regions



# double\_transverse characteristic max $C_{p\gamma}$ configuration

3D momenta




c\_p\_gamma\_low\_egamma\_double\_transverse\_region\_0 C\_{p\gamma}=0.999931  
region: low\_Egamma\_double\_transverse\_region\_0 final-pair delta\_xy=0 rad  
kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
incoming state:  $T_x(h_e) \otimes \bar{T}_x(h_p)$  coherent incoming state


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.69835$   
 $\theta_{in}=1.57079$ ,  $\phi_l=4.71239$ ,  $\phi_P=1.5708$   
 $E_\gamma=0.5$ ,  $\phi_\gamma=1.5708$   
 $Q^2=8.60837e-12$ ,  $x_B=3.55992e-11$ ,  $t=-0.0521317$ ,  $W^2=1.12166$ ,  $y=0.0117181$   
 $\theta(l', \gamma)=180$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $\ell$   $E= 2.2244$   $p_x= -0.0000$   $p_y= -2.2244$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 0.0000$   $p_y= 2.2244$   $p_z= 0.0000$   
 $\ell'$   $E= 2.1984$   $p_x= -0.0000$   $p_y= -2.1984$   $p_z= 0.0000$   
 $P'$   $E= 1.9402$   $p_x= 0.0000$   $p_y= 1.6984$   $p_z= 0.0000$   
 $q_\gamma$   $E= 0.5000$   $p_x= 0.0000$   $p_y= 0.5000$   $p_z= 0.0000$

Transverse plane




Final-state amplitude decomposition



# double\_transverse characteristic max $C_{p\gamma}$ configuration

3D momenta




c\_p\_gamma\_low\_egamma\_double\_transverse\_region\_1  $C_{p\gamma}=0.981124$   
 region: low\_Egamma\_double\_transverse\_region\_1 final-pair delta\_xy=1.37445 rad  
 kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
 incoming state:  $T_x(h_e) \otimes T_x(h_p)$  coherent incoming state


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.88003$   
 $\theta_{in}=1.57079$ ,  $\phi_l=4.71239$ ,  $\phi_P=1.5708$   
 $E_\gamma=0.5$ ,  $\phi_\gamma=0.19635$   
 $Q^2=0.266466$ ,  $x_B=0.133185$ ,  $t=-0.0205939$ ,  $W^2=2.61411$ ,  $y=0.0969534$   
 $\theta(l', \gamma)=115.177$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= -0.0000$   $p_y= -2.2244$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 0.0000$   $p_y= 2.2244$   $p_z= 0.0000$   
 $l'$   $E= 2.0375$   $p_x= -0.4904$   $p_y= -1.9776$   $p_z= 0.0000$   
 $P'$   $E= 2.1010$   $p_x= 0.0000$   $p_y= 1.8800$   $p_z= 0.0000$   
 $q_\gamma$   $E= 0.5000$   $p_x= 0.4904$   $p_y= 0.0975$   $p_z= 0.0000$

Transverse plane




Final-state amplitude decomposition



# double\_transverse characteristic max $C_{p\gamma}$ configuration

3D momenta




c\_p\_gamma\_low\_egamma\_double\_transverse\_region\_2 C\_{p\gamma}=0.981124  
 region: low\_Egamma\_double\_transverse\_region\_2 final-pair delta\_xy=1.37445 rad  
 kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
 incoming state:  $T_x(h_e) \otimes T_x(h_p)$  coherent incoming state

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.88003$   
 $\theta_{in}=1.57079$ ,  $\phi_l=4.71239$ ,  $\phi_p=1.5708$   
 $E_\gamma=0.5$ ,  $\phi_\gamma=2.94524$   
 $Q^2=0.266466$ ,  $x_B=0.133185$ ,  $t=-0.0205939$ ,  $W^2=2.61411$ ,  $y=0.0969534$   
 $\theta(l', \gamma)=115.177$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= -0.0000$   $p_y= -2.2244$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 0.0000$   $p_y= 2.2244$   $p_z= 0.0000$   
 $l'$   $E= 2.0375$   $p_x= 0.4904$   $p_y= -1.9776$   $p_z= 0.0000$   
 $P'$   $E= 2.1010$   $p_x= 0.0000$   $p_y= 1.8800$   $p_z= 0.0000$   
 $q_\gamma$   $E= 0.5000$   $p_x= -0.4904$   $p_y= 0.0975$   $p_z= 0.0000$

Transverse plane



Final-state amplitude decomposition

