



low_Egamma unpolarized: max $C_{p\gamma}$ regions



unpolarized characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_unpolarized_region_0 C_{p\gamma}=0.992373
 region: low_Egamma_unpolarized_region_0 final-pair delta_xy=2.87979 rad
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $A(h_e=+1, h_p=+1)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.21303$
 $\theta_{in}=1.57079$, $\phi_l=4.71239$, $\phi_P=1.5708$
 $E_\gamma=0.5$, $\phi_\gamma=4.97419$
 $Q^2=0.021502$, $x_B=0.00471252$, $t=-1.96521e-05$, $W^2=5.42108$, $y=0.221106$
 $\theta(l', \gamma)=19.2778$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -0.0000$ $p_y= -2.2244$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 0.0000$ $p_y= 2.2244$ $p_z= 0.0000$
 ℓ' $E= 1.7349$ $p_x= -0.1294$ $p_y= -1.7301$ $p_z= 0.0000$
 P' $E= 2.4036$ $p_x= 0.0000$ $p_y= 2.2130$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= 0.1294$ $p_y= -0.4830$ $p_z= 0.0000$

Transverse plane




Final-state amplitude decomposition



unpolarized characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_unpolarized_region_1 C_{p\gamma}=0.390395
 region: low_Egamma_unpolarized_region_1 final-pair delta_xy=0.458149 rad
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $A(h_e=+1, h_p=+1)$


$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.71983$
 $\theta_{in}=1.57079$, $\phi_l=4.77784$, $\phi_P=1.63625$
 $E_\gamma=0.5$, $\phi_\gamma=1.11265$
 $Q^2=0.135041$, $x_B=0.244831$, $t=-0.0638688$, $W^2=1.29637$, $y=0.0267284$
 $\theta(l', \gamma)=159.574$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E=2.2244$ $p_x=0.1455$ $p_y=-2.2197$ $p_z=-0.0000$
 P $E=2.4141$ $p_x=-0.1455$ $p_y=2.2197$ $p_z=0.0000$
 ℓ' $E=2.1795$ $p_x=-0.2211$ $p_y=-2.1683$ $p_z=0.0000$
 P' $E=1.9590$ $p_x=0.0000$ $p_y=1.7198$ $p_z=0.0000$
 q_γ $E=0.5000$ $p_x=0.2211$ $p_y=0.4484$ $p_z=0.0000$

Transverse plane




Final-state amplitude decomposition



unpolarized characteristic max $C_{p\gamma}$ configuration

3D momenta




c_p_gamma_low_egamma_unpolarized_region_2 C_{p\gamma}=0.39016
region: low_Egamma unpolarized_region_2 final-pair delta_xy=2.02895 rad
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: A(h_e=+1, h_p=+1)

s=21.5158, $\sqrt{s}$ =4.63852, $|\vec{P}|$ =2.22442, $|\vec{P}'|$ =2.05057
 θ_{in} =1.57079, ϕ_l =4.71239, ϕ_P =1.5708
 E_γ =0.5, ϕ_γ =3.59974
 Q^2 =0.240947, x_B =0.0708079, t =-0.00488574, W^2 =4.04172, y =0.164897
 $\theta(l', \gamma)$ =77.523 deg

four-momenta [E, p_x, p_y, p_z] GeV:
l E= 2.2244 p_x= -0.0000 p_y= -2.2244 p_z= -0.0000
P E= 2.4141 p_x= 0.0000 p_y= 2.2244 p_z= 0.0000
l' E= 1.8836 p_x= 0.4484 p_y= -1.8294 p_z= 0.0000
P' E= 2.2549 p_x= 0.0000 p_y= 2.0506 p_z= 0.0000
q_\gamma E= 0.5000 p_x= -0.4484 p_y= -0.2211 p_z= 0.0000

Transverse plane



Final-state amplitude decomposition

