



low_Egamma L_proton: max $C_{e\gamma}$ regions



L_proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_l_proton_region_0 $C_{e\gamma}=3.07036e-11$
 region: low_Egamma_L_proton_region_0 final-pair delta_xy=2.60201 rad
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.74629$
 $\theta_{in}=1.57079$, $\phi_l=0.883573$, $\phi_p=4.02517$
 $E_\gamma=0.5$, $\phi_\gamma=0.883573$
 $Q^2=17.8227$, $x_B=0.965735$, $t=-13.8166$, $W^2=1.51221$, $y=0.894315$
 $\theta(l', \gamma)=149.084$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.4112$ $p_y= 1.7195$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.4112$ $p_y= -1.7195$ $p_z= 0.0000$
 l' $E= 2.1563$ $p_x= -0.3172$ $p_y= -2.1328$ $p_z= 0.0000$
 P' $E= 1.9823$ $p_x= 0.0000$ $p_y= 1.7463$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= 0.3172$ $p_y= 0.3865$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
 electron $h=+1$, proton L


$h_e=+1, h_p=+1, h_\gamma=-1$
 electron $h=+1$, proton L

Leading initial-ensemble/final-state components (N=2, retained=97.9%)



L_proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_l_proton_region_1 $C_{\{e\gamma\}}=2.08182e-11$
region: low_Egamma_L_proton_region_1 final-pair delta_xy=2.27359 rad
kinematic point: high_s_high_theta_in_low_Egamma
incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=1.81387$
 $\theta_{in}=1.57079$, $\phi_\ell=2.65072$, $\phi_P=5.79231$
 $E_\gamma=0.5$, $\phi_\gamma=2.65072$
 $Q^2=15.3552$, $x_B=0.928244$, $t=-11.9037$, $W^2=2.06684$, $y=0.801621$
 $\theta(\ell', \gamma)=130.267$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 ℓ $E= 2.2244$ $p_x= -1.9618$ $p_y= 1.0486$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.9618$ $p_y= -1.0486$ $p_z= 0.0000$
 ℓ' $E= 2.0965$ $p_x= 0.4410$ $p_y= -2.0496$ $p_z= 0.0000$
 P' $E= 2.0420$ $p_x= 0.0000$ $p_y= 1.8139$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.4410$ $p_y= 0.2357$ $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_\gamma=+1$
electron $h=+1$, proton L


$h_e=+1, h_p=+1, h_\gamma=-1$
electron $h=+1$, proton L

Leading initial-ensemble/final-state components (N=2, retained=92.7%)



L_proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_l_proton_region_2 $C_{e\gamma}=1.06961e-11$
 region: low_Egamma_L_proton_region_2 final-pair delta_xy=0.74617 rad
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.16913$
 $\theta_{in}=1.57079$, $\phi_i=5.30144$, $\phi_P=2.15984$
 $E_\gamma=0.5$, $\phi_\gamma=5.30144$
 $Q^2=2.0985$, $x_B=0.334939$, $t=-1.62681$, $W^2=5.04666$, $y=0.303611$
 $\theta(l', \gamma)=42.7524$ deg


four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= 1.2358$ $p_y= -1.8495$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= -1.2358$ $p_y= 1.8495$ $p_z= 0.0000$
 l' $E= 1.7753$ $p_x= -0.2778$ $p_y= -1.7534$ $p_z= 0.0000$
 P' $E= 2.3633$ $p_x= 0.0000$ $p_y= 2.1691$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= 0.2778$ $p_y= -0.4157$ $p_z= 0.0000$

Transverse plane




$h_e=+1, h_p=+1, h_\gamma=+1$
 electron h=+1, proton L
 $h_e=-1, h_p=+1, h_\gamma=-1$
 electron h=-1, proton L
 $h_e=+1, h_p=+1, h_\gamma=-1$
 electron h=+1, proton L
 $h_e=-1, h_p=+1, h_\gamma=+1$
 electron h=-1, proton L
 $h_e=+1, h_p=-1, h_\gamma=+1$
 electron h=+1, proton L
 $h_e=-1, h_p=-1, h_\gamma=-1$
 electron h=-1, proton L
 $h_e=+1, h_p=-1, h_\gamma=-1$
 electron h=+1, proton L
 $h_e=-1, h_p=-1, h_\gamma=+1$
 electron h=-1, proton L

Leading initial-ensemble/final-state components (N=8, retained=100.0%)



L_proton characteristic max $C_{e\gamma}$ configuration

3D momenta




c_e_gamma_low_egamma_l_proton_region_3 $C_{e\gamma}=1.20404e-12$
 region: low_Egamma_L_proton_region_3 final-pair delta_xy=0.865136 rad
 kinematic point: high_s_high_theta_in_low_Egamma
 incoming state: $\frac{1}{2}\sum_{h_e}\rho(h_e, L_p)$

$s=21.5158$, $\sqrt{s}=4.63852$, $|\vec{P}|=2.22442$, $|\vec{P}'|=2.15053$
 $\theta_{in}=1.57079$, $\phi_l=4.02517$, $\phi_p=0.883573$
 $E_\gamma=0.5$, $\phi_\gamma=4.02517$
 $Q^2=2.80248$, $x_B=0.41146$, $t=-2.17254$, $W^2=4.88843$, $y=0.330057$
 $\theta(l', \gamma)=49.5686$ deg

four-momenta $[E, p_x, p_y, p_z]$ GeV:
 l $E= 2.2244$ $p_x= -1.4112$ $p_y= -1.7195$ $p_z= -0.0000$
 P $E= 2.4141$ $p_x= 1.4112$ $p_y= 1.7195$ $p_z= 0.0000$
 l' $E= 1.7923$ $p_x= 0.3172$ $p_y= -1.7640$ $p_z= 0.0000$
 P' $E= 2.3462$ $p_x= 0.0000$ $p_y= 2.1505$ $p_z= 0.0000$
 q_γ $E= 0.5000$ $p_x= -0.3172$ $p_y= -0.3865$ $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=100.0%)

