



low\_Egamma LL: max  $C_{p\gamma}$  regions



LL characteristic max  $C_{p\gamma}$  configuration

3D momenta




c\_p\_gamma\_low\_egamma\_ll\_region\_0 C\_{p\gamma}=0.973847  
region: low\_Egamma\_LL\_region\_0 final-pair delta\_xy=2.94524 rad  
kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
incoming state:  $|L_e L_p\rangle$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=2.21798$   
 $\theta_{in}=1.57079$ ,  $\phi_\ell=4.71239$ ,  $\phi_P=1.5708$   
 $E_\gamma=0.5$ ,  $\phi_\gamma=4.51604$   
 $Q^2=0.0122417$ ,  $x_B=0.00266368$ ,  $t=-6.26289e-06$ ,  $W^2=5.46338$ ,  $y=0.222707$   
 $\theta(\ell', \gamma)=14.4817$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $\ell$   $E= 2.2244$   $p_x= -0.0000$   $p_y= -2.2244$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 0.0000$   $p_y= 2.2244$   $p_z= 0.0000$   
 $\ell'$   $E= 1.7303$   $p_x= 0.0975$   $p_y= -1.7276$   $p_z= 0.0000$   
 $P'$   $E= 2.4082$   $p_x= 0.0000$   $p_y= 2.2180$   $p_z= 0.0000$   
 $q_\gamma$   $E= 0.5000$   $p_x= -0.0975$   $p_y= -0.4904$   $p_z= 0.0000$


Transverse plane



$h_e=+1, h_p=+1, h_\gamma=-1$   
electron L, proton L


$h_e=+1, h_p=-1, h_\gamma=+1$   
electron L, proton L

Leading initial-ensemble/final-state components (N=2, retained=99.0%)



# LL characteristic max $C_{p\gamma}$ configuration

3D momenta




c\_p\_gamma\_low\_egamma\_ll\_region\_1 C\_{p\gamma}=0.367681  
region: low\_Egamma\_LL\_region\_1 final-pair delta\_xy=1.9635 rad  
kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
incoming state:  $|L_e L_p\rangle$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=2.03345$   
 $\theta_{in}=1.57079$ ,  $\phi_\ell=4.71239$ ,  $\phi_p=1.5708$   
 $E_\gamma=0.5$ ,  $\phi_\gamma=5.89049$   
 $Q^2=0.253746$ ,  $x_B=0.0775677$ ,  $t=-0.00593676$ ,  $W^2=3.89738$ ,  $y=0.158523$   
 $\theta(\ell', \gamma)=81.5776$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:

|            |      |        |        |         |        |         |        |         |
|------------|------|--------|--------|---------|--------|---------|--------|---------|
| $\ell$     | $E=$ | 2.2244 | $p_x=$ | -0.0000 | $p_y=$ | -2.2244 | $p_z=$ | -0.0000 |
| $P$        | $E=$ | 2.4141 | $p_x=$ | 0.0000  | $p_y=$ | 2.2244  | $p_z=$ | 0.0000  |
| $\ell'$    | $E=$ | 1.8991 | $p_x=$ | -0.4619 | $p_y=$ | -1.8421 | $p_z=$ | 0.0000  |
| $P'$       | $E=$ | 2.2394 | $p_x=$ | 0.0000  | $p_y=$ | 2.0335  | $p_z=$ | 0.0000  |
| $q_\gamma$ | $E=$ | 0.5000 | $p_x=$ | 0.4619  | $p_y=$ | -0.1913 | $p_z=$ | 0.0000  |


Transverse plane



$h_e=+1, h_p=-1, h_\gamma=+1$   
electron L, proton L


$h_e=+1, h_p=+1, h_\gamma=-1$   
electron L, proton L

Leading initial-ensemble/final-state components (N=2, retained=100.0%)



# LL characteristic max $C_{p\gamma}$ configuration

3D momenta




c\_p\_gamma\_low\_egamma\_ll\_region\_2 C\_{p\gamma}=0.280952  
 region: low\_Egamma\_LL\_region\_2 final-pair delta\_xy=0.19635 rad  
 kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
 incoming state:  $|L_e L_p\rangle$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.70232$   
 $\theta_{in}=1.57079$ ,  $\phi_l=4.61421$ ,  $\phi_p=1.47262$   
 $E_\gamma=0.5$ ,  $\phi_\gamma=1.76715$   
 $Q^2=0.0991567$ ,  $x_B=0.265703$ ,  $t=-0.0877219$ ,  $W^2=1.15387$ ,  $y=0.0180843$   
 $\theta(l', \gamma)=171.297$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= -0.2180$   $p_y= -2.2137$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 0.2180$   $p_y= 2.2137$   $p_z= 0.0000$   
 $l'$   $E= 2.1949$   $p_x= 0.0975$   $p_y= -2.1927$   $p_z= 0.0000$   
 $P'$   $E= 1.9436$   $p_x= 0.0000$   $p_y= 1.7023$   $p_z= 0.0000$   
 $q_\gamma$   $E= 0.5000$   $p_x= -0.0975$   $p_y= 0.4904$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=3, retained=99.2%)



# LL characteristic max $C_{p\gamma}$ configuration

3D momenta




c\_p\_gamma\_low\_egamma\_ll\_region\_3 C\_{p\gamma}=0.262521  
region: low\_Egamma\_LL\_region\_3 final-pair delta\_xy=1.5708 rad  
kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
incoming state:  $|L_e L_p\rangle$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.92943$   
 $\theta_{in}=1.57079$ ,  $\phi_\ell=4.71239$ ,  $\phi_P=1.5708$   
 $E_\gamma=0.5$ ,  $\phi_\gamma=3.14159$   
 $Q^2=0.283539$ ,  $x_B=0.116736$ ,  $t=-0.0147934$ ,  $W^2=3.0252$ ,  $y=0.117702$   
 $\theta(\ell', \gamma)=104.528$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $\ell$   $E= 2.2244$   $p_x= -0.0000$   $p_y= -2.2244$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 0.0000$   $p_y= 2.2244$   $p_z= 0.0000$   
 $\ell'$   $E= 1.9932$   $p_x= 0.5000$   $p_y= -1.9294$   $p_z= 0.0000$   
 $P'$   $E= 2.1454$   $p_x= 0.0000$   $p_y= 1.9294$   $p_z= 0.0000$   
 $q_\gamma$   $E= 0.5000$   $p_x= -0.5000$   $p_y= 0.0000$   $p_z= 0.0000$

Transverse plane



$h_e=+1$ ,  $h_p=-1$ ,  $h_\gamma=+1$   
electron L, proton L

Leading initial-ensemble/final-state components (N=1, retained=98.2%)

