



low\_Egamma Tx\_electron: max  $C_{ey}$  regions



# Tx\_electron characteristicmax $C_{e\gamma}$ configuration

3D momenta




c\_e\_gamma\_low\_egamma\_tx\_electron\_region\_0  $C_{e\gamma}=0.535885$   
 region: low\_Egamma\_Tx\_electron\_region\_0 final-pair delta\_xy=0.252753 rad  
 kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
 incoming state:  $\frac{1}{2}\sum_{h_p}\rho(T_{X,e},h_p)$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=2.21798$   
 $\theta_{in}=1.57079$ ,  $\phi_l=4.71239$ ,  $\phi_p=1.5708$   
 $E_\gamma=0.5$ ,  $\phi_\gamma=4.51604$   
 $Q^2=0.0122417$ ,  $x_B=0.00266368$ ,  $t=-6.26289e-06$ ,  $W^2=5.46338$ ,  $y=0.222707$   
 $\theta(l',\gamma)=14.4817$  deg


four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $\ell$   $E= 2.2244$   $p_x= -0.0000$   $p_y= -2.2244$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= 0.0000$   $p_y= 2.2244$   $p_z= 0.0000$   
 $\ell'$   $E= 1.7303$   $p_x= 0.0975$   $p_y= -1.7276$   $p_z= 0.0000$   
 $P'$   $E= 2.4082$   $p_x= 0.0000$   $p_y= 2.2180$   $p_z= 0.0000$   
 $q_\gamma$   $E= 0.5000$   $p_x= -0.0975$   $p_y= -0.4904$   $p_z= 0.0000$

Transverse plane




$h_e=-1, h_p=+1, h_\gamma=+1$   
 electron Tx, proton h=+1  
 $h_e=+1, h_p=-1, h_\gamma=-1$   
 electron Tx, proton h=-1  
 $h_e=-1, h_p=-1, h_\gamma=+1$   
 electron Tx, proton h=-1  
 $h_e=+1, h_p=+1, h_\gamma=-1$   
 electron Tx, proton h=+1  
 $h_e=-1, h_p=+1, h_\gamma=-1$   
 electron Tx, proton h=-1  
 $h_e=+1, h_p=-1, h_\gamma=+1$   
 electron Tx, proton h=+1  
 $h_e=-1, h_p=-1, h_\gamma=+1$   
 electron Tx, proton h=+1  
 $h_e=+1, h_p=+1, h_\gamma=-1$   
 electron Tx, proton h=-1

Leading initial-ensemble/final-state components (N=8, retained=98.9%)



# Tx\_electron characteristicmax $C_{e\gamma}$ configuration

3D momenta




c\_e\_gamma\_low\_egamma\_tx\_electron\_region\_1  $C_{e\gamma}=0.249411$   
 region: low\_Egamma\_tx\_electron\_region\_1 final-pair delta\_xy=0.74617 rad  
 kinematic point: high\_s\_high\_theta\_in\_low\_Egamma  
 incoming state:  $\frac{1}{2}\sum_{h_p}\rho(T_{X,e},h_p)$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=2.16913$   
 $\theta_{in}=1.57079$ ,  $\phi_l=5.79231$ ,  $\phi_p=2.65072$   
 $E_\gamma=0.5$ ,  $\phi_\gamma=5.30144$   
 $Q^2=5.31059$ ,  $x_B=0.560342$ ,  $t=-5.10155$ ,  $W^2=5.04666$ ,  $y=0.459266$   
 $\theta(l',\gamma)=42.7524$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= 1.9618$   $p_y= -1.0486$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -1.9618$   $p_y= 1.0486$   $p_z= 0.0000$   
 $l'$   $E= 1.7753$   $p_x= -0.2778$   $p_y= -1.7534$   $p_z= 0.0000$   
 $P'$   $E= 2.3633$   $p_x= 0.0000$   $p_y= 2.1691$   $p_z= 0.0000$   
 $q_\gamma$   $E= 0.5000$   $p_x= 0.2778$   $p_y= -0.4157$   $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=81.3%)

