



mid\_Egamma Tx\_electron: max  $C_{p\gamma}$  regions



# Tx\_electron characteristicmax $C_{p\gamma}$ configuration

3D momenta




c\_p\_gamma\_mid\_egamma\_tx\_electron\_region\_0  $C_{p\gamma}=0$   
 region: mid\_Egamma\_Tx\_electron\_region\_0 final-pair delta\_xy=1.5708 rad  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $\frac{1}{2}\sum_{h_p}\rho(T_{X,e},h_p)$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.5395$   
 $\theta_{in}=1.57079$ ,  $\phi_l=0$ ,  $\phi_p=3.14159$   
 $E_\gamma=1$ ,  $\phi_\gamma=0$   
 $Q^2=12.6159$ ,  $x_B=0.777732$ ,  $t=-6.94433$ ,  $W^2=4.48534$ ,  $y=0.786071$   
 $\theta(l',\gamma)=123.006$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= 2.2244$   $p_y= -0.0000$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -2.2244$   $p_y= 0.0000$   $p_z= 0.0000$   
 $l'$   $E= 1.8358$   $p_x= -1.0000$   $p_y= -1.5395$   $p_z= 0.0000$   
 $P'$   $E= 1.8027$   $p_x= 0.0000$   $p_y= 1.5395$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.0000$   $p_x= 1.0000$   $p_y= 0.0000$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=93.2%)



# Tx\_electron characteristicmax $C_{p\gamma}$ configuration

3D momenta




c\_p\_gamma\_mid\_egamma\_tx\_electron\_region\_1 C\_{p\gamma}=0  
 region: mid\_Egamma Tx\_electron\_region\_1 final-pair delta\_xy=0.19635 rad  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $\frac{1}{2}\sum_{h_p}\rho(T_{x,e},h_p)$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.15835$   
 $\theta_{in}=1.57079$ ,  $\phi_l=0$ ,  $\phi_P=3.14159$   
 $E_\gamma=1$ ,  $\phi_\gamma=1.37445$   
 $Q^2=10.4241$ ,  $x_B=0.93633$ ,  $t=-5.43678$ ,  $W^2=1.58868$ ,  $y=0.539489$   
 $\theta(l',\gamma)=173.961$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= 2.2244$   $p_y= -0.0000$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -2.2244$   $p_y= 0.0000$   $p_z= 0.0000$   
 $l'$   $E= 2.1480$   $p_x= -0.1951$   $p_y= -2.1391$   $p_z= 0.0000$   
 $P'$   $E= 1.4905$   $p_x= 0.0000$   $p_y= 1.1583$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.0000$   $p_x= 0.1951$   $p_y= 0.9808$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=92.5%)



# Tx\_electron characteristicmax $C_{p\gamma}$ configuration

3D momenta




c\_p\_gamma\_mid\_egamma\_tx\_electron\_region\_2 C\_{p\gamma}=0  
 region: mid\_Egamma Tx\_electron\_region\_2 final-pair delta\_xy=1.1781 rad  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $\frac{1}{2}\sum_{h_p}\rho(T_{x,e},h_p)$


$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=1.36819$   
 $\theta_{in}=1.57079$ ,  $\phi_l=0$ ,  $\phi_P=3.14159$   
 $E_\gamma=1$ ,  $\phi_\gamma=2.74889$   
 $Q^2=4.69704$ ,  $x_B=0.674129$ ,  $t=-6.24956$ ,  $W^2=3.15038$ ,  $y=0.337641$   
 $\theta(l',\gamma)=140.319$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= 2.2244$   $p_y= -0.0000$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -2.2244$   $p_y= 0.0000$   $p_z= 0.0000$   
 $l'$   $E= 1.9797$   $p_x= 0.9239$   $p_y= -1.7509$   $p_z= 0.0000$   
 $P'$   $E= 1.6588$   $p_x= 0.0000$   $p_y= 1.3682$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.0000$   $p_x= -0.9239$   $p_y= 0.3827$   $p_z= 0.0000$

Transverse plane




Leading initial-ensemble/final-state components (N=8, retained=90.5%)



# Tx\_electron characteristicmax $C_{p\gamma}$ configuration

3D momenta




c\_p\_gamma\_mid\_egamma\_tx\_electron\_region\_3 C\_{p\gamma}=0  
 region: mid\_Egamma Tx\_electron\_region\_3 final-pair delta\_xy=2.55254 rad  
 kinematic point: high\_s\_high\_theta\_in\_mid\_Egamma  
 incoming state:  $\frac{1}{2}\sum_{h_p}\rho(T_{x,e},h_p)$

$s=21.5158$ ,  $\sqrt{s}=4.63852$ ,  $|\vec{P}|=2.22442$ ,  $|\vec{P}'|=2.07465$   
 $\theta_{in}=1.57079$ ,  $\phi_l=0$ ,  $\phi_P=3.14159$   
 $E_\gamma=1$ ,  $\phi_\gamma=4.12334$   
 $Q^2=3.58622$ ,  $x_B=0.309426$ ,  $t=-9.23337$ ,  $W^2=8.88355$ ,  $y=0.561636$   
 $\theta(l',\gamma)=57.8296$  deg

four-momenta  $[E, p_x, p_y, p_z]$  GeV:  
 $l$   $E= 2.2244$   $p_x= 2.2244$   $p_y= -0.0000$   $p_z= -0.0000$   
 $P$   $E= 2.4141$   $p_x= -2.2244$   $p_y= 0.0000$   $p_z= 0.0000$   
 $l'$   $E= 1.3617$   $p_x= 0.5556$   $p_y= -1.2432$   $p_z= 0.0000$   
 $P'$   $E= 2.2768$   $p_x= 0.0000$   $p_y= 2.0746$   $p_z= 0.0000$   
 $q_\gamma$   $E= 1.0000$   $p_x= -0.5556$   $p_y= -0.8315$   $p_z= 0.0000$

Transverse plane



Leading initial-ensemble/final-state components (N=8, retained=89.1%)

